

V-TAC[®]

INNOVATIVE LED LIGHTING



LED LIGHTING CATALOG

Q-1 2020

5 YEAR
WARRANTY

- LED TUBES
- LED PANELS
- HIGHBAYS
- SMART LIGHTS
- WALL LIGHTS
- MOTION SENSORS
- FLOODLIGHTS
- STREET LIGHTS
- LED TRACK LIGHTS
- LED DOME LIGHTS
- LED BULBS
- LED DOWN LIGHTS
- SMART HOME
- EXIT LIGHTS



2009

V-TAC was founded with the vision of providing energy-efficient LED lighting solutions worldwide



2011

Started our EU expansion by opening the first V-TAC warehouse and office in Sofia, Bulgaria.



2012

Manufacturing Joint Venture with MEKA Lighting



2013

Started building our distribution network in the UK from our office in Southall, London.



2015

Launched our in-house product testing lab in Sofia, Bulgaria.



2016

Achieved \$100M Annual Turnover- Manufacturing Joint Venture with DASHER Lighting for decorative lighting



2017

In-branding Partnership with Samsung and launched the V-TAC PRO Series



2018

• Partnership with Tuya and launched new Smart Series
• Unveiled the new V-TAC Showroom in Slough, UK



2019

Started new 2500 meter square showroom in Bulgaria.



INTRODUCING THE NEW SERIES



Our bestselling LED Lights — now upgraded with a superior efficiency of 160 lm/W through the latest in LED technology.



2018 has been a ground-breaking year here at V-TAC, with the introduction of our newest range of PRO-Series products. The range, which was developed in partnership with Samsung, was accepted with fervor and we offered a whole new variety of products to our consumers with the PRO-Series Range.

The PRO Series range offers V-TAC's core range of top-quality LED lighting products for professionals, by professionals. Now upgraded with LED provided by Samsung and coming with five (5) years of warranty, With the success of the PRO-Series, V-TAC is emboldened to take the brand onwards and upwards. The ever-expanding distribution network we have across Europe enables us to take to market innovative products. With that in mind, V-TAC is introducing a plethora of new product lines that will take V-TAC further into a bright future.



Following are the new series that we plan to develop more in the coming year.



WiFi-supported home lighting system simultaneously controlled through the VTAC app; works with Amazon Alexa & Google Home.



Long-lasting, fast-charging data cables for everyday use. Includes a wide range of cable finish and connectors for different usage types.



WiFi-supported home solutions to convert any device into a smart device, and ultimately convert any home into a smart home. Have a systematic, unified control on all your smart devices through the official V-TAC app, Amazon Alexa, and Google Home.



Power strips with surge protectors and lighted switches, cable reels, adapters, and direct USB ports — all designed to bring convenience and safety to modern electrical needs.



Premium quality battery packs for any device with extensive features such as power capacity, battery indicators, and more to power up the modern lifestyle.



New series of wireless speakers devices with various modes & wireless controls for a dynamic sound experience & maximum portability.

Download Our Retail Catalog:
<http://tiny.cc/9dgrcz>



LED Flood Lights - 08

LED Flood Lights

White | Grey | Black



PAGE
10

LED Flood Lights

PIR Sensor White | Black



PAGE
32

LED Flood Lights

Rechargeable FloodLights



PAGE
36

LED Flood Lights

Sports Light



PAGE
38

LED Flood Lights

Super Pro Series



PAGE
40

LED Street Lights - 42

NEW

Street Lights

Super Pro Series



PAGE
44

LED Garden Light

Super Pro Series



NEW ADDITION

PAGE
46

Street Lights

140 Lumen/w



PAGE
48

Street Lights

120 Lumen/w



PAGE
52

Street Lights



PAGE
56

LED Highbays - 58

Reflector Highbays

180 Lumen/w



PAGE
60

LED UFO Highbays

120 Lumen/w



PAGE
64

LED Linear Lights

LED Low Bay Lights



PAGE
68

LED Highbays

LED Canopy Light



PAGE
70

LED Panels - 72

LED Big Panels



PAGE
74

LED Mini Panels

Adjustable Panels



PAGE
76

LED Mini Panels

Premium Series Panels



PAGE
80

LED Mini Panels

Edge Series



PAGE
84

LED Tubes - 88

LED Tubes

G13-T8 -Nano Plastic Tube



PAGE
90

Fixtures with LED

LED Prismatic Fittings



PAGE
96

Fixtures with LED

LED Batten Fitting



PAGE
100

Fixtures with LED

CCT Changeable Batten Fitting



PAGE
104

Fixtures with LED

LED Waterproof Fittings



PAGE
108

LED Linear Lights - 110

Linear Lights

Linear Hanging Lights

NEW ADDITION



PAGE
112

Linear Lights

Recessed Linear



PAGE
124

Linear Lights

Linear Trunking



PAGE
128

Magnetic Track Lights

Up-down Lights

NEW



PAGE
132

LED TrackLights

4 Line TrackLights

NEW ADDITION



PAGE
140

LED Bulkhead and DownLights - 146

2D Bulkhead

Emergency Battery Backup and Sensor



PAGE
148

Reflector Downlight



NEW ADDITION

PAGE
156

LED Down Lights

Fire Rated Downlight



NEW ADDITION

PAGE
161

LED Down Lights

LED Cabinet & Night Lights



NEW ADDITION

PAGE
165

LED Solar Lights

LED Solar Wall and Bollard Lights



PAGE
167

LED Emergency Lights - 168

Exit Light

Surface & Recessed



PAGE
170

Exit Light

Bulkhead



PAGE
171

LED Strip Lights - 172

LED Strip Lights

CRI >95



PAGE
174

LED Strip Lights

Neon Flex Light



PAGE
175

LED Spot Lights - 176

LED Spot Lights

LED Capsules Lights



PAGE
178

LED Spot Lights

LED GU10 Lights



PAGE
179

LED Spot Lights

MR16 | GU10



PAGE
180

LED Filament Bulbs - 182

LED Bulbs

evolution



PAGE
184

LED Bulbs

Amber Filament Bulbs



PAGE
186

LED Filament Bulbs

Clear Filament Bulbs



PAGE
188

LED Plastic Bulbs - 191

LED Plastic Bulbs

High Lumen Bulbs



PAGE
192

LED Plastic Bulbs

Candle | A58 | A65 | A80



PAGE
194

LED Plastic Bulbs

Reflectors & PAR Bulbs



PAGE
203

LED Plastic Bulbs

UFO Bulbs



PAGE
205

LED Plastic Bulbs

LED Big Bulb



PAGE
208

LED Bulbs - 210

CRI > 95



LED Bulbs

NEW ADDITION



Blister Packing



Filament Special Bulbs




Amber Cover



Clear Filament



Accessory



LED Spot Lights - 254

Capsules-G9




GU10




GU10 Fitting

NEW ADDITION



LED PAR Lamps & AR111



LED Floodlights - 282

Slimline Floodlights



Solar Floodlight

NEW ADDITION



SMART Floodlights



Accessory



LED Panels - 296

Big Panels



LED Mini Panels



LED Tube Lights - 320

T8-Nano Plastic

NEW ADDITION



Fitting



Waterproof Fitting



LED Highbays - 331

UFO-High Lumen



Linear Highbay



LED Strip Lights - 334

LED Strip Lights

NEW ADDITION

PAGE
335



Neon Flex

NEW ADDITION

PAGE
343



Aluminium Profile

NEW ADDITION

PAGE
348



Power Supply

NEW ADDITION

PAGE
356



LED Track Lights - 362

Smart Color Changing

PAGE
363



Tracklights

PAGE
365



CRI >95

PAGE
366



Accessory

PAGE
369



LED Downlights - 370

Hotel Downlight

PAGE
371



Reflector Series

PAGE
373



Step Light

PAGE
374



LED Dome Lights - 379

CCT Changeable

PAGE
380



Ceiling Lights

PAGE
390



Dome Series

PAGE
392



Fire Rated Downlight

PAGE
395



Motion Sensors - 398

Infrared Sensor

NEW ADDITION

PAGE
399



LED Emergency Lights - 407

Exit Light

PAGE
408



Exit Light Bulkhead

PAGE
409



LED Floor & Table Lamps - 411

Floor Lamp
Touch & Knob
Dimming

PAGE
412



Smart Table Lamps

PAGE
414



Desk Lamps

PAGE
417



Table Lamps

PAGE
418



Table Lamps
Speaker

PAGE
420



Floor Lamp

PAGE
421



LED Innovative Lights - 422

Solar Wall Light



PAGE
423

Smart Switches



PAGE
425



works with
amazon alexa

works with the
Google Assistant

LED Smart Bulb



PAGE
429

LED Smart Spotlight



PAGE
431

LED Smart Striplight Kit



PAGE
432

LED Smart Dome Light



PAGE
433

LED Smart Panel



PAGE
434

Smart Tower Fan



NEW
PAGE
434

IR Remote Control



PAGE
435

Smart Curtain Motor



PAGE
436

Gyro Robot Vacuum Cleaner



PAGE
437

WiFi Thermostat



PAGE
438



works with
amazon alexa

works with the
Google Assistant

Touch Switches



PAGE
439

Plugs



PAGE
441

Power Strips



PAGE
442

RF433 Gateway



PAGE
443

Smart Cameras - 444

Smart Cameras



PAGE
445

Video Doorbell & CHIME



PAGE
449

Sockets and Adapters - 450

Power Adapter



PAGE
4451

European Sockets



PAGE
453

Italian Sockets



PAGE
463

LED Wall Lights - 473

LED Wall Lights Water proof



NEW ADDITION

PAGE
474

LED Wall Lights Indoor



PAGE
488

LED Outdoor Lights - 495

Wall Fitting



PAGE
496

Garden Spike



PAGE
499

Pool Lights



PAGE
503

Garden Lamps - 504

Wall Lamp

NEW ADDITION



PAGE
505

Ceiling Lamp



PAGE
511

Stand Lamp

NEW ADDITION



PAGE
512

LED Display Screen -515

P3 Indoor LED Display Screen



PAGE
516

P4 Indoor LED Display Screen



PAGE
517

P5 Indoor LED Display Screen



PAGE
518

P6 Outdoor LED Finished Cabinet



PAGE
519

Pendants - 520

Pendants

NEW ADDITION



PAGE
521

Holders



PAGE
559

LED Pendants and Mirror Lights

NEW ADDITION



PAGE
565

Decorative Lights



PAGE
595

Chandeliers



PAGE
599

Tower Fan

NEW



PAGE
604

LED Ceiling Fan

NEW



PAGE
607

Cable Tie

NEW



PAGE
614

Insect Killer

NEW



PAGE
616



LED FLOODLIGHTS

V-TAC's LED Floodlights are manufactured with industry-leading components to deliver an exceptional performance, making them the perfect choice for efficient outdoor lighting. Each unit is designed and made of diecast Aluminium for extreme durability. With the IP65 rating, all the floodlights in this series are also waterproof and dustproof.

This extensive range of floodlights is ready to impress in terms of efficiency brought by the Samsung LED chip. The auto-cutoff function comes with the PIR series which disables the sensor with a switch.

APPLICATION

Recommended for any outdoor lighting application in residential, commercial, and industrial areas






KEY FEATURES

- 10w to 1000w
- IP65 rating — high-quality components used to ensure waterproof/airtight performance
- Modern and strong diecast Aluminium enclosure with a minimalistic design, for high-end support and design
- Product category includes high-lumen, slimline, PIR series, rechargeable, work floodlight, and sports floodlights
- Select units are inclusive of a 1-metre wire for convenience and easy installation





 **IP65**
RATING

5 **YEAR**
WARRANTY*

LED FLOODLIGHTS

Evolution Series Floodlight

Only from v-tac — the first and only led flood lights with 160 lumens per watt rating from the super bright series offer superior efficiency and great energy savings.


- Aluminium body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >70
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating




VT-4961

SKU: 5918 - 4000K DAY WHITE
 SKU: 5919 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	8000lm	10 pcs




*Super***BRIGHT**
160
LUMENS/W




VT-49161

SKU: 5920 - 4000K DAY WHITE
 SKU: 5921 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	16000lm	4 pcs



*Super***BRIGHT**
160
LUMENS/W




① METER WIRE




VT-49261

SKU: 5922 - 4000K DAY WHITE
 SKU: 5923 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	32000lm	2 pcs



*Super***BRIGHT**
160
LUMENS/W




① METER WIRE



LED FLOODLIGHTS

Slimline-White Body-High Lumen




120
lm/W

More bright, energy efficient
50% better than normal LED

The V-TAC LED High Lumen Floodlight offers energy efficient, high output illumination for intensive lighting applications. This series consumes around 80% less energy than traditional outdoor lighting through pioneering optics and the latest LED technology from Samsung.

- Diecast aluminium body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-56-W


SKU: 762 | 4000K DAY WHITE
 SKU: 763 | 6400K WHITE

120
 Lumen/W



WATTS	LUMENS	BOX QTY.
50w	6000	8 pcs


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-106-W

SKU: 768 | 4000K DAY WHITE
 SKU: 769 | 6400K WHITE


120
 Lumen/W



WATTS	LUMENS	BOX QTY.
100w	12000	4 pcs

① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-156-W

SKU: 774 | 4000K DAY WHITE
 SKU: 775 | 6400K WHITE


120
 Lumen/W



WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs

① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-206-W

SKU: 787 | 4000K DAY WHITE
 SKU: 788 | 6400K WHITE


120
 Lumen/W



WATTS	LUMENS	BOX QTY.
200w	24000	2 pcs

① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-306-W

SKU: 793 | 4000K DAY WHITE
 SKU: 794 | 6400K WHITE

120
 Lumen/W




WATTS	LUMENS	BOX QTY.
300w	36000	2 pcs

① METER WIRE



LED FLOODLIGHTS


Slimline-Black Body-High Lumen



The V-TAC LED High Lumen Floodlight offers energy efficient, high output illumination for intensive lighting applications. This series consumes around 80% less energy than traditional outdoor lighting through pioneering optics and the latest LED technology from Samsung.

- Diecast aluminium body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-56-B


SKU: 760 | 4000K DAY WHITE
 SKU: 761 | 6400K WHITE

120
 Lumen/W



WATTS	LUMENS	BOX QTY.
50w	6000	8 pcs


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-106-B

SKU: 766 | 4000K DAY WHITE
 SKU: 767 | 6400K WHITE


120
 Lumen/W



WATTS	LUMENS	BOX QTY.
100w	12000	4 pcs

① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-156-B

SKU: 772 | 4000K DAY WHITE
 SKU: 773 | 6400K WHITE


120
 Lumen/W



WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs

① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-206-B

SKU: 778 | 4000K DAY WHITE
 SKU: 779 | 6400K WHITE


120
 Lumen/W



WATTS	LUMENS	BOX QTY.
200w	24000	2 pcs

① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-306-B

SKU: 791 | 4000K DAY WHITE
 SKU: 792 | 6400K WHITE


WATTS	LUMENS	BOX QTY.
300w	36000	2 pcs

120
 Lumen/W



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-405

SKU: 964 | 4000K DAY WHITE
 SKU: 965 | 6400K WHITE


WATTS	LUMENS	BOX QTY.
400w	48000	1 pcs

120
 Lumen/W



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-505

SKU: 966 | 4000K DAY WHITE
 SKU: 967 | 6400K WHITE


WATTS	LUMENS	BOX QTY.
500w	60000	1 pcs

120
 Lumen/W



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-1055


SKU: 968 | 4000K DAY WHITE
 SKU: 969 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
1000w	120000	1 pcs

120
 Lumen/W



① METER WIRE




LED FLOODLIGHTS



LED FLOODLIGHTS

Slimline-Grey Body-High Lumen




120
lm/W

More bright, energy efficient
50% better than normal LED

The V-TAC LED High Lumen Floodlight offers energy efficient, high output illumination for intensive lighting applications. This series consumes around 80% less energy than traditional outdoor lighting through pioneering optics and the latest LED technology from Samsung.

- Diecast aluminium body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-56-G


SKU: 764 | 4000K DAY WHITE
 SKU: 765 | 6400K WHITE

120
 Lumen/W



WATTS	LUMENS	BOX QTY.
50w	6000	8 pcs


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-106-G

SKU: 770 | 4000K DAY WHITE
 SKU: 771 | 6400K WHITE


120
 Lumen/W



WATTS	LUMENS	BOX QTY.
100w	12000	4 pcs

① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-156-G

SKU: 776 | 4000K DAY WHITE
 SKU: 777 | 6400K WHITE


120
 Lumen/W



WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs

① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-206-G

SKU: 789 | 4000K DAY WHITE
 SKU: 790 | 6400K WHITE


120
 Lumen/W



WATTS	LUMENS	BOX QTY.
200w	24000	2 pcs

① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-306-G

SKU: 795 | 4000K DAY WHITE
 SKU: 796 | 6400K WHITE

120
 Lumen/W



WATTS	LUMENS	BOX QTY.
300w	36000	2 pcs

① METER WIRE




LED FLOODLIGHTS

Slimline-White Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LED chips for a well-diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300 watts, in a clean and ivory white finish. Select models come with a one (1) metre wire.

- Diecast body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-W

SKU: 427 | 3000K WARM WHITE
 SKU: 428 | 4000K DAY WHITE
 SKU: 429 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-20-W

SKU: 442 | 3000K WARM WHITE
 SKU: 443 | 4000K DAY WHITE
 SKU: 444 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30-W

SKU: 403 | 3000K WARM WHITE
 SKU: 404 | 4000K DAY WHITE
 SKU: 405 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-30-1-W


SKU: 950 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50-W

SKU: 409 | 3000K WARM WHITE
 SKU: 410 | 4000K DAY WHITE
 SKU: 411 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-50-1-W


SKU: 952 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-100-W


SKU: 415 | 3000K WARM WHITE
 SKU: 416 | 4000K DAY WHITE
 SKU: 417 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-150-W


SKU: 478 | 3000K WARM WHITE
 SKU: 479 | 4000K DAY WHITE
 SKU: 480 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-200-W


SKU: 420 | 4000K DAY WHITE
 SKU: 421 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-300-W

SKU: 486 | 4000K DAY WHITE
 SKU: 487 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



① METER WIRE






LED FLOODLIGHTS

Slimline-Black Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LED chips for a well-diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300 watts, in a classic, jet black finish. Select models come with a one (1) metre wire.

- Diecast body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-10-1-B


SKU: 947 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-20-1-B


SKU: 20012 | 4000K DAY WHITE
 SKU: 948 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-30-1-B


SKU: 20013 | 4000K DAY WHITE
 SKU: 949 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-50-1-B


SKU: 20014 | 4000K DAY WHITE
 SKU: 951 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-B

- SKU: 424 | 3000K WARM WHITE
- SKU: 425 | 4000K DAY WHITE
- SKU: 426 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-20-B

- SKU: 439 | 3000K WARM WHITE
- SKU: 440 | 4000K DAY WHITE
- SKU: 441 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30-B

- SKU: 400 | 3000K WARM WHITE
- SKU: 401 | 4000K DAY WHITE
- SKU: 402 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50-B

- SKU: 406 | 3000K WARM WHITE
- SKU: 407 | 4000K DAY WHITE
- SKU: 408 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-100-B


- SKU: 412 | 3000K WARM WHITE
- SKU: 413 | 4000K DAY WHITE
- SKU: 414 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-150-B


- SKU: 475 | 3000K WARM WHITE
- SKU: 476 | 4000K DAY WHITE
- SKU: 477 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-200-B


- SKU: 418 | 4000K DAY WHITE
- SKU: 419 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-300-B

- SKU: 422 | 4000K DAY WHITE
- SKU: 423 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



① METER WIRE




LED FLOODLIGHTS

Slimline-Grey Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LED chips for a well-diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300 watts, in a modern, neutral grey finish. Select models come with a one (1) metre wire.

- Diecast body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-G

- SKU: 430 | 3000K WARM WHITE
- SKU: 431 | 4000K DAY WHITE
- SKU: 432 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-20-G

- SKU: 445 | 3000K WARM WHITE
- SKU: 446 | 4000K DAY WHITE
- SKU: 447 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30-G

- SKU: 454 | 3000K WARM WHITE
- SKU: 455 | 4000K DAY WHITE
- SKU: 456 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50-G

- SKU: 463 | 3000K WARM WHITE
- SKU: 464 | 4000K DAY WHITE
- SKU: 465 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-100-G


- SKU: 472 | 3000K WARM WHITE
- SKU: 473 | 4000K DAY WHITE
- SKU: 474 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-150-G


- SKU: 481 | 3000K WARM WHITE
- SKU: 482 | 4000K DAY WHITE
- SKU: 483 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-200-G


- SKU: 484 | 4000K DAY WHITE
- SKU: 485 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-300-G

- SKU: 488 | 4000K DAY WHITE
- SKU: 489 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



① METER WIRE



LED FLOODLIGHTS




LED FLOODLIGHTS

PIR Sensor White Body

Incorporating security functionalities, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LED for an even better, high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, or industrial areas.

- **SMD Samsung LED**
- **30,000-hr lifespan**
- **100° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >70**
- **PF>0.7 for 10,20w; 0.9 for 30,50w**
- **On/Off cycle: >15000**
- **Instant start in <1sec**
- **Die casting Aluminium Body**
- **Auto-cutoff function: disable sensor with a switch**
- **Detection range:120°**
- **Detection distance:2-8m**
- **Time delay: MIN12+-3sec MAX6+-2min**
- **Installation height: 1.8-2.5m**


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-10-S-W


SKU: 433 | 3000K WARM WHITE
 SKU: 434 | 4000K DAY WHITE
 SKU: 435 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-20-S-W


SKU: 448 | 3000K WARM WHITE
 SKU: 449 | 4000K DAY WHITE
 SKU: 450 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-30-S-W


SKU: 457 | 3000K WARM WHITE
 SKU: 458 | 4000K DAY WHITE
 SKU: 459 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-50-S-W

SKU: 466 | 3000K WARM WHITE
 SKU: 467 | 4000K DAY WHITE
 SKU: 468 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	10 pcs



① METER WIRE




LED FLOODLIGHTS

PIR Sensor Black Body

Incorporating security functionalities, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LED for an even better, high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, or industrial areas.

- SMD Samsung LED
- 30,000-hr lifespan
- 100° Beam Angle
- AC:220-240V,50Hz
- CRI: >70
- PF>0.7 for 10,20w; 0.9 for 30,50w
- On/Off cycle: >15000
- Instant start in <1sec
- Die casting Aluminium Body
- Auto-cutoff function: disable sensor with a switch
- Detection range:120°
- Detection distance:2-8m
- Time delay: MIN12+-3sec MAX6+-2min
- Installation height: 1.8-2.5m

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-S-B

NEW


SKU: 436 | 3000K WARM WHITE
 SKU: 437 | 4000K DAY WHITE
 SKU: 438 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-20-S-B


SKU: 451 | 3000K WARM WHITE
 SKU: 452 | 4000K DAY WHITE
 SKU: 453 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-30-S-B


SKU: 460 | 3000K WARM WHITE
 SKU: 461 | 4000K DAY WHITE
 SKU: 462 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-50-S-B

SKU: 469 | 3000K WARM WHITE
 SKU: 470 | 4000K DAY WHITE
 SKU: 471 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4400	10 pcs



① METER WIRE



MICRO SOCKET

RECHARGEABLE FLOODLIGHT



Strong, reliable portable lamp — V-TAC's new compact and rechargeable LED floodlights can easily be recharged through the micro socket & USB port making it perfect for home projects, garages, warehouses, car repair shops, parking lots, camping and more.

- IP Rating - IP44
- AC: 100-240V
- On/Off cycle: >15000
- CRI>80
- Rechargeable
- 30,000 Hours Life
- PF>0.9
- Beamangle: 100

VT-10-R

SKU: 20038 | 4000K DAY WHITE
SKU:503 | 6400K WHITE



WATTS	LUMENS	BOX QTY.
10w	700	20 pcs



VT-11-R

SKU: 20037 | 4000K DAY WHITE
SKU:502 | 6400K WHITE



WATTS	LUMENS	BOX QTY.
10w	700	20 pcs



VT-20-R

SKU: 20039 | 4000K DAY WHITE
SKU:504 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1400	20 pcs






DUAL VOLTAGE
85V- 265V

3
METER WIRE

EU PLUG




WORK FLOODLIGHT

Heavy-duty, reliable LED work floodlight — V-TAC's LED Work Light is designed with dual voltage AC:85-265V and comes with 3-metre wire. Built with EU plug for direct connection, with adjustable stand and carry handle. Suitable for garages, workshops, basements, car repair shops and more.

- Input AC:85-265V,50Hz
- CRI >80
- PF >0.9
- 30,000 Life Hours
- 100° Beam Angle
- Material Die cast aluminium
- EU Plug with 3 Meter wire length


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-51

SKU: 945 | 4000K DAY WHITE
 SKU: 946 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs





DIMMABLE



Your Reliable Power Partner

5 YEAR
WARRANTY*


LED FLOODLIGHTS

Sports Light

120
Lumen/W

The new LED Sports Light with Samsung LED offers excellent energy efficiency, low maintenance, and an unbreakable, strong design that can eliminate chances of breaking at ball strikes compared to traditional fluorescent and HID options.




- Using **MEAN WELL** driver
- **No Lead or Mercury** content
- **Life Hours of 30,000 Hours**
- **LED provided by Samsung**
- **Saves 80% energy**
- **IP65 Rating**



VT-500D

SKU: 490 | 5000K WHITE



WATTS	LUMENS	BEAM ANGLE	BOX QTY.
500w	67500	45°	1 pcs



VT-501D

SKU: 493 | 5000K WHITE

WATTS	LUMENS	BEAM ANGLE	BOX QTY.
500w	67500	110°	1 pcs





Lumosa Tiny




Trunion Mount Kit



Knuckle Mount Slip Fitter Kit



Stereo Base Installation



LED FLOODLIGHTS

LED Super Pro Floodlights

120
Lumen/W

Available in 250W, 500W, and 1000W, our heavy-duty IP66 LED Floodlights are perfect for industrial lighting. Never worry about efficiency — these floodlights are equipped with highly acclaimed LEDs provided by Samsung and Mean Well drivers for energy saving and temperature dissipation excellence.

- AC: 100-277V
- IP66 Rating and strong die cast aluminum body for durability
- 50,000-hr lifespan
- 60° & 120° Beam Angle (Rotatable)
- CRI: >70
- PF: > 0.9

BEAM ANGLE 120°

VT-253D


SKU: 494 | 4000K DAY WHITE
SKU: 500 | 6400K WHITE

WATTS	LUMENS	BOX QTY.	WEIGHT
250w	30000	1 pcs	8KG

BEAM ANGLE 60°

VT-252D

SKU: 495 | 4000K DAY WHITE
SKU: 501 | 6400K WHITE



BEAM ANGLE 120°

VT-503D


SKU: 496 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.	WEIGHT
500w	60000	1 pcs	20.5KG

BEAM ANGLE 60°

VT-502D

SKU: 497 | 4000K DAY WHITE



BEAM ANGLE 120°

VT-1003D


SKU: 498 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.	WEIGHT
1000w	120000	1 pcs	30.8KG

BEAM ANGLE 60°

VT-1002D

SKU: 499 | 4000K DAY WHITE







LED STREET LIGHTS

Light the path to a brighter future -- V-TAC's LED street lights are equipped with premium-quality LEDs from Samsung and high performance drivers from DALI, Inventronics, and Mean Well to provide uniform brightness and illumination on highways, streets, tunnels, plazas, industrial facilities, car parks, etc. Includes Class I & Class II Type 3 lenses.

KEY FEATURES

- Modern and efficient replacement for traditional streetlights
- Saves 80% on electricity cost
- Low maintenance; longer lifespan
- Weatherproof body – IP65/66 sealed optical cavities
- Optically optimized glass lenses to prevent eye strains
- Uniformity in light distribution – maximizes efficiency
- Fully operational in extreme weather
- DALI, Inventronics, Mean Well drivers

APPLICATION

Optimized and engineered for streets, public parks, roads & highways, crossroads, tunnels, car parks, industrial facilities, etc.



130
LUMENS/WATT

5 YEAR
WARRANTY*



LED STREETLIGHT

CLASS II, TYPE III-M LENS



The new Class II Type III-M lens from V-TAC offers a wide beam angle of 150x80° — especially designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 80w to 200w, with select models available with DALI driver.

- **CRI: >70**
- **PF: > 0.9**
- **Up to 26000 lumen output available**
- **AC: 175-265V, 50HZ**
- **IP66 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **150 x 80° Beam Angle**

VT-80ST


SKU: 541 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
80w	10400	1 pcs

Available with



SKU: 546



VT-120ST


SKU: 542 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
120w	15600	1 pcs

Available with



SKU: 547



VT-160ST


SKU: 543 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
160w	20800	1 pcs

Available with



SKU: 548




VT-200ST


SKU: 544 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
200w	26000	1 pcs

Available with



SKU: 549





IP65
RATING

130
LUMENS/WATT

5
YEAR
WARRANTY*



LED GARDEN LIGHT

CLASS II, TYPE III-M LENS



The LED Garden Light series offers our high lumen 50W & 100W upright and suspended lighting for outdoor applications. Equipped with high-quality LEDs from Samsung and drivers from Mean Well, these efficient, energy-saving garden lights are a great alternative to traditional street lighting.

- **Instant start: 0-100% in <1sec**
- **On/off cycle: >20,000 times**
- **CRI: >70**
- **PF: > 0.9**
- **IK08 rating**
- **AC: 176-265V, 50HZ**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **Beam Angle: 150x80° | 160x100° (Suspended Light)**


Garden Light

VT-55-1

SKU: 782 | 4000K DAY WHITE

WATTS	LUMENS	WEIGHT	BOX QTY.
50w	6500	8.36	1 pcs

130
 Lumen/W




Garden Light

VT-105

SKU: 783 | 4000K DAY WHITE

WATTS	LUMENS	WEIGHT	BOX QTY.
100w	13000	13.28	1 pcs

130
 Lumen/W




Suspended Light

VT-115ST

SKU: 545 | 4000K DAY WHITE

WATTS	LUMENS	WEIGHT	BOX QTY.
100w	13000	11.16	1 pcs

130
 Lumen/W



NEW



STREET LIGHT



SUSPENDED



GARDEN LIGHT


CLASS I,TYPE III-M LENS Garden Light

VT-895

SKU: 8679 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
50w	6750	1 pcs

130
 Lumen/W





LED STREETLIGHT

Class I, Inventronics Driver Streetlight

The LED Streetlight (Class I Type) offers a high-lumen output and highly efficient performance improved through the industry-leading Inventronics driver. Especially designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 50w to 150w.

- **CRI: >70**
- **PF: > 0.9**
- **AC: 90-305V,50Hz**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **153x70° Beam Angle**




140
 Lumen/W

VT-53ST

SKU: 953 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
50w	7000	2 pcs

INVENTRONICS
 DRIVER




140
 Lumen/W

VT-103ST

SKU: 954 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
100w	14000	2 pcs

INVENTRONICS
 DRIVER




140
 Lumen/W

VT-153ST

SKU: 955 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
150w	21000	1 pcs

INVENTRONICS
 DRIVER





IP65
RATING

140+
LUMENS/WATT

5 YEAR
WARRANTY*

LED STREETLIGHT


Available in 100W to 200W, V-TAC's innovative range of streetlights introduces the new dimmable series with LEDs provided by Samsung and world-renowned Inventronics driver. These streetlights are recommendable to help streets easily adapt to the varied night lighting need of different areas or regions which can ultimately lead to even bigger savings in energy consumption.

- CRI: >70
- PF: > 0.9
- Up to 28000 lumen output available
- AC:200-240V
- IP65 Rating and strong & durable diecast Aluminium body
- 30,000-hr lifespan
- 153x70° Beam Angle

VT-102ST

SKU: 883 | 4000K DAY WHITE
SKU: 884 | 6400K WHITE


WATTS	LUMENS	BOX QTY.
100w	14000	1 pcs



VT-122ST

SKU: 885 | 4000K DAY WHITE
SKU: 886 | 6400K WHITE


WATTS	LUMENS	BOX QTY.
120w	16800	1 pcs



VT-152ST

SKU: 887 | 4000K DAY WHITE
SKU: 888 | 6400K WHITE


WATTS	LUMENS	BOX QTY.
150w	21000	1 pcs



VT-202ST

SKU: 889 | 4000K DAY WHITE
SKU: 890 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	28000	1 pcs





LED STREETLIGHT

Slim Streetlight

The Slim Streetlight series from V-TAC offers a sleeker, leaner design without compromising the high lumen output that V-TAC streetlights are known for. Especially designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 30w to 150w.

- 30,000 Life Hours
- 110° Beam Angle
- Material aluminium
- Input AC:220-240V,50Hz
- CRI >70
- PF >0.9




120
 Lumen/W

VT-34ST

SKU: 956 | 4000K DAY WHITE
 SKU: 957 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	3600	4 pcs




120
 Lumen/W

VT-54ST

SKU: 958 | 4000K DAY WHITE
 SKU: 959 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	6000	4 pcs




120
 Lumen/W

VT-104ST

SKU: 960 | 4000K DAY WHITE
 SKU: 961 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	12000	2 pcs




120
 Lumen/W

VT-154ST

SKU: 962 | 4000K DAY WHITE
 SKU: 963 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs






LED STREETLIGHT

Streetlight-Grey

Retaining the classic design of the V-TAC streetlight, the grey streetlight series boasts of high-quality LEDs from Samsung and the Mean Well driver with superb energy efficiency. Available in 30W to 150W, and impressive lumen output of up to 18000.

- 110° Beam Angle
- CRI: >70
- PF: > 0.9
- Up to 18000 lumen output available
- AC: 175-265V,50Hz
- IP65 Rating and strong & durable diecast Aluminium body
- 30,000-hr lifespan

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30ST


SKU: 525 | 4000K DAY WHITE
 SKU: 526 | 6400K WHITE

120
 Lumen/W

WATTS	LUMENS	BOX QTY.
30w	3600	4 pcs



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50ST


SKU: 527 | 4000K DAY WHITE
 SKU: 528 | 6400K WHITE

120
 Lumen/W

WATTS	LUMENS	BOX QTY.
50w	6000	4 pcs



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-100ST


SKU: 529 | 4000K DAY WHITE
 SKU: 530 | 6400K WHITE

120
 Lumen/W

WATTS	LUMENS	BOX QTY.
100w	12000	2 pcs



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-150ST

SKU: 531 | 4000K DAY WHITE
 SKU: 532 | 6400K WHITE

120
 Lumen/W

WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs






LED STREETLIGHT

Retaining the classic design of the V-TAC streetlight in Iron Grey finish, this series boasts of high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 120W, and impressive lumen output of up to 12000

- **CRI: >70**
- **PF: > 0.9**
- **30,000-hr lifespan**
- **AC:200-240V**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **Beam Angle: 110° | 65x135° (with lens)**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-31ST

SKU: 537 | 4000K DAY WHITE


SKU: 538 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	3000	4 pcs

130mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-51ST

SKU: 539 | 4000K DAY WHITE


SKU: 540 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	5000	4 pcs

170mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-101ST

SKU: 535 | 4000K DAY WHITE


SKU: 536 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	10000	2 pcs

220mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-121ST

SKU: 533 | 4000K DAY WHITE

SKU: 534 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
120w	12000	2 pcs


220mm



STREETLIGHT-ADAPTER

VT-795

SKU: 3624 3800157608152




Compatible with 100W, 120W and 150W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.



STREETLIGHT-ADAPTER

VT-795-1

SKU: 3668 3800157625029



Compatible with 30W and 50W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.



LED HIGHBAY

Our world-class highbay range includes models with drivers from Mean Well and Samsung -- both key players in the LED driver market that boasts of exceptional energy-saving features.

With up to a staggering 180++ lumen-per-watt rating and drivers that provide a lifespan of up to 50,000 hours, V-TAC's new generation of LED highbays are the strongest and most efficient LED high bays available in the market today. Available in 100W to 500W.

APPLICATION

Recommended for lighting in warehouses, factories, gymnasiums, or any large open area with high ceiling





KEY FEATURES

- Professional upgraded drivers from Mean Well and Samsung
- Strong and durable diecast aluminum body
- IP65 rating
- SMD LED
- Compatible with Daylight Sensors
- Up to 30,000-hr lifespan
- Available reflectors for a customized beam angle: aluminum & PC transparent



120
LUMENS/WATT

IP65
RATING

USING
SAMSUNG
POWER SUPPLY

Optional
DAYLIGHT SENSOR
SKU - 1369

1-10V
DIMMABLE



REFLECTOR HIGHBAYS

SAMSUNG Power Supply


With our latest in-branding program with Samsung, these highbays offer a high-lumen output of up to 180 lm/w and boasts of efficiency in every lumen with Samsung's cutting edge drivers. With strong, IP65-rated diecast aluminum enclosing and unparalleled lighting performance, these LED highbays are sure to take the industrial lighting market by storm.

- 120 lm/w
- 30,000 hrs Lifespan
- AC:220-240V,50Hz
- PF: >0.9
- CRI:>80
- Die cast Aluminum

5 YEAR
WARRANTY*

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-113	100w	16000	120°	1 pcs

SKU: 20024 | 4000K DAY WHITE
 SKU: 20025 | 6400K WHITE



Super**BRIGHT**


160

LUMENS/W




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-108	100w	18000	120°	1 pcs

SKU: 575 | 4000K DAY WHITE
 SKU: 576 | 6400K WHITE





MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-103	100w	12000	120°	1 pcs

SKU: 577 | 4000K DAY WHITE
 SKU: 578 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-105	100w	12000	90°	1 pcs

SKU: 583 | 4000K DAY WHITE
 SKU: 584 | 6400K WHITE



COVER OPTIONS



Aluminum Reflector
 90° SKU-570



Aluminum Reflector
 120° SKU-571



PC Transparent Reflector
 120° SKU-574



PC Dustproof Cover
 120° SKU-586

V-TAC PERFORMANCE
180
LUMENS/WATT

 **IP65**
RATING

MW
MEAN WELL
Your Reliable Power Partner

Optional
DAYLIGHT SENSOR
SKU - 1369

 **1-10V**
DIMMABLE



REFLECTOR HIGHBAYS

MEAN WELL Driver

Powerful performance with ultra-efficient energy management. With a staggering high-lumen rating of 180 lm/w matched with the highly acclaimed Mean Well driver and IP65 Aluminum body, this range of highbays with LEDs provided by Samsung is the optimal choice for heavy-duty industrial lighting in warehouses, factories, and workshops. Perfectly compatible with daylight sensors, Aluminum and PC reflectors are also available for maximum directional customizability.

- **PF: >0.9**
- **CRI:>80**
- **Die cast Aluminum**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**


5 YEAR
WARRANTY*

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-102	100w	18000	120°	2 pcs


SKU: 566 | 4000K DAY WHITE
 SKU: 567 | 6400K WHITE



1-10V
 DIMMABLE



ø150mm




ø260mm

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-120	120w	21600	120°	2 pcs


SKU: 568 | 4000K DAY WHITE
 SKU: 569 | 6400K WHITE



1-10V
 DIMMABLE



ø150mm



ø260mm

COVER OPTIONS



Aluminum Reflector
 90° SKU-570




Aluminum Reflector
 120° SKU-571



PC Transparent Reflector
 120° SKU-574



PC Dustproof Cover
 120° SKU-586



120
LUMENS/WATT

IP65
RATING

MW
MEAN WELL
Your Reliable Power Partner

Optional
DAYLIGHT SENSOR
SKU - 1369

1-10V
DIMMABLE



UFO HIGHBAYS

MEAN WELL Driver

This advanced LED highbays are ready to impress with its high-lumen ratings and LED chips from Samsung. This range is equipped with drivers from Mean Well — a key player in the LED driver industry for a strong and efficient performance.

- Available in 100 - 500 watts
- 50,000 hrs Lifespan
- On/Off cycle: >25000
- Instant start: 0-100% in <1s
- AC:95-265V,50/60Hz
- Die cast Aluminum
- PF: >0.9
- CRI:>80


5 YEAR
WARRANTY*

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-106	100w	12000	120°	1 pcs

SKU:585 | 4000K DAY WHITE

DALI
 Dimming

120
 Lumen/W




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-100	100w	12000	90°	4 pcs

SKU: 564 | 4000K DAY WHITE

SKU: 565 | 6400K WHITE

1-10V
 DIMMABLE

120
 Lumen/W




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-150	150w	18000	90°	2 pcs

SKU: 560 | 4000K DAY WHITE

SKU: 561 | 6400K WHITE

1-10V
 DIMMABLE

120
 Lumen/W




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-101	100w	12000	120°	4 pcs

SKU: 562 | 4000K DAY WHITE

SKU: 563 | 6400K WHITE


1-10V
 DIMMABLE

120
 Lumen/W




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-151	150w	18000	120°	2 pcs

SKU: 558 | 4000K DAY WHITE
 SKU: 559 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-200N	200w	28000	120°	1 pcs

SKU: 58011 | 4000K DAY WHITE
 SKU: 58111 | 5700K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-200	200w	24000	120°	1 pcs

SKU: 580 | 4000K DAY WHITE
 SKU: 581 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-500	500w	60000	120°	1 pcs

SKU: 509 | 4000K DAY WHITE





LED HIGHBAYS

www.v-tac.eu | www.vtacexports.com




LED LINEAR LOW BAY

Our series of LED Low Bay fixtures allow parallel lighting on supermarket aisles, workshops, warehouses, and factories which is proven to be approximately 50% more efficient than a perpendicular lighting layout and also decreases eye strain. This range offers strong and ample light with promising 120 lm/w options and impressive energy-saving features compared to its traditional counterparts. Available in 100w to 200w.

- **AC:220-240v,50HZ**
- **On/off: >20,000 times**
- **IP54 rating**
- **Lifespan - 30,000 hrs**
- **Aluminium body**
- **Heat and Shock Resistant.**
- **Low-maintenance**
- **Upgraded with premium-quality Samsung LEDs**
- **Ideal for workshops, supermarkets, warehouses, etc.**
- **High-lumen (120 lm/w) options available**

MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-112	100w	12000	120°	>0.9	>80	SMD	Aluminum	6 pcs


SKU: 891 | 4000K DAY WHITE
 SKU: 892 | 6000K WHITE



120
 Lumen/W

MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-152	150w	18000	120°	>0.9	>80	SMD	Aluminum	6 pcs


SKU: 893 | 4000K DAY WHITE
 SKU: 894 | 6000K WHITE



120
 Lumen/W

MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-202	200w	24000	120°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 895 | 4000K DAY WHITE
 SKU: 896 | 6000K WHITE



120
 Lumen/W




LED CANOPY LIGHTING

A specialized addition to V-TAC's current roster of innovative LED lighting solutions, the LED canopy light with Samsung LED is precisely designed for petrol stations. It has a slim design that is suitable for recessed or surface-mounted installation. This canopy is aluminum-made, having a tough exterior made to withstand extreme temperature or UV conditions.

- Specially designed for gas stations
- Suitable for recessed or surface mounted installation
- Super slim design and nice looking, easier to install
- Instant start, no noise, no flickering.
- Heat and Shock Resistant.
- Reduce maintenance costs up to 90%, almost free of maintenance.
- Suit for both indoor and outdoor use.

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-155	150w	18000	110°	2 pcs

SKU: 572 | 4000K DAY WHITE
 SKU: 573 | 6400K WHITE





LED PANELS

The PRO Series LED panels range are all made with top-quality PMMA diffusers which provides a uniformly distributed light and prevents the panels from turning yellow.

It proves its durability with exteriors composed of an innovative combination of Aluminum+PMMA+PP, and its energy-saving upgrade through the improved driver box and Samsung LED chip. Both frameless and big panels are inclusive of a quick connector for easy installation.

APPLICATION

Widely used in offices, schools, hospitals, and commercial establishments

V-TAC[®]
INNOVATIVE LED LIGHTING






KEY FEATURES

- Inclusive of a quick connector
- Flicker-free; stable drivers eliminate flashes
- Better light quality: less false colour plots
- 80% lower power consumption than conventional downlights
- Standard dimensions for big panels available
- Choose from square and round frameless mini panels

**QUICK
CONNECTOR**





QUICK CONNECTOR

LED BIG PANELS

Square Panels-60x60

Our 36w and 45w LED panels are made with high quality PMMA diffusers which prevents it from turning yellow over time and makes it emit strong and evenly distributed light. Also available is the TP(a)-rated panel to meet fire safety standards. All our LED panels have quick connectors that will save installation time and costs.


- Quick Connector
- SMD LED Type
- 30,000 hrs Lifespan
- 110° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- Aluminum+ PMMA+PP
- Flicker Free

5 YEAR
WARRANTY*

NEW


SKU: 20047 | 4000K DAY WHITE
 SKU: 20048 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-629	29w	3480	6 pcs



SKU: 750 | 4000K DAY WHITE
 SKU: 751 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-636	36w	3600	6 pcs



TP(A) POLYCARBONATE MICROPRISMATIC DIFFUSER

SKU: 632 | 3000K WARM WHITE
 SKU: 633 | 4000K DAY WHITE
 SKU: 634 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-645	45w	3600	6 pcs





LED BACKLIT PANEL


Evolution Panels Series

This 25w LED panel delivers 4000 lumens through its impressive 160 lm/w rating. With the flexibility to be installed recessed or surface-mounted, it is sure to be one of the best preferred panels in the market.

- **SMD LED Type**
- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:200-240V,50/60Hz**
- **CRI: >80**
- **FE+PS**

SKU: 6600 | 3000K WARM WHITE
 SKU: 6601 | 4000K DAY WHITE
 SKU: 6602 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-6125	25W	4000	1 pcs




LED BIG PANELS

Rectangle Panels-120x60

- **SMD LED Type**
- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **Aluminum+ PMMA+PP**
- **Flicker Free**

SKU: 748 | 4000K DAY WHITE
 SKU: 749 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-646	45w	5400	2 pcs



LED MINI PANELS

Round Adjustable Panel


V-TAC's new innovative adjustable mini panels are equipped with adjustable clips for a flexible cutting size of up to 200 mm. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These slim & modern panels lights up all the way to the edges, giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor lighting.

- **Adjustable(Cut out) Panel**
- **SMD LED Type**
- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**
- **On/Off Cycle: >15000**

5 YEAR WARRANTY*

SKU: 727 | 3000K WARM WHITE
 SKU: 728 | 4000K DAY WHITE
 SKU: 729 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-610RD	12w	750	20 pcs



Cutting Size: 75-100mm

SKU: 733 | 3000K WARM WHITE
 SKU: 734 | 4000K DAY WHITE
 SKU: 735 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-619RD	18w	1350	20 pcs



Cutting Size: 75-100mm

SKU: 739 | 3000K WARM WHITE
 SKU: 740 | 4000K DAY WHITE
 SKU: 741 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-625RD	24w	1800	20 pcs



Cutting Size: 75-200mm



LED PANELS

LED MINI PANELS

Square Adjustable Panel


V-TAC's new innovative adjustable mini panels are equipped with adjustable clips for a flexible cutting size of up to 200 mm. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These slim & modern panels lights up all the way to the edges, giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor lighting.

- **Adjustable(Cut out) Panel**
- **SMD LED Type**
- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**
- **On/Off Cycle: >15000**

5 YEAR WARRANTY*

SKU: 730 | 3000K WARM WHITE
 SKU: 731 | 4000K DAY WHITE
 SKU: 732 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-610SQ	12w	750	20 pcs



Cutting Size: 75-100mm

SKU: 736 | 3000K WARM WHITE
 SKU: 737 | 4000K DAY WHITE
 SKU: 738 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-619SQ	18w	1350	20 pcs




Cutting Size: 75-100mm

SKU: 742 | 3000K WARM WHITE
 SKU: 743 | 4000K DAY WHITE
 SKU: 744 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-625SQ	24w	1800	20 pcs



Cutting Size: 75-200mm



EXPANDABLE CLIPS TO ADJUST



LED MINI PANELS

Round Premium Series Panel


V-TAC's efficient & trendy Premium Series Mini Panels are now upgraded with premium-quality Samsung LED chips for an even better lighting output and performance. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These square, slim & modern panels are ideal for residential, office, or commercial indoor lighting.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**

5 YEAR WARRANTY*

SKU: 706 | 3000K WARM WHITE
 SKU: 707 | 4000K DAY WHITE
 SKU: 708 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-606RD	6w	420	40 pcs



Cutting Size: ø110mm

SKU: 712 | 3000K WARM WHITE
 SKU: 713 | 4000K DAY WHITE
 SKU: 714 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-612RD	12w	1000	20 pcs



Cutting Size: ø160mm

SKU: 718 | 3000K WARM WHITE
 SKU: 719 | 4000K DAY WHITE
 SKU: 720 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-618RD	18w	1500	20 pcs



Cutting Size: ø210mm

SKU: 724 | 3000K WARM WHITE
 SKU: 725 | 4000K DAY WHITE
 SKU: 726 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-624RD	24w	2000	10 pcs



Cutting Size: ø280mm



LED PANELS

LED MINI PANELS

Square Premium Series Panel


V-TAC's efficient & trendy Premium Series Mini Panels are now upgraded with premium-quality Samsung LED chips for an even better lighting output and performance. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These square, slim & modern panels are ideal for residential, office, or commercial indoor lighting.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**

5 YEAR WARRANTY*

SKU: 703 | 3000K WARM WHITE
 SKU: 704 | 4000K DAY WHITE
 SKU: 705 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-606SQ	6w	420	40 pcs



Cutting Size: 110x110mm

SKU: 709 | 3000K WARM WHITE
 SKU: 710 | 4000K DAY WHITE
 SKU: 711 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-612SQ	12w	1000	20 pcs



Cutting Size: 160x160mm

SKU: 715 | 3000K WARM WHITE
 SKU: 716 | 4000K DAY WHITE
 SKU: 717 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-618SQ	18w	1500	20 pcs




Cutting Size: 210x210mm

SKU: 721 | 3000K WARM WHITE
 SKU: 722 | 4000K DAY WHITE
 SKU: 723 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-624SQ	24w	2000	10 pcs



Cutting Size: 280x280mm



LED PANELS

LED MINI PANELS

Round Edge Series


V-TAC's Round Edge Panel has an elegant, classic design that lights up all the way to the edges — giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor areas. The quick connector feature lessens set-up time brought by complicated wirings. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers.

- **Quick Connector**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **ABS+Plastic Body**

5 YEAR
WARRANTY*

SKU: 626 | 3000K WARM WHITE
SKU: 628 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-608RD	8w	800	100 pcs



Cutting Size: \varnothing 72 mm

SKU: 621 | 4000K DAY WHITE
SKU: 622 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-615RD	15w	1500	40 pcs



Cutting Size: \varnothing 95 mm

SKU: 614 | 3000K WARM WHITE
SKU: 615 | 4000K DAY WHITE
SKU: 616 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-620RD	20w	2000	40 pcs



Cutting Size: \varnothing 140 mm

Quick Connector



LED MINI PANELS

Square Edge Series


V-TAC's Round Edge Panel has an elegant, classic design that lights up all the way to the edges — giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor areas. The quick connector feature lessens set-up time brought by complicated wirings. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers.

- **Quick Connector**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **ABS+Plastic Body**

5 YEAR WARRANTY*

SKU: 623 | 3000K WARM WHITE
 SKU: 624 | 4000K DAY WHITE
 SKU: 625 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-608SQ	8w	800	100 pcs



Cutting Size: 70 X 70mm

SKU: 617 | 3000K WARM WHITE
 SKU: 618 | 4000K DAY WHITE
 SKU: 619 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-615SQ	15w	1500	40 pcs



Cutting Size: 95X 95mm


SKU: 611 | 3000K WARM WHITE
 SKU: 612 | 4000K DAY WHITE
 SKU: 613 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-620SQ	20w	2000	40 pcs



Cutting Size: 142X 142mm

Quick Connector





LED TUBES & FIXTURES WITH LED

V-TAC's extensive range of efficient tubes & fixtures boasts of premium quality LED provided by Samsung, a staggering lifespan of up to 30,000 hours, unbreakable body built with the most durable materials in the market, and a wide range of lengths and sizes for different applications.

More innovative additions in this range include

- 1) TP(a) rated fixtures compatible with emergency packs & microwave sensors
- 2) Batten Fittings with CCT-changing Switch
- 3) Linkable T5 Batten Fittings, and more.

APPLICATION


Used for general purpose lighting in residences, commercial establishments, supermarkets, and offices

V-TAC[®]
INNOVATIVE LED LIGHTING



KEY FEATURES

- LED provided by Samsung
- Lasts up to 30,000 hrs
- Built with strong, durable materials
- TP(a) Rated fittings for select models
- Programmable DIP Switch Driver for select models
- Emergency Pack & Sensor Compatibility
- Linkable/Continuous T5 fittings
- CCT Changing Switch for select models





Super **BRIGHT**
160
LUMENS/W

T8-NANO PLASTIC TUBES

Evolution Tubes Series



5 YEAR
WARRANTY*

Together with its impressive a++ energy rating, our led tubes offer a staggering 160 lumen per watt output and five years warranty — making it one of the most superior in the competitive led market.

- Nano Plastic
- 30,000 Life Hours
- CRI - >80
- Flicker Free
- PF - 0.9
- On/Off Cycle - >15000 time
- Input Voltage - AC:220-240V,50Hz
- Beam angle:160 °



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-1607	7w		1120lm	0.115	25 pcs

SKU: 6474 | 3000K WARM WHITE
 SKU: 6475 | 4000K DAY WHITE
 SKU: 6476 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-1612	12w		1920lm	0.193	25 pcs

SKU: 6477 | 3000K WARM WHITE
 SKU: 6478 | 4000K DAY WHITE
 SKU: 6479 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-1615	15w		2400lm	0.261	25 pcs

SKU: 6480 | 3000K WARM WHITE
 SKU: 6481 | 4000K DAY WHITE
 SKU: 6482 | 6400K WHITE





LED TUBES

G13-T8 -Nano Plastic Tube


This modern range of high-lumen LED tubes with Samsung LED chip are the perfect retrofit for fluorescent fixtures. Complete with a series of pop kits (batten fittings inclusive of tubes), these sets of tubes are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **160° Beam Angle**
- **15000 On/Off**
- **AC:220-240V,50Hz**
- **>80 CRI**
- **>0.5 PF**
- **Nano Plastic Body**
- **<0.5 s Instant Start**

5 YEAR
WARRANTY*

MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-062	10w	18w	1100	0.1264	25 pcs

SKU: 798 | 3000K WARM WHITE
SKU: 686 | 4000K DAY WHITE
SKU: 687 | 6400K WHITE





ROTATABLE




MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-122	18w	45w	2250	0.1904	25 pcs

SKU: 688 | 3000K WARM WHITE
SKU: 672 | 4000K DAY WHITE
SKU: 673 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-152	22w	75w	3000	0.2572	25 pcs



SKU: 799 | 3000K WARM WHITE
SKU: 674 | 4000K DAY WHITE
SKU: 675 | 6400K WHITE



MODEL WATTS EQ.WATTS LUMENS WEIGHT-KG BOX QTY.

VT-061 **10w** **18w** **850** **0.1264** **25 pcs**



SKU: 650 | 3000K WARM WHITE
 SKU: 651 | 4000K DAY WHITE
 SKU: 652 | 6400K WHITE



MODEL WATTS EQ.WATTS LUMENS WEIGHT-KG BOX QTY.

VT-121 **18w** **36w** **1700** **0.1904** **25 pcs**



SKU: 653 | 3000K WARM WHITE
 SKU: 654 | 4000K DAY WHITE
 SKU: 655 | 6400K WHITE



MODEL WATTS EQ.WATTS LUMENS WEIGHT-KG BOX QTY.

VT-151 **22w** **58w** **2000** **0.2572** **25 pcs**

SKU: 656 | 3000K WARM WHITE
 SKU: 657 | 4000K DAY WHITE
 SKU: 658 | 6400K WHITE



LED BATTEN FITTINGS

Single and Double Batten Fitting

This modern range of batten fittings offer durability and can house one to two LED tubes. These luminaires are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **160° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **Nano Plastic Body**

5 YEAR Quick Connector
WARRANTY*



MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-12026	18w	1700	15000	>0.5	10 pcs

SKU: 6442 | 4000K DAY WHITE
 SKU: 6443 | 6400K WHITE



MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-15023	22w	2000	15000	>0.5	10 pcs

SKU: 6438 | 4000K DAY WHITE
 SKU: 6439 | 6400K WHITE






MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-12027	36w	3400	15000	>0.5	10 pcs

SKU: 6444 | 4000K DAY WHITE
 SKU: 6445 | 6400K WHITE



MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-15024	44w	4000	15000	>0.5	10 pcs

SKU: 6440 | 4000K DAY WHITE
 SKU: 6441 | 6400K WHITE





*Super***BRIGHT**
160
LUMENS/W

GRILL FITTING

Evolution Series


5 YEAR
WARRANTY*

Only from v-tac — the first and only led grill fittings with 160 lumens per watt rating from the super bright series offer superior efficiency and great energy savings. Comes with a fast connector for easy wiring and installation.

- Plastic Body
- 30,000 Life Hours
- CRI - >80
- Flicker Free
- PF - 0.9
- On/Off Cycle - >15000 time
- Input Voltage - AC:220-240V,50Hz
- Beam angle:160 °

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8315	15w	2400lm	0.192	30 pcs

SKU: 6487 - 3000K WARM WHITE
 SKU: 6488 - 4000K DAY WHITE
 SKU: 6489 - 6400K WHITE




SuperBRIGHT
160
 LUMENS/W



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8330	30w	4800lm	0.35	30 pcs

SKU: 6490 - 3000K WARM WHITE
 SKU: 6491 - 4000K DAY WHITE
 SKU: 6492 - 6400K WHITE




SuperBRIGHT
160
 LUMENS/W



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8338	38w	6080lm	0.57	30 pcs

SKU: 6493 - 3000K WARM WHITE
 SKU: 6494 - 4000K DAY WHITE
 SKU: 6495 - 6400K WHITE



SuperBRIGHT
160
 LUMENS/W





FIXTURES WITH LED

LED Prismatic Fittings




The reliable 10w to 60w range of efficient LED prismatic fittings from V-TAC all have a high-lumen rating of 120 lm/w and are equipped with quick connectors to lessen set-up time during installation. Available in 3000K, 4000K, and 6400K color temperatures, these durable fittings are ideal for any indoor lighting use

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **110° Beam Angle**
- **15000 On/Off**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **>0.9 PF**
- **Plastic Body**
- **<0.5 s Instant Start**

5 YEAR
WARRANTY*

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-10	10w	1200	0.26	10 pcs

SKU: 659 | 3000K WARM WHITE
 SKU: 660 | 4000K DAY WHITE
 SKU: 661 | 6400K WHITE




1
 FEET

120
 Lumen/W


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-20	20w	2400	0.42	10 pcs

SKU: 662 | 3000K WARM WHITE
 SKU: 663 | 4000K DAY WHITE
 SKU: 664 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-40	40w	4800	0.84	10 pcs

SKU: 665 | 3000K WARM WHITE
 SKU: 666 | 4000K DAY WHITE
 SKU: 667 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-50	50w	6000	1.00	10 pcs

SKU: 668 | 4000K DAY WHITE
 SKU: 669 | 6400K WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-9-60	60w	7200	1.20	10 pcs

SKU: 670 | 4000K DAY WHITE
 SKU: 671 | 6400K WHITE





FIXTURES WITH LED

LED Batten Fitting



V-TAC's all new range of LED Batten Fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional microwave sensor specially designed for LED Batten Fittings is also available.

- **TP(A) Rated**
- **30,000 Life Hours**
- **CRI - >80**
- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V,50Hz**
- **Programmable DIP Switch Driver(Applicable for 60W and 80W only)**

5 YEAR
WARRANTY*

TP(a)
 Polycarbonate




Compatible Emergency Pack



Sensor Compatible

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-42	40w	4800	1.40	10 pcs

SKU: 755 | 4000K DAY WHITE




4
 FEET

120
 Lumen/W




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-62	60w	6900	1.72	10 pcs

SKU: 756 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-80	80w	8600	2.07	10 pcs

SKU: 757 | 4000K DAY WHITE



Emergency Pack (Optional)

m-pack SKU: 758 Compatible with Batten

Charging time::

≥24 HOURS

Charge current:

200 MA

Working time :

3 HOURS



Microwave Sensor (Optional)

VT-8-6 SKU: 759 Compatible with Batten

Detection area:

4M (@3M MOUNTING HEIGHT)

Detection angle:

150°(WALL) 360°(CEILING)

Hold time:

5S / 30S / 90S / 3MIN / 30MIN





LINKABLE
UP TO 100 WATTS TOGETHER

FIXTURES WITH LED

T5 Batten Fitting


5 YEAR
WARRANTY*

The new T5 Batten Fittings retain the premium qualities of V-TAC's fixtures with LED. Each fitting is fully compatible & linkable; multiple batten fittings can be connected with each other, making it an efficient alternative lighting fixture for both small and big indoor spaces.

- 30,000 Life Hours
- On/Off switch
- On/Off Cycle - >15000 time
- Body:PC
- Input Voltage - AC:220-240V
- CRI - >80
- Instant start -0-100% in <1 sec
- Beam angle:120 °


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-035	4w	360	0.065	25 pcs

SKU: 689 | 3000K WARM WHITE
 SKU: 690 | 4000K DAY WHITE
 SKU: 691 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-065	7w	630	0.112	25 pcs

SKU: 692 | 3000K WARM WHITE
 SKU: 693 | 4000K DAY WHITE
 SKU: 694 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-125	16w	1440	0.16	25 pcs

SKU: 695 | 3000K WARM WHITE
 SKU: 696 | 4000K DAY WHITE
 SKU: 697 | 6400K WHITE





EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON



CCT Changeable



FLICKER FREE

FIXTURES WITH LED

LED Batten Fitting


5 YEAR
WARRANTY*

The new Batten Fittings series from V-TAC boasts of its colour tuning feature with an easy-to-access, built-in switch — enabling users to gradually customise the light from a warm 3000-kelvin white light up to the standard 6400-kelvin white. Choose and switch to your preferred colour temperature anytime.

- **PC+Aluminium+Steel**
- **30,000 Life Hours**
- **CRI - >80**
- **Flicker Free**
- **PF - 0.9**
- **On/Off Cycle - >20000 time**
- **Input Voltage - AC:220-240V,50Hz**
- **Beam angle:120 °**


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-43	40w	4000	1.68	10 pcs

SKU: 517 | 3IN1




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-53	50w	5000	2.06	10 pcs

SKU: 518 | 3IN1



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-63	60w	6000	2.42	10 pcs

SKU: 519 | 3IN1





FIXTURES WITH LED

LED Batten Fitting



V-TAC's all new range of LED Batten fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional emergency pack and microwave sensor specially designed for LED Batten are also available.

- **TP(A) Rated**
- **30,000 Life Hours**
- **CRI - >80**
- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V,50Hz**
- **Programmable DIP Switch Driver(Applicable for 60W only)**




TP(a)
Polycarbonate



Sensor Compatible


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-41	40w	4800	2.90	4 pcs

SKU: 753 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-61	60w	7200	3.65	4 pcs

SKU: 754 | 4000K DAY WHITE



Microwave Sensor (Optional)

VT-8-6 SKU: 759 Compatible with Batten

Detection area:

4M (@3M MOUNTING HEIGHT)

Detection angle:

150°(WALL) 360°(CEILING)

Hold time:

5S / 30S / 90S / 3MIN / 30MIN






*Super***BRIGHT**
160
LUMENS/W

Waterproof Fittings


MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-1524	24w	3840	15000	PC+ABS	>0.9	0.60 kg	12 pcs

SKU: 6485 - 4500K DAY WHITE
 SKU: 6486 - 6400K WHITE



MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-1532	32w	5120	15000	PC+ABS	>0.9	1.1 kg	12 pcs

SKU: 6483 - 4500K DAY WHITE
 SKU: 6484 - 6400K WHITE





Waterproof Fittings


MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-180	60w	5400	15000	Plastic + ABS	>0.9	1.30	9 pcs

SKU: 680 | 4000K DAY WHITE
 SKU: 681 | 6400K WHITE

5 YEAR
 WARRANTY

6
 FEET

IP65
 RATING



Waterproof Fittings

MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-160	60w	7200	15000	Plastic+Aluminium	>0.9	2.10	9 pcs


SKU: 678 | 4000K DAY WHITE
 SKU: 679 | 6400K WHITE

5 YEAR
 WARRANTY

4
 FEET

IP65
 RATING

120
 Lumen/W



MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-170	70w	8400	15000	Plastic+Aluminium	>0.9	2.67	9 pcs


SKU: 676 | 4000K DAY WHITE
 SKU: 677 | 6400K WHITE

5 YEAR
 WARRANTY

5
 FEET

IP65
 RATING

120
 Lumen/W



LED LINEAR LIGHTS

V-TAC LED Linear Lights are an energy efficient, low maintenance alternative to traditional linear fluorescent in a variety of industrial, commercial, and light assembly applications. It is the optimal solution for conventional lighting systems and excellent for new installations due to its low installation cost.

KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment
- Continuous row modular system

APPLICATION


Ideal for lighting applications in residential, commercial, and hospitality locations.



COMPLETE RANGE OF LINEAR LIGHTS


Up & Down Linear Lights (Non-Linkable)

One (1) metre stand-alone suspended up & down lighting with cutting-edge reflectors for a soft yet sufficient lighting effect; available in Silver & White




Up & Down Linear Hanging Lights

Continuous suspended upward & downward lighting with a broad 160mm width for a wider scope; modern tech reflectors to distribute just the right amount of light; available in Silver & White




Up & Down Linear Hanging Lights (Slim)

Continuous suspended up & down lighting with a 75mm body; available in Black, Silver, and White



Linear Hanging Lights (Non-Dimmable)

Continuous suspended downward lighting with a narrow 35mm body for a leaner scope; competitively priced for professional task lighting in commercial areas; available in Black, Silver, & White



Linear Hanging Lights (Dimmable)

Dimmable suspended downward lighting with a 50mm body for narrower aisles; continuous up to 12m; available in Silver & White



LED Recessed Linear (Linkable)


Recessed version of our continuous downward linear lighting with a 70mm body; available in Silver & White



LED Recessed Linear (Linkable)

A broader version of our recessed linear lighting at 90mm width; continuous up to 12 metres; available in White





EASY TOGGLE SWITCH



EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON



**COLOR
CHANGING**

LINEAR 3INI LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with toggle switch, 3INI color changing light. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Toggle switch - 3INI CCT**
- **Aluminum Body**
- **1.5 Meter Wire Length**

5 YEAR
WARRANTY*



BLACK **VT-7-44**

SKU:20060 | 3INI




WATTS	LUMENS	SIZE	BOX QTY.
40w	3200	1200x35x67mm	12 pcs



LED LINEAR LIGHTS



 **1-10V**
DIMMABLE



LINEAR HANGING LIGHTS-NON LINKABLE


This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC: 100-240V, 50Hz**
- **Aluminum Body**
- **UGR<6**
- **1-10V Dimmable**
- **1.5 Meter Wire Length**

5 YEAR
WARRANTY*

SILVER VT-7-61-S
SKU:607 | 4000K DAY WHITE

WHITE VT-7-61-W
SKU:606 | 4000K DAY WHITE




WATTS LUMENS
UP 30w **UP-3300**
DOWN 30w **DOWN-3300**

SIZE
1179x64x35mm

BOX QTY.
8 pcs



LED LINEAR LIGHTS



1-10V
DIMMABLE




LINEAR HANGING LIGHTS


This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC:100-240V,50/60Hz**
- **Aluminum Body**
- **UGR<6**
- **Linkable with connectors**
- **I-10V Dimmable**

5 YEAR
WARRANTY*



1190mm



SILVER VT-7-62-S

SKU:609 | 4000K DAY WHITE

WHITE VT-7-62-W

SKU:608 | 4000K DAY WHITE


WATTS	LUMENS
UP 30w	UP-3300
DOWN 30w	DOWN-3300

SIZE
1190x160x30mm

BOX QTY.
4 pcs



LED LINEAR LIGHTS



LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **1.5 Meter Wire Length**
- **Aluminum Body**

5 YEAR
WARRANTY*



BLACK VT-7-40-B

SKU:882 | 3000K WARM WHITE
SKU:374 | 4000K DAY WHITE
SKU:600 | 6000K WHITE



SILVER VT-7-40-S

SKU:375 | 4000K DAY WHITE
SKU:601 | 6000K WHITE

WHITE VT-7-40-W


SKU:376 | 4000K DAY WHITE
SKU:602 | 6000K WHITE

WATTS	LUMENS	SIZE
40w	3200	1200x35x67mm



C0(Max): —
 C0/C180: —
 C90/C270: —
 Field angle(10%Imax):C0/180Left:79.2 Right:79.2
 :C90/270Left:79.5 Right:79.5
 Beam Angle(50%Imax):C0/180Left:53.4 Right:53.4
 :C90/270Left:54.1 Right:54.1





LINKABLE
Up to 12 Meters Together



0-10V
DIMMABLE

LINEAR HANGING UP-DOWN LIGHTS

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in three colors variants Black, Silver and White.


- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Aluminum Body**
- **Linkable with connectors**
- **0-10V Dimmable**
- **1.5 Meter Wire Length**

5 YEAR
WARRANTY*

BLACK VT-7-60-B
SKU:379 | 4000K DAY WHITE

SILVER VT-7-60-S
SKU:378 | 4000K DAY WHITE

WHITE VT-7-60-W
SKU:377 | 4000K DAY WHITE




WATTS	LUMENS
UP 20w	UP-2000
DOWN 40w	DOWN-4000

SIZE
1200x75x105mm

120

LED LINEAR LIGHTS

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty





LINKABLE
Up to 12 Meters Together



0-10V
DIMMABLE

LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.



- **30,000 hrs Lifespan**
- **UGR<19**
- **Linkable with connectors**
- **Aluminum Body**
- **0-10V Dimmable**
- **1.5 Meter Wire Length**

5 YEAR
WARRANTY*

SILVER VT-7-43-S | **WHITE** VT-7-43-W
SKU:384 | 4000K DAY WHITE | SKU:383 | 4000K DAY WHITE



WATTS	LUMENS	SIZE
40w	3400	1200x50x75mm



C180(Max): —
 C0/C180: —
 C90/C270: —
 Field angle(10%Imax):C0/180Left:81.0 Right:78.8
 :C90/270Left:80.7 Right:80.0
 Beam Angle(50%Imax):C0/180Left:57.8 Right:55.7
 :C90/270Left:57.6 Right:56.8





LINKABLE
UP TO 12 METERS TOGETHER

LED RECESSED LINEAR

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in two colors variants Silver and White.

SILVER **VT-7-41-S**

SKU:380 | 4000K DAY WHITE
SKU:603 | 6000K WHITE


WHITE **VT-7-41-W**



SKU:381 | 4000K DAY WHITE
SKU:604 | 6000K WHITE

WATTS	LUMENS	SIZE
40w	3200	1211x70x35mm

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**


5 YEAR
WARRANTY*






8W
 VT-7-41-L

SILVER: SKU:386 | 4000K DAY WHITE
 WHITE: SKU:385 | 4000K DAY WHITE




10W
 VT-7-41-LN

SILVER: SKU:388 | 4000K DAY WHITE
 WHITE: SKU:387 | 4000K DAY WHITE




12W
 VT-7-41-LW

SILVER: SKU:390 | 4000K DAY WHITE
 WHITE: SKU:389 | 4000K DAY WHITE




14W
 VT-7-41-T

SILVER: SKU:392 | 4000K DAY WHITE
 WHITE: SKU:391 | 4000K DAY WHITE



16W
 VT-7-41-X

SILVER: SKU:394 | 4000K DAY WHITE
 WHITE: SKU:393 | 4000K DAY WHITE





LINKABLE
UP TO 12 METERS TOGETHER

LED RECESSED LINEAR

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.


- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**


5 YEAR
WARRANTY*

WHITE VT-7-42-W

SKU:382 | 4000K DAY WHITE



WATTS	LUMENS	SIZE
40w	4000	1211x90x35mm






10W
 VT-7-42-L

: SKU:395 | 4000K DAY WHITE




10W
 VT-7-42-LN

: SKU:396 | 4000K DAY WHITE




12W
 VT-7-42-LW

: SKU:397 | 4000K DAY WHITE




14W
 VT-7-42-T

: SKU:398 | 4000K DAY WHITE



16W
 VT-7-42-X

: SKU:399 | 4000K DAY WHITE





LED LINEAR LIGHTS

V-TAC's new Linear Trunking Light is a set of highly efficient, continuous linear light fixtures with a staggering 160 lm/w rating & a plug-and-play system. It provides an efficient, linkable modular system which means that each unit can be easily connected to the Linear Master Trunking through L, T, and X node connectors. 90°, 120°, and double asymmetric lenses are available for maximum adaptability on any space. Perfect suspended lighting for supermarkets, warehouse, service centers, and gymnasiums. No warm-up time, instant start-up. Sustained color temperature throughout long periods of usage.

High lumen output

output: 160 lm/W to meet different requirements



Flexible Beam angle

90°, 120°, double-asymmetric



Modular system

Continuous row system, seamless connection, max 3500W /row





V-TAC PERFORMANCE
160
 LUMENS/WATT

PRO series

MODEL	WATTS	CRI	LUMENS	PF	SIZE
VT-4551D	50w	>80	8000	>0.9	1500mm


LINEAR MASTER TRUNKING
 SKU: 1360 | 4000K DAY WHITE



90° LENS



DIMMABLE




LINEAR MASTER TRUNKING
 SKU: 1361 | 4000K DAY WHITE



120° LENS



DIMMABLE




LINEAR MASTER TRUNKING
 SKU: 1362 | 4000K DAY WHITE



DOUBLE ASYMMETRIC
 LENS




DIMMABLE






MODEL	WATTS	CRI	LUMENS	PF	SIZE
VT-4550D	50w	>80	8000	>0.9	1500mm



LINEAR FOLLOW TRUNKING
 SKU: 1363 | 4000K DAY WHITE



LINEAR FOLLOW TRUNKING
 SKU: 1364 | 4000K DAY WHITE



LINEAR FOLLOW TRUNKING
 SKU: 1365 | 4000K DAY WHITE



ACCESSORIES FOR LINEAR TRUNKING



LINEAR TRACK MODULE

SKU : 1382



END CAP-LINEAR LIGHT ACCESSORY

SKU : 1366



SUSPENDED CORD-LINEAR LIGHT ACCESSORY

SKU : 1367



8 WIRE-FEED IN MALE CONNECTOR-LINEAR

SKU : 1368



L NODE CONNECTOR-LINEAR ACCESSORY

SKU : 1383



T NODE CONNECTOR-LINEAR ACCESSORY

SKU : 1384



X NODE CONNECTOR-LINEAR ACCESSORY

SKU : 1385



S LINE-FOLLOW TRUNKING RAIL

SKU : 1451



S LINE-PC BLANK COVER

SKU : 1452



Magnetic Track Lights

Magnetic light is a kind of track light which is designed by using magnets fast adsorption characteristic. It consists of two parts: track magnet and light. The track has four ways: surface mounted, recessed, borderless embedded installation, suspension. The light consists of anti-glare line light, anti-glare high power light, soft light lamp, suspension light and decorative lamp. The light can be used alone or assembled at will. Lighting effect can achieve point, line, surface combination, not only to meet the needs of various lighting effects, but also convenient installation, fashionable style, can greatly enhance the decorative effect, in line with the modern architectural design concept, is a fashionable, high-end LED lights leading the trend in the future, is the ideal choice of office, exhibition hall, exclusive stores, hotels, villas and clubs.

Magnetic Linear Spotlight

1W VT-4141




SKU: 7958 - 3000K Warm White 3800157652766
 SKU: 7959 - 4000K Day White 3800157652773

Voltage/Frequency:	DC:24V	Beam Angle:	30°
Luminous Flux:	35lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	45x35x59mm
Color of Fixture:	Black	Box Qty:	40 PCS



3 YEAR WARRANTY*

UGR<19



Magnetic Linear Spotlight

3W VT-4143




SKU: 7960 - 3000K Warm White 3800157652780
 SKU: 7961 - 4000K Day White 3800157652797

Voltage/Frequency:	DC:24V	Beam Angle:	30°
Luminous Flux:	240lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	106x35x59mm
Color of Fixture:	Black	Box Qty:	36 PCS



3 YEAR WARRANTY*

UGR<19



Magnetic Linear Track Light

10w VT-4210




SKU: 7962 - 3000K Warm White 3800157652803
 SKU: 7963 - 4000K Day White 3800157652810

Voltage/Frequency:	DC:24V	Beam Angle:	30°
Luminous Flux:	700lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	137x35x180mm
Color of Fixture:	Black	Box Qty:	16 PCS



3 YEAR WARRANTY

UGR<19



Magnetic Linear Track Light

20w VT-4220




SKU: 7964 - 3000K Warm White 3800157652827
 SKU: 7965 - 4000K Day White 3800157652834

Voltage/Frequency:	DC:24V	Beam Angle:	30°
Luminous Flux:	1200lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	270x35x180mm
Color of Fixture:	Black	Box Qty:	8 PCS



3 YEAR WARRANTY

UGR<19



Magnetic Spotlight

15w VT-4215




SKU: 7966 - 3000K Warm White 3800157652841
 SKU: 7967 - 4000K Day White 3800157652858

Voltage/Frequency:	DC:24V	Beam Angle:	36°
Luminous Flux:	900lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>90	Dimension:	166x100x55mm
Color of Fixture:	Black	Box Qty:	16 PCS



3 YEAR WARRANTY*

UGR<19



Magnetic Pendant Light

15w VT-4315




SKU: 7968 - 3000K Warm White 3800157652865
 SKU: 7969 - 4000K Day White 3800157652872

Voltage/Frequency:	DC:24V	Beam Angle:	36°
Luminous Flux:	1000lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>90	Dimension:	300x55mm
Color of Fixture:	Black	Box Qty:	12 PCS



3 YEAR WARRANTY*

UGR<19



Magnetic Linear Light

20W VT-4121




SKU: 7954 - 3000K Warm White 3800157652728
 SKU: 7955 - 4000K Day White 3800157652735

Voltage/Frequency:	DC:24V	Beam Angle:	100°
Luminous Flux:	1600lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	652x35x59mm
Color of Fixture:	Black	Box Qty:	12 PCS



3 YEAR WARRANTY*



Magnetic Linear Light

30W VT-4131



















SKU: 7956 - 3000K Warm White 3800157652742
 SKU: 7957 - 4000K Day White 3800157652759

Voltage/Frequency:	DC:24V	Beam Angle:	100°
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	970x35x59mm
Color of Fixture:	Black	Box Qty:	12 PCS



3 YEAR WARRANTY*



<p>NEW</p>  <p>Track Rail-0.5M SKU : 7950 EAN : 3800157652681 Box Qty: 9 PCS</p>	<p>NEW</p>  <p>Track Rail-1M SKU : 7951 EAN : 3800157652698 Box Qty: 9 PCS</p>	<p>NEW</p>  <p>Track Rail-1.5M SKU : 7953 EAN : 3800157652711 Box Qty: 6 PCS</p>	<p>NEW</p>  <p>Track Rail-2M SKU : 7952 EAN : 3800157652704 Box Qty: 6 PCS</p>
<p>NEW</p>  <p>Recessed Kit for Magnetic Tracklight SKU : 7970 EAN : 3800157652889 Box Qty: 75 PCS</p>	<p>NEW</p>  <p>Track Connector SKU : 7971 EAN : 3800157652896 Box Qty: 180 PCS</p>	<p>NEW</p>  <p>90'D Corner Connector SKU : 7972 EAN : 3800157652902 Box Qty: 27 PCS</p>	<p>NEW</p>  <p>Outer Corner Connector SKU : 7973 EAN : 3800157652919 Box Qty: 27 PCS</p>
<p>NEW</p>  <p>Cross Connector SKU : 7974 EAN : 3800157652926 Box Qty: 36 PCS</p>	<p>NEW</p>  <p>T Type Connector SKU : 7975 EAN : 3800157652933 Box Qty: 36 PCS</p>	<p>NEW</p>  <p>Pendant Track Rail Accessory SKU : 7977 EAN : 3800157652957 Box Qty: 150 PCS</p>	<p>NEW</p>  <p>Track Cover SKU : 7978 EAN : 3800157652964 Box Qty: 200 PCS</p>
<p>NEW</p>  <p>Live End Connector SKU : 7979 EAN : 3800157652971 Box Qty: 200 PCS</p>	<p>NEW</p>  <p>Transformer SKU : 11144 Watts : 100w EAN : 3800157652988 Input : AC:86-265V,50/60Hz Box Qty: 30 PCS Current: 4.16A Output: DC:24V</p>		<p>NEW</p>  <p>Transformer SKU : 11145 Watts : 200w EAN : 3800157652995 Input : AC:86-265V,50/60Hz Box Qty: 30 PCS Current: 8.33A Output: DC:24V</p>



LED TRACK LIGHTS

Color has a massive influence on purchasing decisions and setting the mood in any room. Our innovative LED track lights are the premiere choice for retail lighting with Samsung's state-of-the-art COB technology.

The >90 CRI rating of these track lights provide vivid colors, highly enhancing any product's appeal to consumers. Single and 4-linear track lights are included in this new generation of track lights from V-TAC.

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.





KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.

NEW

5 YEAR
WARRANTY*

LED TRACKLIGHTS

Linear Tracklights

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- 30,000 hrs Lifespan
- 30° Beam Angle
- AC:220-240V,50Hz
- Flicker Free
- High CRI of > 90
- Aluminum Body
- UGR<19




UGR<19




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-416-B	12W	960	>0.5	>90	40 pcs	30°

SKU: 20000 | 2700K WARM WHITE
 SKU: 20001 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-431-B	25W	2000	>0.9	>90	20 pcs	30°

SKU: 20006 | 2700K WARM WHITE
 SKU: 20007 | 4000K DAY WHITE



NEW

5 YEAR
WARRANTY*

LED TRACKLIGHTS

Linear Tracklights

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- 30,000 hrs Lifespan
- 30° Beam Angle
- AC:220-240V,50Hz
- Flicker Free
- High CRI of > 90
- Aluminum Body
- UGR<19




UGR<19




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-416-W	12W	960	>0.5	>90	40 pcs	30°

SKU: 20003 | 2700K WARM WHITE
 SKU: 20004 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-431-W	25W	2000	>0.9	>90	20 pcs	30°

SKU: 20009 | 2700K WARM WHITE
 SKU: 20010 | 4000K DAY WHITE



LED TRACKLIGHTS

4 Line Tracklights-Black Body

A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, ebony black finish.


5 YEAR
WARRANTY*

- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-407-B	7w	420	>0.5	>90	40 pcs	24°

- SKU: 353 | 3000K WARM WHITE
- SKU: 354 | 4000K DAY WHITE
- SKU: 355 | 5000K WHITE




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-415-B	15w	1050	>0.5	>90	40 pcs	24°

- SKU: 359 | 3000K WARM WHITE
- SKU: 360 | 4000K DAY WHITE
- SKU: 361 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-420-B	20w	1400	>0.9	>90	40 pcs	24°

- SKU: 365 | 3000K WARM WHITE
- SKU: 366 | 4000K DAY WHITE
- SKU: 367 | 5000K WHITE



LED TRACKLIGHTS

4 Line Tracklights-White Body

A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, clean white finish.


5 YEAR
WARRANTY*

- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-407-W	7w	490	>0.5	>90	40 pcs	24°

SKU: 350 | 3000K WARM WHITE
SKU: 351 | 4000K DAY WHITE
SKU: 352 | 5000K WHITE




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-415-W	15w	1200	>0.5	>90	40 pcs	24°

SKU: 356 | 3000K WARM WHITE
SKU: 357 | 4000K DAY WHITE
SKU: 358 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-420-W	20w	1600	>0.9	>90	40 pcs	24°

SKU: 362 | 3000K WARM WHITE
SKU: 363 | 4000K DAY WHITE
SKU: 364 | 5000K WHITE



NEW

5 YEAR
WARRANTY*

LED TRACKLIGHTS

4 line Tracklights-Black Body

Experience true colours through our LED Tracklights efficient set of track lights with CRI >90, the latest LED technology from Samsung, and five years of warranty.


- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **PF: >0.9**
- **High CRI of > 90**
- **Aluminum Body**



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-418	18w	1260	>0.9	>90	20 pcs	24°

SKU: 939 | 3000K WARM WHITE


SKU: 940 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-430	30w	2100	>0.9	>90	20 pcs	24°

SKU: 941 | 3000K WARM WHITE

SKU: 942 | 4000K DAY WHITE



LED TRACKLIGHTS

LED Shutter Tracklights

These durable 4-line LED track lights are equipped with shutters for flexibility — easily adjust them to achieve desired beam angle. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in white and black body.


- **COB LED Type**
- **30,000 hrs Lifespan**
- **24°-60° Adjustable**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**



5 YEAR
WARRANTY*


MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-433-B	33w	2640	>0.9	>90	8 pcs	24°-60° Adjustable

- SKU: 371 | 3000K WARM WHITE
- SKU: 372 | 4000K DAY WHITE
- SKU: 373 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-433-W	33w	2640	>0.9	>90	8 pcs	24°-60° Adjustable

- SKU: 368 | 3000K WARM WHITE
- SKU: 369 | 4000K DAY WHITE
- SKU: 370 | 5000K WHITE





LED BULKHEAD LIGHTS

V-TAC's LED Bulkhead range is inclusive of IP65-rated 2D bulkheads made of state-of-the-art polycarbonate resins for a premium water and dustproof surface-mounted luminaire.

Each model has powerful combinations of two useful features: the emergency battery backup and the microwave sensor with 120°D detection angle. Together with the new elegant designs, this luminaire's highlight is its competitive outdoor effectiveness in efficiency and security.

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.

V-TAC[®]
INNOVATIVE LED LIGHTING






KEY FEATURES

- Four-options available: 3-in-1 2D Bulkhead with Emergency Battery Back-up & Microwave Sensor, 2D Bulkhead with Emergency Battery Back-up only, 2D Bulkhead with Microwave Sensor only, and stand-alone 2D Bulkhead with 5-years warranty
- Built-in power eliminates the need for an external power supply
- IP65 and strong PC covers for durability
- 3-hour Emergency Operation Time
- Microwave sensors: up to 10m detection
- upto 30,000hr lifespan
- Fully compatible with daylight sensors
- Equipped with a green LED charging indicator
- Suitable for open areas constantly exposed to dust and moisture like parking lots, corridors, airports, and malls.


Microwave Sensor



Emergency Battery Backup

31  Emergency Battery Backup
 Microwave Sensor

2D BULKHEAD

EMERGENCY
BATTERY
BACKUP 


MICROWAVE
SENSOR

31 IN 
EMERGENCY
BATTERY
BACKUP

MICROWAVE SENSOR


IP65
RATING



LED DOME LIGHTS

2D Bulkhead


Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

- **AC:200-240V,50/60Hz**
- **PC Body type**
- **SMD LED Type**
- **20,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **PC Body type**
- **SMD LED Type**
- **20,000 hrs Lifespan**


2D Bulkhead

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 815 4000K DAY WHITE
VT-08	8w	720	10 pcs	



MODEL	WATTS	LUMENS	BOX QTY.	SKU: 801 4000K DAY WHITE SKU: 802 6400K WHITE
VT-15	15w	1400	10 pcs	



2D Bulkhead with Emergency Battery Backup




These IP65 LED bulkheads are equipped with Ni-Cad batteries that automatically charges while in use. These fixtures can operate up to three (3) hrs on emergency situations.


- **AC:200-240V,50/60Hz**
- **>1.2 Watts Emergency Standby Watts**
- **60mA Battery Charging Current**
- **200mA Battery Discharging Current**
- **Ni-CD AA, 7.2V 1.0Ah Battery Type**
- **Green LED Charging indicate**
- **Including battery protection circuit & inhibiting mode**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **30,000 hrs Lifespan**

3 YEAR
WARRANTY*

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 816 4000K DAY WHITE
VT-11	10w	720	10 pcs	



MODEL	WATTS	LUMENS	BOX QTY.	SKU: 806 4000K DAY WHITE
VT-17	17w	1400	10 pcs	



2D Bulkhead with Sensor




This range of LED bulkheads are recommended for purposes of increasing security in garages, walkways, and parking areas. With competitive detection range and dimmable functions, these bulkheads exhibit exceptional performance in outdoor security lighting.

- **AC:200-240V,50/60Hz**
- **120° / 360° Detection Angle**
- **3m, 5m, 8m, 10m (optional) Detection Distance**
- **Max D10Mx4M Detection Range**
- **10S, 1min, 5min, 10min customized Hold Time**
- **Day, 10Lux, 30Lux, 50Lux optional Day light Sensor**
- **Yes, 0, 10%, 20%, 30% optional Dimmable Function**
- **0.5~3m/s Detection Motion Speed**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **30,000 hrs Lifespan**

5 YEAR
WARRANTY*


MODEL	WATTS	LUMENS	BOX QTY.
VT-09	8w	720	10 pcs

SKU: 818 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-16	15w	1400	10 pcs


SKU: 803 | 3000K WARM WHITE
SKU: 804 | 4000K DAY WHITE
SKU: 805 | 6400K WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-22	15w	1450l	10 pcs

SKU:819 | 4000K DAY WHITE

VANDAL-PROOF





2D Bulkhead with Emergency Battery Backup and Sensor

3in1 Bulkhead
 Emergency Battery Backup
 Microwave Sensor


Our 3-in-1 LED bulkhead range is equipped with the complete package for a remarkable and reliable indoor/outdoor emergency and security lighting. With reliable Ni-Cad emergency battery back up, advanced microwave sensor, and optional dimmable functions, this range has impressive lighting abilities to make outdoor locations of residential, business, and industrial areas safer and easier to navigate.

- **AC:200-240V,50/60Hz**
- **>1.2 Watts Emergency Standby Watts**
- **60mA Battery Charging Current**
- **200mA Battery Discharging Current**
- **Ni-CD AA, 7.2V 1.0Ah Battery Type**
- **Green LED Charging indicate**
- **Including battery protection circuit & inhibiting mode**
- **120° / 360° Detection Angle**
- **Yes, 0, 10%, 20%, 30% optional Dimmable Function**
- **0.5~3m/s Detection Motion Speed**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **3m, 5m, 8m, 10m (optional) Detection Distance**
- **30,000 hrs Lifespan**

3 YEAR
 WARRANTY*


MODEL	WATTS	LUMENS	BOX QTY.
VT-12	10w	720	10 pcs

SKU: 817 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-19	17w	1400	10 pcs

SKU: 812 | 4000K DAY WHITE



EMERGENCY
BATTERY
BACKUP 


MICROWAVE
SENSOR

31 IN 
EMERGENCY BATTERY BACKUP

MICROWAVE SENSOR

 **IP65**
RATING



SLIM DOMELIGHT

A new addition to our Bulkhead Lights series, V-TAC's new Slim IP65 LED bulkheads are re-designed with a sleeker, more compact built for a modern look – perfect lighting for outdoor areas in residential, business, and industrial zones.


Slim Domelight

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65

5 YEAR
WARRANTY*

MODEL	WATTS	LUMENS	BOX QTY.
VT-12S	12w	1440	10 pcs

SKU: 935 | 3000K WARM WHITE
SKU: 820 | 4000K DAY WHITE
SKU: 936 | 6400K DAY WHITE




Slim Domelight with Emergency Backup

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V,1.0Ah
- Battery Charging Current - 60mA
- Battery Discharge Current - 200mA

3 YEAR
WARRANTY*

 **Emergency Battery Backup**

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 822 4000K DAY WHITE
VT-12SE	14w	1440	10 pcs	




Slim Domelight with Sensor

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- Detection Motion Speed - 0.5-3m/s
- Hold Time - 30s, 40s, 50s customized
- Daylight sensor -Day, 2lux, 10lux, 50lux optional
- Dimmable - Yes, 0, 10%,20% optional
- Manual Override by dial switch
- Stand by period - 0s, 10s, 10m optional

5 YEAR
WARRANTY*

 **Microwave Sensor**

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 937 3000K WARM WHITE SKU: 821 4000K DAY WHITE SKU: 938 6400K DAY WHITE
VT-12SS	12w	1440	10 pcs	




Slim Domelight with Emergency+Sensor

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V,1.0Ah
- Battery Charging Current - 60mA
- Battery Discharge Current - 200mA
- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- 0.5-3m/s detection motion speed
- 30s, 40s, 50s customized (time delay)
- Daylight sensor -Day: 7-20LUX
- Dimmable - Yes, 0, 10%,20% optional
- Manual Override
- Standby - 0s, 10s, 10m optional

3 YEAR
WARRANTY*

 **3in1**
Bulkhead
Emergency Battery Backup
Microwave Sensor

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 823 4000K DAY WHITE
VT-12SES	14w	1440	10 pcs	





Bulkhead CCT Changeable With Switch

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust. This new model has an easy switch for colour temperature tuning to achieve any lighting mood in any room. No need to worry about which colour temperature for any room when you can have it all – readily available with just a flick of a switch.


- AC:200-240V,50/60Hz
- CRI >80
- 30,000 Life Hours
- 120° Beam Angle
- PC Material
- Built in Switch for CCT Changing



EASY ACCESS FOR
 COLOR CHANGING
 WITH BUTTON



CCT Changeable



MODEL	WATTS	LUMENS	BOX QTY.
VT-2-17	15w	1400	10 pcs


SKU: 20016 | 3 IN 1



Domelight - Sensor

- Input: AC:110-240V, 50/60Hz
- 120° Beam Angle
- 20,000 Hours
- SMD LED Chip
- CRI >80
- 3 year warranty

- Detection Distance - 6m Max
- Detection Range - 360°
- Time Delay - Min-10sec±3sec, Max-3min±30sec
- Detection motion Speed - 0.6-1.5m/s
- Ambient Light - <3-2000lux(adjustable)
- Instant start
- IP20 Rating



MODEL	WATTS	LUMENS	BOX QTY.
VT-13	12w	800	10 pcs

- SKU: 807 | 3000K WARM WHITE
- SKU: 808 | 4000K DAY WHITE
- SKU: 809 | 6400K WHITE



FLICKER FREE

UGR <19



12°
Narrow Beam Angle



38°
Wide Beam Angle



Reflector Downlight

Introducing V-TAC's LED reflector downlights — available in 12° & 38° beam angles & CRI rating of >90, to achieve any residential, retail, or hospitality lighting need.

- 30,000 Life Hours
- Input Voltage - AC:220-240V,50Hz
- Body Material - Aluminium
- Includes Quick Connector for easy wiring



MODEL
VT-2-04

12°


SKU: 972 | 2700K WARM WHITE
SKU: 971 | 4000K DAY WHITE
SKU: 970 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
4w	320	100 pcs

MODEL
VT-2-04-1

38°

SKU: 987 | 2700K WARM WHITE
SKU: 986 | 4000K DAY WHITE
SKU: 985 | 5700K WHITE



Cutting Size



MODEL
VT-2-12

12°


SKU: 975 | 2700K WARM WHITE
SKU: 974 | 4000K DAY WHITE
SKU: 973 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
12w	960	50 pcs


MODEL
VT-2-12-1

38°

SKU: 990 | 2700K WARM WHITE
SKU: 989 | 4000K DAY WHITE
SKU: 988 | 5700K WHITE



Cutting Size





MODEL
VT-2-16

12°


SKU: 978 | 2700K WARM WHITE
 SKU: 977 | 4000K DAY WHITE
 SKU: 976 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
16w	1280	50 pcs


MODEL
VT-2-16-1

38°

SKU: 993 | 2700K WARM WHITE
 SKU: 992 | 4000K DAY WHITE
 SKU: 991 | 5700K WHITE



Cutting Size



MODEL
VT-2-21

12°


SKU: 981 | 2700K WARM WHITE
 SKU: 980 | 4000K DAY WHITE
 SKU: 979 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs


MODEL
VT-2-21-1

38°

SKU: 996 | 2700K WARM WHITE
 SKU: 995 | 4000K DAY WHITE
 SKU: 994 | 5700K WHITE



Cutting Size



MODEL
VT-2-36

12°


SKU: 984 | 2700K WARM WHITE
 SKU: 983 | 4000K DAY WHITE
 SKU: 982 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
36w	2880	20 pcs

MODEL
VT-2-36-1


38°

SKU: 999 | 2700K WARM WHITE
 SKU: 998 | 4000K DAY WHITE
 SKU: 997 | 5700K WHITE



Cutting Size





5 YEAR WARRANTY*



Reflector Downlight - Black Housing

Introducing V-TAC's LED reflector downlights with black housing—available in 10w, 20w & 30w & CRI rating of >80, to achieve any residential, retail, or hospitality lighting need.


- AC:85-265V,50/60Hz
- CRI >80
- 30,000 Life Hours
- 120° Beam Angle
- Aluminium Material
- 85% Energy Saving

MODEL
VT-2-13



- SKU: 20051 | 3000K WARM WHITE
- SKU: 20052 | 4000K DAY WHITE
- SKU: 20053 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	40 pcs




MODEL
VT-2-23



- SKU: 20054 | 3000K WARM WHITE
- SKU: 20055 | 4000K DAY WHITE
- SKU: 20056 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




MODEL
VT-2-33



- SKU: 20057 | 3000K WARM WHITE
- SKU: 20058 | 4000K DAY WHITE
- SKU: 20059 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs



5 YEAR
WARRANTY*



LED Downlight

Our new reflector downlights feature adjustable beam angle direction. CRI rating of >90, to achieve any residential, retail, or hospitality lighting need.

- Adjustable Angle
- AC:220-240V,50/60Hz
- 24° Beam Angle
- IP20
- 30,000 Life Hours




VT-419

NEW

SKU: 20049 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
18w	1450	20 pcs




VT-436

NEW

SKU: 20050 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
2x18w	2900	10 pcs






Reflector Downlight

Our new reflector downlights feature a quick connector for easy wiring and installation. The beam angle direction can be also be easily adjusted by tilting the downlight itself.

- **Adjustable Angle**
- **AC:85-265V,50/60Hz**
- **Body type Aluminium**
- **120° Beam Angle**
- **LED (COB chip) provided by Samsung**
- **CRI >80**

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-10	10w	900	40 pcs


SKU: 839 | 3000K WARM WHITE
 SKU: 840 | 4000K DAY WHITE
 SKU: 841 | 6400K WHITE



Cutting Size: \varnothing 80mm

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-20	20w	1600	20 pcs

SKU: 842 | 3000K WARM WHITE
 SKU: 843 | 4000K DAY WHITE
 SKU: 844 | 6400K WHITE



Cutting Size: \varnothing 145 mm

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-30	30w	2400	10 pcs

SKU: 845 | 3000K WARM WHITE
 SKU: 846 | 4000K DAY WHITE
 SKU: 832 | 6400K WHITE



Cutting Size: \varnothing 195 mm



5 YEAR
WARRANTY*

Fire Rated Downlight

Our new Fire-Rated Spotlight Fittings are available in Chrome, Nickel, and White finish. With 3000K, 4000K and 6400K CCT options, built with Aluminium alloy and iron. Efficient replacement for traditional downlight fittings.

- 70° Beam Angle
- IP rating IP65
- Iron+Aluminium Alloy
- CRI >80
- LED provided by Samsung
- 30,000 Hours



30-60-90 MIN
Fire Rated




QUICK
CONNECTOR



DIMMABLE
LIGHT CONTROL


MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8175 3000K WARM WHITE
VT-885-C	5w	500	Chrome	60 pcs	SKU: 8176 4000K DAY WHITE SKU: 8180 6400K WHITE



Ø81.5mm

Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8173 3000K WARM WHITE
VT-885-N	5w	500	Nickel	60 pcs	SKU: 8174 4000K DAY WHITE SKU: 8179 6400K WHITE



Ø81.5mm

Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8177 3000K WARM WHITE
VT-885-W	5w	500	White	60 pcs	SKU: 8178 4000K DAY WHITE SKU: 8181 6400K WHITE



Ø81.5mm

Cutting Size: Ø57mm

Fire Rated Downlight-3PC Pack



30-60-90 MIN
Fire Rated




QUICK
CONNECTOR




DIMMABLE
LIGHT CONTROL

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8874 3000K WARM WHITE
VT-885-C	5w	500	Chrome	20 pcs	SKU: 8875 4000K DAY WHITE SKU: 8876 6400K WHITE




Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8197 3000K WARM WHITE
VT-885-N	5w	500	Nickel	20 pcs	SKU: 8198 4000K DAY WHITE SKU: 8199 6400K WHITE



Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8182 3000K WARM WHITE
VT-885-W	5w	500	White	20 pcs	SKU: 8183 4000K DAY WHITE SKU: 8184 6400K WHITE



Cutting Size: Ø57mm

NEW

Fire Rated Downlight-10PC Pack



**30-60-90 MIN
Fire Rated**




**QUICK
CONNECTOR**




**DIMMABLE
LIGHT CONTROL**

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8913 3000K WARM WHITE SKU: 8914 4000K DAY WHITE SKU: 8915 6400K WHITE
VT-885-C	5w	500	Chrome	6 pcs	




Ø81.5mm
Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8890 3000K WARM WHITE SKU: 8891 4000K DAY WHITE SKU: 8912 6400K WHITE
VT-885-N	5w	500	Nickel	6 pcs	



Ø81.5mm
Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8887 3000K WARM WHITE SKU: 8888 4000K DAY WHITE SKU: 8889 6400K WHITE
VT-885-W	5w	500	White	6 pcs	



Ø81.5mm
Cutting Size: Ø57mm



Included Bezels



Fire Rated Downlight

An innovative addition to our Fire-Rated Downlight series, this new model has an accessible switch for colour temperature tuning so users can easily achieve any lighting mood in any room.

- IP65 Rating.
- Integrated SMD LED (Non-replaceable).
- Isolate driver with terminal for easy and speedy installation
- Dimmable
- AC:200-240V,50Hz
- Body Type: Aluminium

- 60° Beam Angle
- CRI >80
- LED provided by samsung
- 30,000 Hours
- Cutting size:75mm



EASY ACCESS FOR
 COLOR CHANGING
 WITH BUTTON



CCT Changeable

30 MIN


60 MIN

90 MIN

Fire Rated

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 881 3IN1
VT-18D	8w	720	30 pcs	

(When light intensity is more than 10 lx, light keep off even though people in. Less than 10 lx, PIR Sensor works)



LED CABINET LIGHT

Enjoy the convenience of V-TAC's new LED cabinet lights with built-in PIR sensor. Ideal for wardrobes, bookshelves, drawers, and tool cabinets. Fully powered by batteries, designed for a neat installation.

- Easy to mount
- Automatic sensing
- Uses battery instead of power supply, no wires
- Ideal for wardrobes, bookcases, cupboards, and more...


2 YEAR
WARRANTY*

VT-80

SKU: 813 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
1.5w	80	50 pcs

3xAAA (Battery not included)




VT-81

SKU: 814 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
1.5w	135	50 pcs


4xAA (Battery not included)



LED Night Light

Eye-friendly LED night light, produce comforting gentle warm light to let you see better in the dark. This white LED nightlight can illuminate any dark space in your home or office.

- **Voltage/Frequency: 220-240V, 50Hz**
- **Power: 0.45W**
- **RA: >80**
- **Body material: ABS+PC**
- **Box Qty: 50pcs**



VT-82RD


SKU: 824 | 3000K WARM WHITE
 SKU: 825 | 4000K DAY WHITE

SIZE
 ø65x53.4mm

VT-82SQ

SKU: 826 | 3000K WARM WHITE
 SKU: 827 | 4000K DAY WHITE

SIZE
 65x65x53.4mm



VT-83RD


SKU: 828 | 3000K WARM WHITE
 SKU: 829 | 4000K DAY WHITE

SIZE
 ø60x54.5mm

VT-83SQ

SKU: 830 | 3000K WARM WHITE
 SKU: 831 | 4000K DAY WHITE

SIZE
 60x60x54.5mm



USB charging ports to charge USB chargeable devices simultaneously

VT-84RD


SKU: 505 | 3000K WARM WHITE
 SKU: 506 | 4000K DAY WHITE

SIZE
 ø60x54.5mm

VT-84SQ

SKU: 507 | 3000K WARM WHITE
 SKU: 508 | 4000K DAY WHITE

SIZE
 60x60x54.5mm



VT-86RD

SKU: 20018 | 3000K WARM WHITE
 SKU: 20017 | 4000K DAY WHITE

SIZE
 ø65x50mm

VT-86SQ

SKU: 20019 | 3000K WARM WHITE
 SKU: 20020 | 4000K DAY WHITE

SIZE
 65x65x50mm

LED Solar Wall and Bollard Lights

- Min 3hrs / Max 12hrs Working Time
- IP65 Rating
- AL+PC Material
- Lithium battery 3.7V 2600mAh
- 3-5 meters Sensing Range
- 4-6 hours sunlight charging Time
- 2Watts
- 50pcs of LED
- 5.5V 3 W Solar Panel

VT-77

SKU: 784 | 3000K WARM WHITE

LUMENS BEAM ANGLE

220 **170°**

BOX QTY. SIZE

10 pcs **140x140x290mm**



VT-66

SKU: 785 | 3000K WARM WHITE

LUMENS BEAM ANGLE

280 **120°**

BOX QTY. SIZE

10 pcs **140x140x500mm**



LED Wall Light



VT-7-06

SKU: 780 | 3000K WARM WHITE

SKU: 781 | 4000K DAY WHITE

WATTS LUMENS BEAM ANGLE BOX QTY. SIZE

10w **800** **110°** **20 pcs** **300x55x194mm**



- AC220-240V,50/60Hz
- CRI: >80
- 15,000 times On/Off
- 20,000 hrs. Life span
- PC Material
- IP54 Rating



LED EMERGENCY LIGHTS

V-TAC new range of LED emergency lights comes at an age of increased awareness and standards for safety compliance in different infrastructures. Now equipped with highly efficient LEDs provided by Samsung, these emergency lights include clear-cut exit signs, and are powered by high performance batteries, to provide a longer lifespan, lower maintenance, with increased working time when activated.

V-TAC's emergency lights are a smart choice for effective emergency lighting to meet fire & safety assessments in residential and commercial buildings, offices, hotels, hospitals, and schools

APPLICATION

Offices, hospitals, corporate buildings, schools, and commercial establishments






KEY FEATURES

- Thermoplastic PC built
- High quality Ni-Cd batteries made for longevity & low maintenance reliable emergency backup of 3 hours
- Rectangular type plastic with different signs for various locations
- Single or double face configuration
- Wall, side, or ceiling mounted
- LED indicator light and push button test switch LEDs mounted on print circuit board
- 12-24-hour recharge after more than 3-hour discharge
- Efficient thermal management technology
- Corrosion-free mounting clamps
- Maintained operation mode

Exit Light - Surface

VT-519-S-12 SKU: 836 - 6000K WHITE

Box Qty: 10pcs



Lumens: 140lm
 IP Rating: IP20
 Material: PC
 Exit Lamp Type: Wall/Ceiling
 Battery: Ni-Cd 3.6V,900mAh
 Recharging Time: 12 Hours
 Stickers: 3 Stickers
 Watts: 2w

Viewing Distance: 24 Meters From Both Sides
 Test Button: Green Light Indicator Test Button
 Legends: 3 Way Legend Available
 Input Voltage: AC:220-240V,50/60Hz
 Mode Of Operation: Maintained
 Emergency Operation Time: >3 Hours
 Lamp Type: 16 SMD LEDs


12Hrs
 CHARGING TIME

NEW

Exit Light - Surface

VT-529-S SKU: 83611 - 6000K WHITE

Box Qty: 10pcs



Lumens: 140lm
 IP Rating: IP20
 Material: PC
 Exit Lamp Type: Wall/Ceiling
 Battery: Ni-cd 3.6V, 900mAh
 Recharging Time: 24 Hours
 Stickers: 3 Stickers
 Watts: 2w


Viewing Distance: 24 Meters From Both Sides
 Test Button: Green Light Indicator Test Button
 Legends: 3 Way Legend Available
 Input Voltage: AC:220-240V, 50/60Hz
 Mode Of Operation: Maintained
 Emergency Operation Time: >3 Hours
 Lamp Type: 16 SMD LEDs

24Hrs
 CHARGING TIME

Exit Light-Recessed

VT-522-S-12 SKU: 835 - 6000K WHITE

Box Qty: 10pcs



Lumens: 140lm
 IP Rating: IP20
 Material: PC
 Exit Lamp Type: Recessed/Ceiling
 Battery: Ni-Cd 3.6V,900mAh
 Recharging Time: 12 Hours
 Stickers: 3 Stickers
 Watts: 2w

Viewing Distance: 24 Meters From Both Sides
 Test Button: Green Light Indicator Test Button
 Legends: 3 Way Legend Available
 Input Voltage: AC:220-240V,50/60Hz
 Mode Of Operation: Maintained
 Emergency Operation Time: >3 Hours
 Lamp Type: 16 SMD LEDs

12Hrs
 CHARGING TIME

Exit Light - Bulkhead

VT-511-S SKU: 899 - 6000K WHITE

Box Qty: 10 Pcs



Lumens: 110lm
 IP Rating: IP20
 Material: ABS+PC
 Exit Lamp Type: Bulkhead
 Watts: 3.8w

Input Voltage:
 Mode Of Operation:
 Emergency Operation Time:
 Lamp Type:
 Battery:
 Recharging Time:

AC:220-240V,50/60Hz
 Maintained/Non Maintained
 >3 Hours
 20 SMD LEDs
 4V2.0AH Lead Acid battery
 12 Hours

12Hrs
 CHARGING TIME

Exit Light - Bulkhead

VT-523-S-12

SKU: 837 - 6000K WHITE

12Hrs
 CHARGING TIME

Lumens: 140lm
 IP Rating: IP65
 Material: PC
 Exit Lamp Type: Wall - Bulkhead
 Battery: Ni-Cd 3.6v,1500mAh
 Recharging Time: 12 Hours
 Stickers: 4 Stickers
 Watts: 3w

Exit Light - Bulkhead

VT-523-S-24

SKU: 847 - 6000K WHITE

24Hrs
 CHARGING TIME

Viewing Distance:
 Test Button:
 Legends:
 Input Voltage:
 Mode Of Operation:
 Emergency Operation Time:
 Lamp Type:
 Box Qty:


22 Meters From One side
 Green Light Indicator Test Button
 4 Way Legend Available
 AC:220-240V,50/60Hz
 Maintained
 >3 Hours
 16 SMD LEDs
 12pcs



Exit Light - Bulkhead

VT-524-S-12 SKU: 838 - 6000K WHITE

Box Qty: 12pcs



Lumens: 190lm
 IP Rating: IP65
 Material: PC
 Exit Lamp Type: Wall - Bulkhead
 Battery: Ni-Cd 4.8V,900mAh
 Recharging Time: 12 Hours
 Stickers: 3 Stickers
 Watts: 4w

Viewing Distance:
 Test Button:
 Legends:
 Input Voltage:
 Mode Of Operation:
 Emergency Operation Time:
 Lamp Type:

22 Meters From One side
 Green Light Indicator Test Button
 3 Way Legend Available
 AC:220-240V,50/60Hz
 Maintained
 >3 Hours
 30 SMD LEDs

12Hrs
 CHARGING TIME



LED STRIP LIGHTS

V-TAC's efficient LED strip lights is an effective solution to light up tight spaces, or in simply decorating your kitchen, bedroom, and even your garden. Applicable both for accent lighting or task lighting, these strip lights are easy to install, compatible with controls, and are available in standard color temperatures.

APPLICATION


Recommended for bedrooms, kitchens, restaurants, bars, and other residential and commercial areas





KEY FEATURES

- Easy installation
- Available in 5m and 10m
- Exceptionally low power consumption



LED STRIP & NEON FLEX LIGHTS

This range includes up to 18 watt dust and moisture-rated LED strip lights, equipped with Samsung LED Chips for an even further advanced and vivid performance. It also has our IP65 neon flex LED strip light that is specially designed for outdoor resistance. Available in 3000K Warm White, 4000K Day White, and 6400K White, we have the optimal range of low-energy consuming and easy-to-install strip lights with vibrant lighting.

- LED strip is a low voltage flexible ribbon available in 24v and 12V
- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades

3 YEAR WARRANTY*

CRI >95

MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.
VT-10-240-1	18w	1800	DC:24V	40 Packets

SKU: 331 | 3000K WARM WHITE
 SKU: 332 | 4000K DAY WHITE
 SKU: 333 | 6400K WHITE

10 METER ROLL

MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.	SKU: 320 3000K WARM WHITE
VT-10-240	15w	1600	DC:24V	80 Packets	SKU: 321 4000K DAY WHITE SKU: 322 6400K WHITE



MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.	SKU: 323 3000K WARM WHITE
VT-5-120	12w	1200	DC:12V	80 Packets	SKU: 324 4000K DAY WHITE SKU: 325 6400K WHITE



ULTRA THIN
 JUST 6 X 12MM

WATERPROOF LED NEON FLEX



MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.	SKU: 326 3000K WARM WHITE
VT-55	10w	300	DC:12V	40 Packets	SKU:327 4000K DAY WHITE SKU:328 6400K WHITE





LED SPOT LIGHTS

Our new range of LED spotlights with Samsung LEDs is your leading choice for efficient directional lighting solutions. This new range is perfectly compatible with existing GU10 holders. They deliver the same warm light as halogen spots while exhibiting the energy-saving benefits that LEDs provide. Ideal for retail and residential lighting.

APPLICATION



Ideal for lighting applications in residential, commercial, and hospitality locations.





KEY FEATURES

- Classic halogen-like design with up to 80% power savings
- Compatibility ensured: available in all existing spotlight holders
- Optional beam angles: ranging from 38°D to 300°D
- Set the right tone: dimmable options available



LED SPOTLIGHTS

LED Capsules Lights

Our newly improved range of capsule lights are the ideal choice for replacing Halogen counterparts. Now equipped with LEDs provided by Samsung for maximum efficiency.

- 30,000-hr lifespan
- DC: 12V for G4
- AC: 220-240V, 50Hz for G9
- CRI: >80

5 YEAR
WARRANTY*



G4



G4





G9



G9



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-201	1.5w	10w	100	G4	200 pcs

- SKU: 240 | 3000K WARM WHITE
- SKU: 241 | 4000K DAY WHITE
- SKU: 242 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-234	3.2w	30w	385	G4	200 pcs

- SKU: 131 | 3000K WARM WHITE
- SKU: 132 | 4000K DAY WHITE
- SKU: 133 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-203	2.5w	20w	200	G9	200 pcs

- SKU: 243 | 3000K WARM WHITE
- SKU: 244 | 4000K DAY WHITE
- SKU: 245 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-204	3w	25w	300	G9	200 pcs

- SKU: 246 | 3000K WARM WHITE
- SKU: 247 | 4000K DAY WHITE
- SKU: 248 | 6400K WHITE



LED SPOTLIGHTS

LED GU10 Lights

Achieve a warm soft glow in any room with our improved range of GU10 spotlights with 30,000-hr lamp life.

- Clear and frost cover options
- Available in 38°D or 110°D beam angle
- Dimmable options available
- 30,000-hr lifespan
- DC: 12V for GU5.3
- AC: 220-240V, 50Hz for GU10
- CRI: >80

5 YEAR WARRANTY*



GU10





GU10



GU10



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-232	2w	15w	180	GU10	200 pcs

SKU: 869 | 3000K WARM WHITE
SKU: 870 | 4000K DAY WHITE
SKU: 871 | 6400K WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-205	5w	35w	400	GU10	200 pcs

SKU: 201 | 3000K WARM WHITE
SKU: 202 | 4000K DAY WHITE
SKU: 203 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-275	5w	40w	380	GU10		192 pcs

SKU: 108 | 3000K WARM WHITE
SKU: 797 | 4000K DAY WHITE
SKU: 511 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-275D	5w	35w	380	GU10		192 pcs

SKU: 109 | 3000K WARM WHITE
SKU: 512 | 4000K DAY WHITE
SKU: 897 | 6400K WHITE



LED SPOT LIGHTS

LED SPOTLIGHTS
 MR16 | GU10

5 YEAR
 WARRANTY*





GU5.3





GU10



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-249	6w	50w	500	GU10	200 pcs
SKU: 20026 3000K WARM WHITE					
SKU: 20027 4000K DAY WHITE					
SKU: 20028 6400K WHITE					





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-257	6.5w	55w	450	GU5.3	200 pcs
SKU: 204 3000K WARM WHITE					
SKU: 205 4000K DAY WHITE					
SKU: 206 6400K WHITE					





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-267	6.5w	40w	450	GU5.3	200 pcs
SKU: 207 3000K WARM WHITE					
SKU: 208 4000K DAY WHITE					
SKU: 209 6400K WHITE					




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-247	6.5w	60w	480	GU10	200 pcs
SKU: 192 3000K WARM WHITE					
SKU: 193 4000K DAY WHITE					
SKU: 194 6400K WHITE					




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-247D	6.5w	55w	450	GU10	200 pcs
SKU: 198	3000K WARM WHITE				
SKU: 199	4000K DAY WHITE				
SKU: 200	6400K WHITE				





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-227	6.5w	60w	480	GU10	200 pcs
SKU: 189	3000K WARM WHITE				
SKU: 190	4000K DAY WHITE				
SKU: 191	6400K WHITE				





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-227D	6.5w	35w	450	GU10	200 pcs
SKU: 195	3000K WARM WHITE				
SKU: 196	4000K DAY WHITE				
SKU: 197	6400K WHITE				





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-277	7w	65w	480	GU10	200 pcs
SKU: 165	3000K WARM WHITE				
SKU: 166	4000K DAY WHITE				
SKU: 167	6400K WHITE				





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-291	8w	80w	720	GU10	200 pcs
SKU: 875	3000K WARM WHITE				
SKU: 876	4000K DAY WHITE				
SKU: 877	6400K WHITE				



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-292	8w	80w	720	GU10	200 pcs
SKU: 872	3000K WARM WHITE				
SKU: 873	4000K DAY WHITE				
SKU: 874	6400K WHITE				



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-271	10w	70w	1000	GU10	200 pcs
SKU: 878	3000K WARM WHITE				
SKU: 879	4000K DAY WHITE				
SKU: 880	6400K WHITE				





LED BULBS

Find the right bulb in V-TAC's newly improved range of LED bulbs. With our recent in-branding program with Samsung, all LED chips used in the PRO Series lamp range.

From aesthetically-pleasing filament bulbs to our extensive options of 360° omnidirectional thermoplastic bulbs in all sizes, watts, and lumens, we have a complete range to replace 60w to 150w traditional lamps for your home, office, or business.

APPLICATION

General lighting in residential, commercial, and industrial areas





KEY FEATURES

- Includes Amber & Clear Filament Bulbs, High-Lumen Bulbs, Thermoplastic Bulbs, Reflector Bulbs, PAR Bulbs, Big Bulbs, and B22s.
- Lightweight yet durable body: made of Aluminum + ASA plastic
- Designed with optimal thermal management
- 80% lower power consumption
- Dimmable options available
- 30,000-hr lifespan: remarkable performance than conventional and other LED lamps



LM/WATT



DIMMABLE



ENERGY RATING

A new milestone in our ceaseless approach towards **innovation**.

INTRODUCING THE NEW SERIES



Our bestselling LED Bulbs — now upgraded with a superior efficiency of **160 lm/W** through the latest in LED technology.

*Super***BRIGHT**
160
LUMENS / W

NEW



Thermoplastic Bulb



6.5W VT-2307

SKU: 2806 - 3000K WARM WHITE
SKU: 2807 - 4000K DAY WHITE
SKU: 2808 - 6400K WHITE



5 YEAR WARRANTY

SuperBRIGHT
160
LUMENS/W



EQ. WATTS: 75w
VOLTAGE/FREQUENCY: AC:220-240V, 50Hz
LUMINOUS FLUX: 1055lm
COMMERCIAL TYPE: A60

LED TYPE: SMD
CRI: >80
PF: >0.6
BASE: E27

BEAM ANGLE: 200°
BODY TYPE: Thermoplastic
DIMENSION: 65x134mm
BOX QTY: 100

NEW



Thermoplastic Bulb



9.5W VT-2310

SKU: 2809 - 3000K WARM WHITE
SKU: 2810 - 4000K DAY WHITE
SKU: 2811 - 6400K WHITE



5 YEAR WARRANTY

SuperBRIGHT
160
LUMENS/W



EQ. WATTS: 100w
VOLTAGE/FREQUENCY: AC:220-240V, 50Hz
LUMINOUS FLUX: 1521lm
COMMERCIAL TYPE: A60

LED TYPE: SMD
CRI: >80
PF: >0.6
BASE: E27

BEAM ANGLE: 200°
BODY TYPE: Thermoplastic
DIMENSION: 60x110mm
BOX QTY: 100

NEW



Thermoplastic Bulb


15W VT-2315

SKU: 2812 - 3000K WARM WHITE
SKU: 2813 - 4000K DAY WHITE
SKU: 2814 - 6400K WHITE



5 YEAR WARRANTY

SuperBRIGHT
160
LUMENS/W



EQ. WATTS: 150w
VOLTAGE/FREQUENCY: AC:220-240V, 50Hz
LUMINOUS FLUX: 2500lm
COMMERCIAL TYPE: A65

LED TYPE: SMD
CRI: >80
PF: >0.6
BASE: E27

BEAM ANGLE: 200°
BODY TYPE: Thermoplastic
DIMENSION: 60x121mm
BOX QTY: 100

NEW



Clear Filament Bulb



24W VT-2324

SKU: 2816 - 4000K DAY WHITE
SKU: 2817 - 6400K WHITE



5 YEAR WARRANTY

SuperBRIGHT
160
LUMENS/W



EQ. WATTS: 250w
VOLTAGE/FREQUENCY: AC:220-240V, 50Hz
LUMINOUS FLUX: 4000lm
COMMERCIAL TYPE: ED120

LED TYPE: Filament
CRI: >80
PF: >0.6
BASE: E27

BEAM ANGLE: 310°
BODY TYPE: Glass
DIMENSION: 120x300mm
BOX QTY: 20

LED AMBER FILAMENT

A60

V-TAC's decorative Amber Filament Lamp range is devised with the latest technology to provide the warm look and feel of conventional filament bulbs.

- 20,000 hrs Lifespan
- 300° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

3 YEAR
WARRANTY*





A60 | E27





A60 | B22

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-214	4w	30w	350	E27	A60	50 pcs





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-266	6w	55w	725	E27	A60	50 pcs



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-228	4w	35w	350	B22	A60	96 pcs

SKU:107 | 2200K WARM WHITE



LED AMBER FILAMENT

G95 | G125 | ST64

V-TAC's decorative Amber Filament Lamp range is devised with the latest technology to provide the warm look and feel of conventional filament bulbs.

- 20,000 hrs Lifespan
- 300° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

3 YEAR
WARRANTY*




G125



ST64



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-297	6w	55w	725	E27	G125	20 pcs

SKU: 291 | 2200K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-276	6w	55w	725	E27	ST64	50 pcs

SKU: 290 | 2200K WARM WHITE



LED CLEAR FILAMENT

A60

V-TAC's decorative and efficient LED filament range also comes in an elegant, clear glass body for a classic vintage design in A60, candle, and globe shapes that can replace 35 to 60-watt traditional filament bulbs.

- **20,000 hrs Lifespan**
- **300° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

3 TO 5
WARRANTY* YEAR





A60 | E27



A60 | B22


MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-256	6w	60w	806	E27	A60	50 pcs

SKU: 287 | 2700K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-208	4w	40w	400	B22	A60	96 pcs

SKU: 106 | 3000K WARM WHITE



LED CLEAR FILAMENT

Candle



Candle | B22



Candle | E14





Twist Candle



Flame Candle



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-222	4w	40w	400	B22	Candle	192 pcs

SKU: 105 | 3000K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-254	4w	35w	400	E14	Candle	100 pcs

SKU: 272 | 2700K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-254D	4w	30w	350	E14	Candle	100 pcs

SKU: 278 | 2700K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-274	4w	35w	400	E14	Candle	100 pcs

SKU: 279 | 2700K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-264	4w	35w	400	E14	Candle	100 pcs

SKU: 275 | 2700K WARM WHITE



LED CLEAR FILAMENT
 Candle | G45 | G95 | G125

3 TO 5 YEAR
 WARRANTY*



Candle



G45



G95





G125

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-284D	4w	30w	350	B15	100 pcs

SKU: 862 | 3000K WARM WHITE





DIMMABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-244	4w	35w	400	E27	G45	100 pcs

SKU: 280 | 2700K WARM WHITE

SKU: 944 | 4000K DAY WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-286	6w	60w	806	E27	G95	20 pcs

SKU: 294 | 2700K WARM WHITE



120 LM/WATT




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-287	6w	60w	806	E27	G125	20 pcs

SKU: 292 | 2700K WARM WHITE




120 LM/WATT



High Lumen Bulbs

Adequate light at an optimal cost – equipped with **Samsung LED chip**, V-TAC's complete range of high-lumen LED lamps includes a vast array of general-purpose lighting solutions with the efficiency of modern LED lighting technology at 120 lumens per watt. Better design, quality, and performance; truly an innovative take on traditional lamps.

120 ±
LUMENS/ WATT
SUPER EFFICIENT



HIGH LUMEN BULBS

C37 | G45 | P45

Available in warm to bright color temperatures, this high-lumen range includes candelabra-style C37 lamps, 45mm diameter spheroid/ping pong G45 bulbs, and 45mm pear-shaped bulbs for a complete selection of lamps to meet a desired combination for mood and task lighting in residential and commercial spaces.

- **A++ energy rating**
- **120 lm/w**
- **30,000-hr lifespan**
- **200° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR
WARRANTY*



C37





G45



P45



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-255	4.5w	40w	470	E14	Candle	200 pcs

SKU: 258 | 3000K WARM WHITE
SKU: 259 | 4000K DAY WHITE
SKU: 260 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-245	4.5w	40w	470	E27	G45	200 pcs

SKU: 261 | 3000K WARM WHITE
SKU: 262 | 4000K DAY WHITE
SKU: 263 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-225	4.5w	40w	470	E14	P45	200 pcs

SKU: 264 | 3000K WARM WHITE
SKU: 265 | 4000K DAY WHITE
SKU: 266 | 6400K WHITE



HIGH LUMEN BULBS

A60 | A65 | G120

5 YEAR
WARRANTY*



A60





A65



G120



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-265	6.5w	60w	806	E27	A60	100 pcs

SKU: 255 | 3000K WARM WHITE
SKU: 256 | 4000K DAY WHITE
SKU: 257 | 6400K WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-285	8.5w	75w	1055	E27	A60	100 pcs

SKU: 252 | 3000K WARM WHITE
SKU: 253 | 4000K DAY WHITE
SKU: 254 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-295	12w	100w	1521	E27	A65	100 pcs

SKU: 249 | 3000K WARM WHITE
SKU: 250 | 4000K DAY WHITE
SKU: 251 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-242	22w	160	2650	E27	G120	20 pcs

SKU: 20021 | 3000K WARM WHITE
SKU: 20022 | 4000K DAY WHITE
SKU: 20023 | 6400K WHITE





LED Plastic Bulbs

The definition of sustainability: sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.

- Ideal retrofit for E27, E14 and B22 holders
- Longer lifespan than conventional bulbs
- Instant startup
- Options! Available in three color temperatures
- Set the right tone: dimmable options available
- Customized exterior for a stronger body

LED PLASTIC BULBS

ST26 | T37

A decorative and efficient range of Candle, G45, P45, lamps for intricate light fittings in wall lamps, chandeliers and table lamps. This new generation of LED plastic bulbs includes our 9w to 18w A58, A65, and A80 lamps which are ideal for general purpose lighting at residential, commercial, and industrial areas.

- **ST26, T37, C37, and G45 shapes available**
- **On/Off cycles: >20000**
- **Standard color temperatures**
- **30,000-hr lifespan**
- **200° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR
WARRANTY*



ST26





T37





T37



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-202	2w	20w	180	E14	ST26	400 pcs
SKU: 234 3000K WARM WHITE SKU: 235 4000K DAY WHITE SKU: 236 6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-248	8w	50w	660	E14	T37	200 pcs
SKU: 267 3000K WARM WHITE SKU: 268 4000K DAY WHITE SKU: 269 6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-237	8w	50w	660	E27	T37	200 pcs
SKU: 144 3000K WARM WHITE SKU: 145 4000K DAY WHITE SKU: 146 6400K WHITE						



LED PLASTIC BULBS
 Candle C37

5 YEAR
 WARRANTY*



Candle | E14



Candle | E27




Flame Candle





Candle | E14


MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-226	5.5w	40w	470	E14	Candle	200 pcs
SKU: 171 3000K WARM WHITE						
SKU: 172 4000K DAY WHITE						
SKU: 173 6400K WHITE						




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-293D	5.5w	40w	470	E14	Candle	200 pcs
SKU: 20045 3000K WARM WHITE						





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-294D	5.5w	40w	470	E14	Candle	200 pcs
SKU: 859 3000K WARM WHITE						




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-289	5.5w	40w	470	E27	Candle	200 pcs
SKU: 858 3000K WARM WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-258	5.5w	40w	470	E14	Candle	200 pcs
SKU: 117 3000K WARM WHITE						
SKU: 118 4000K DAY WHITE						
SKU: 119 6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-268	7w	40w	600	E14	Candle	200 pcs
SKU: 111 3000K WARM WHITE						
SKU: 112 4000K DAY WHITE						
SKU: 113 6400K WHITE						



LED PLASTIC BULBS
G45 | P45

5 YEAR
WARRANTY*




G45




P45


MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-246	5.5w	40w	470	E27	G45	200 pcs
SKU: 174 3000K WARM WHITE						
SKU: 175 4000K DAY WHITE						
SKU: 176 6400K WHITE						




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-283	5.5w	40w	470	E27	G45	200 pcs
SKU: 857 3000K WARM WHITE						




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-290	7w	45w	600	E27	G45	200 pcs
SKU: 866 3000K WARM WHITE						
SKU: 867 4000K DAY WHITE						
SKU: 868 6400K WHITE						




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-236	5.5w	40w	470	E14	P45	200 pcs
SKU: 168 3000K WARM WHITE						
SKU: 169 4000K DAY WHITE						
SKU: 170 6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-282	5.5w	40w	470	E14	P45	200 pcs
SKU: 856 3000K WARM WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-270	7w	45w	600	E14	P45	200 pcs
SKU: 863 3000K WARM WHITE						
SKU: 864 4000K DAY WHITE						
SKU: 865 6400K WHITE						



LED PLASTIC BULBS

A58 | A60

5 YEAR WARRANTY*



A58 | E14





A58 | E27



A60 | E27



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-269	9w	60w	806	E14	A58	100 pcs

SKU: 114 | 3000K WARM WHITE
 SKU: 115 4000K DAY WHITE
 SKU: 116 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-210	9w	60w	806	E27	A58	100 pcs

SKU: 228 | 3000K WARM WHITE
 SKU: 229 | 4000K DAY WHITE
 SKU: 230 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-212	11w	75w	1055	E27	A60	100 pcs

SKU: 231 | 3000K WARM WHITE
 SKU: 232 | 4000K DAY WHITE
 SKU: 233 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-262D	12w	75w	1055	E27	A60	100 pcs

SKU: 20044 | 3000K WARM WHITE



LED PLASTIC BULBS

A65 | A80

5 YEAR
WARRANTY*





A60 | E27




A80 | E27



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-215	15w	85w	1250	E27	A65	100 pcs
SKU: 159 3000K WARM WHITE SKU: 160 4000K DAY WHITE SKU: 161 6400K WHITE						




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-217	17w	100w	1521	E27	A65	100 pcs
SKU: 162 3000K WARM WHITE SKU: 163 4000K DAY WHITE SKU: 164 6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-298	18w	125w	2000	E27	A80	100 pcs
SKU: 126 3000K WARM WHITE SKU: 127 4000K DAY WHITE SKU: 128 6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-233	20w	150w	2452	E27	A80	50 pcs
SKU: 237 3000K WARM WHITE SKU: 238 4000K DAY WHITE SKU: 239 6400K WHITE						



LED PLASTIC BULBS

Candle | G45



5 YEAR
WARRANTY*



Candle | B15





Candle | B22



G45



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-299	5.5w	40w	470	B15	Candle	200 pcs

SKU: 860 | 3000K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-299D	5.5w	40w	470	B15	Candle	200 pcs

SKU: 861 | 3000K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-223	5.5w	40w	470	B22	Candle	192 pcs

SKU: 103 | 3000K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-221	5.5w	40w	470	B22	G45	192 pcs

SKU: 104 | 3000K WARM WHITE



LED PLASTIC BULBS
A58





5 YEAR
WARRANTY*



A58



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-229	9w	60w	806	B22	A58	96 pcs

SKU: 101 | 3000K WARM WHITE
 SKU:850 | 4000K DAY WHITE
 SKU: 851 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-219	9w	60w	806	B22	A58	100 pcs

SKU: 270 | 3000K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-259D	9w	60	806	B22	A58	100 pcs

SKU: 852 | 3000K WARM WHITE



LED PLASTIC BULBS

A60 | A65



5 YEAR
WARRANTY*





A60



A65



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-213	11w	75w	1055	B22	A60	100 pcs

SKU: 271 | 3000K WARM WHITE
 SKU:110 | 4000K DAY WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-231	11w	75w	1055	B22	A60	96 pcs

SKU: 102 | 3000K WARM WHITE
 SKU: 853 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-281	15w	85w	1250	B22	A65	100 pcs

SKU: 854 | 3000K WARM WHITE
 SKU:943 | 4000K DAY WHITE
 SKU: 855 | 6400K WHITE



LED REFLECTOR BULB

We offer an energy-efficient reflectors range of various widths (39mm, 50mm, 63mm, 80mm) for diffused lighting that can serve as track or spotlight in residential, hospitality, or commercial spaces.

- Available in E14 and E27
- 30,000-hr lifespan
- 120° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

5 YEAR WARRANTY*



R39



R50





R63





R80



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-239	3w	25w	250	E14	R39	200 pcs
SKU: 210 3000K WARM WHITE SKU: 211 4000K DAY WHITE SKU: 212 6400K WHITE						




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-250	6w	40w	470	E14	R50	200 pcs
SKU: 138 3000K WARM WHITE SKU: 139 4000K DAY WHITE SKU: 140 6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-263	8w	60w	570	E27	R63	200 pcs
SKU: 141 3000K WARM WHITE SKU: 142 4000K DAY WHITE SKU: 143 6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-280	10w	75w	800	E27	R80	200 pcs
SKU: 135 3000K WARM WHITE SKU: 136 4000K DAY WHITE SKU: 137 6400K WHITE						



LED PAR BULB

Provide precisely control LED beams of light to any space with V-TAC's improved range of LED PAR bulbs with 40° beam angle. With a significantly longer lifespan and up to 80% lower energy-consumption, our LED PAR series is your cost-efficient replacement for Halogen PAR lamps. Our PAR series offers advanced thermal management features and uses LEDs provided by Samsung.

- Uses IP-protected Samsung LED chip
- 20,000 hrs Lifespan
- 300° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

5 YEAR
WARRANTY*



PAR20




PAR30



PAR38



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-220	7w	65w	495	E27	PAR20	100 pcs

- SKU: 147 | 3000K WARM WHITE
- SKU: 148 | 4000K DAY WHITE
- SKU: 149 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-230	11w	95w	825	E27	PAR30	30 pcs

- SKU: 153 | 3000K WARM WHITE
- SKU: 154 | 4000K DAY WHITE
- SKU: 155 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-238	14w	120w	1100	E27	PAR38	30 pcs

- SKU: 150 | 3000K WARM WHITE
- SKU: 151 | 4000K DAY WHITE
- SKU: 152 | 6400K WHITE



LED BULBS

UFO Bulb

V-TAC's Big Bulb range are ready to meet lighting demands for big spaces that require broader lighting with its range of unique designs, all with significantly greater luminous flux. This range has lamps with diameter ranging from 75mm up to 250mm. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has LEDs provided by Samsung for maximum efficiency.

- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR
WARRANTY*



F150





F200





F250



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-216	15w	80w	1200	E27	F150	20 pcs
SKU: 213 3000K WARM WHITE SKU: 214 4000K DAY WHITE SKU: 215 6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-224	24w	120w	1900	E27	F200	20 pcs
SKU: 216 3000K WARM WHITE SKU: 217 4000K DAY WHITE SKU: 218 6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-235	36w	170w	2900	E27	F250	20 pcs
SKU: 219 3000K WARM WHITE SKU: 220 4000K DAY WHITE SKU: 221 6400K WHITE						



LED BULBS
 PAR Bulb | G120

5 YEAR
 WARRANTY*




GX53





G120



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-207	7w	45w	550	GX53	200 pcs
SKU: 222	3000K WARM WHITE				
SKU: 223	4000K DAY WHITE				
SKU: 224	6400K WHITE				



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-218	17w	100w	1521	E27	G120	20 pcs
SKU: 225	3000K WARM WHITE					
SKU: 226	4000K DAY WHITE					
SKU: 227	6400K WHITE					



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-288	18w		2000	E27	G120	20 pcs
SKU: 123	3000K WARM WHITE					
SKU: 124	4000K DAY WHITE					
SKU: 125	6400K WHITE					



LED BULBS

LED Big Bulb | Lowbay

5 YEAR
WARRANTY*



E27



E40




E40

MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-240	36w	3960	E27	20 pcs


- SKU: 283 | 3000K WARM WHITE
- SKU: 284 | 4000K DAY WHITE
- SKU: 285 | 6400K WHITE

2 YEAR
WARRANTY*



MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-260	60w	4800	E40	20 pcs

- SKU: 186 | 3000K WARM WHITE
- SKU: 187 | 4000K DAY WHITE
- SKU: 188 | 6400K WHITE



MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-85	85w	6800	E40	4 pcs

- SKU: 520 | 4000K DAY WHITE
- SKU: 521 | 6400K WHITE



LED BIG BULBS

Acrylic Bulbs

5 YEAR
WARRANTY*

V-TAC's Acrylic Bulb range with its unique designs, all with significantly greater luminous flux. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has LEDs provided by Samsung for maximum efficiency.

- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **PF >0.5**
- **120° Beam Angle**
- **Acrylic+Aluminum+Plastic Material**





11w



18w



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-2311	11w	70w	900	E27	18 pcs

SKU: 2781 | 3000K WARM WHITE
 SKU: 2782 | 4000K DAY WHITE
 SKU: 2783 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-2318	18w	90w	1200	E27	18 pcs

SKU: 2784 | 3000K WARM WHITE
 SKU: 2785 | 4000K DAY WHITE
 SKU: 2786 | 6400K WHITE



LED BULBS

LED Emergency Bulb

Multi-Functional LED Bulb — Our Emergency Light Bulb is portable, and can be used as camping light, flashlight, hook light, warehouse light and use as normal bulb aswell.

- 30,000 hrs Lifespan
- AC:220-240V,50Hz
- CRI: >80
- 200° Beam Angle

Emergency Specs

- 280lm Lumens
- Power:3W
- 3 Hour Working Time
- 6 Hour Charging Time:
- Lithium Battery DC:3.7V, 1800mAh





EMERGENCY BATTERY

2 YEAR WARRANTY*



MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-2309	9w	806	E27	50 pcs

- SKU: 2371 | 3000K WARM WHITE
- SKU: 2372 | 4000K DAY WHITE
- SKU: 2373 | 6400K WHITE



V-TAC[®]

INNOVATIVE LED LIGHTING

ESSENTIALS

THE ESSENTIALS SERIES CONTAINS OUR EXTENSIVE RANGE OF OVER 1800 INNOVATIVE LED LIGHTING PRODUCTS AT COMPETITIVE PRICES – PROVIDING A COMPLETE ARRAY OF OPTIONS VARYING ON FUNCTIONALITY & APPLICATION – FOR AN EFFICIENT LIGHTING SYSTEM IN RESIDENTIAL, COMMERCIAL, AND INDUSTRIAL APPLICATIONS SPACES. THIS RANGE HAS TWO TO FIVE YEARS OF WARRANTY.



LED Thermoplastic Bulbs

The definition of sustainability: sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.

Product Features

- Lasts 20 times longer than Standard Bulbs
- Broad Range of holders
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- High Power LED Chips
- Non - Flickering
- Dimmable & Non Dimmable options

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands.

Witness the True to Life Colors



Our highest CRI rating yet – V-TAC's new generation of CRI>95 spotlights & bulbs is a must in commercial lighting.

A CRI of 85 to 90 percent is considered good at color rendering, while a CRI of 90 percent or above is considered excellent. A CRI index of 90 or above should be used for tasks requiring the most accurate color discrimination.

- Outstandingly engineered to show only the truest of colors
- Emphasize vivid colors to increase appeal of any product to its consumers and contribute to purchasing decisions
- Recommended for restaurants, apparel shops, supermarkets, and other retail areas

Conventional Light



CRI > 95 light






Bulbs-P45-E14-CRI>95

5.5W VT-2236

SKU: 7488 - 2700K Warm White 3800157640749
 SKU: 7489 - 4000K Day White 3800157640756
 SKU: 7490 - 6400K White 3800157640763

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	P45

LED Type:	SMD
CRI:	>95
PF:	>0.5
Base:	E14



Beam Angle:	180°
Body Type:	Thermoplastic
Dimension:	45x81mm
Box Qty:	200 Pcs





Bulbs-G45-E27-CRI>95

5.5W VT-2216

SKU: 7491 - 2700K Warm White 3800157640770
 SKU: 7492 - 4000K Day White 3800157640787
 SKU: 7493 - 6400K White 3800157640794

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	G45

LED Type:	SMD
CRI:	>95
PF:	>0.5
Base:	E27



Beam Angle:	180°
Body Type:	Thermoplastic
Dimension:	45x81mm
Box Qty:	200 Pcs





Bulbs-Candle-E14-CRI>95

5.5W VT-2226

SKU: 7494 - 2700K Warm White 3800157640800
 SKU: 7495 - 4000K Day White 3800157640817
 SKU: 7496 - 6400K White 3800157640824

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>95
PF:	>0.5
Base:	E14



Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	37x100mm
Box Qty:	200 Pcs





Bulbs-A60-E27-CRI>95

10w VT-2210

SKU: 7479 - 2700K Warm White 3800157640657
 SKU: 7480 - 4000K Day White 3800157640664
 SKU: 7481 - 6400K White 3800157640671

EQ. Watts: 60w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 806lm
 Commercial Type: A60

LED Type: SMD
 CRI: >95
 PF: >0.5
 Base: E27



Beam Angle: 200°
 Body Type: Thermoplastic
 Dimension: 60x112mm
 Box Qty: 100 Pcs





Bulbs-A60-E27-CRI>95

12w VT-2212

SKU: 7482 - 2700K Warm White 3800157640688
 SKU: 7483 - 4000K Day White 3800157640695
 SKU: 7484 - 6400K White 3800157640701

EQ. Watts: 75w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 1055lm
 Commercial Type: A60

LED Type: SMD
 CRI: >95
 PF: >0.5
 Base: E27



Beam Angle: 200°
 Body Type: Thermoplastic
 Dimension: 60x120mm
 Box Qty: 100 Pcs





Bulbs-A65-E27-CRI>95

17w VT-2217

SKU: 7485 - 2700K Warm White 3800157640718
 SKU: 7486 - 4000K Day White 3800157640725
 SKU: 7487 - 6400K White 3800157640732

EQ. Watts: 100w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 1521lm
 Commercial Type: A65

LED Type: SMD
 CRI: >95
 PF: >0.5
 Base: E27



Beam Angle: 200°
 Body Type: Thermoplastic
 Dimension: 65x135mm
 Box Qty: 100 Pcs

Bulbs-A60-E27-Microwave Sensor


9w VT-2219

SKU: 2760 -3000K Warm White 3800157646567
 SKU: 2761 -4000K Day White 3800157646574
 SKU: 2762 -6400K White 3800157646581



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	A60


1. Auto Switch on at dusk and Switches off at dawn.
2. Built-in Daylight Sensor



MICROWAVE SENSOR BULB 8-10 meter detection range

LED Type:	SMD	Beam Angle:	200°
CRI:	>80	Body Type:	Thermoplastic
PF:	>0.5	Dimension:	Ø60x112mm
Base:	E27	Box Qty:	100pcs

3. Automatically Switches On when room light is less
4. Light stays for 60 seconds upon detection of movement



Bulbs-A60-E27-Microwave Sensor


11w VT-2211

SKU: 2763 -3000K Warm White 3800157646598
 SKU: 2764 -4000K Day White 3800157646604
 SKU: 2765 -6400K White 3800157646611



EQ. Watts:	75w
Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	1055lm
Commercial Type:	A60


1. Auto Switch on at dusk and Switches off at dawn.
2. Built-in Daylight Sensor



MICROWAVE SENSOR BULB 8-10 meter detection range

LED Type:	SMD	Beam Angle:	200°
CRI:	>80	Body Type:	Thermoplastic
PF:	>0.5	Dimension:	Ø60x120mm
Base:	E27	Box Qty:	100pcs

3. Automatically Switches On when room light is less
4. Light stays for 60 seconds upon detection of movement



Bulbs-A60-E27-RF

9w VT-2229

SKU: 2766 -RGB+3000K 3800157646697
 SKU: 2767 -RGB+4000K 3800157646703
 SKU: 2768 -RGB+6400K 3800157646710



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	A60

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming





DIMMABLE WITH REMOTE



LED Type:	SMD	Beam Angle:	200°
CRI:	>80	Body Type:	Thermoplastic
PF:	>0.5	Dimension:	Ø60x112mm
Base:	E27	Box Qty:	100pcs

- 16 colors selection
- Auto Color change Mode



Bulbs-Candle-E14-RF

3.5w VT-2214

SKU: 2769 -RGB+3000K 3800157646727
 SKU: 2770 -RGB+4000K 3800157646734
 SKU: 2771 -RGB+6400K 3800157646741



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	Candle

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming





DIMMABLE WITH REMOTE



LED Type:	SMD	Beam Angle:	200°
CRI:	>80	Body Type:	Thermoplastic
PF:	>0.4	Dimension:	37x100mm
Base:	E14	Box Qty:	200pcs

- 16 colors selection
- Auto Color change Mode



Bulbs-G45-E27-RF

3.5W VT-2224

SKU: 2772 -RGB+3000K 3800157646758
 SKU: 2773 -RGB+4000K 3800157646765
 SKU: 2774 -RGB+6400K 3800157646772



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	G45

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming





DIMMABLE WITH REMOTE



LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	180°
Body Type:	Thermoplastic
Dimension:	Ø45x81mm
Box Qty:	200pcs



Bulbs-P45-E14-RF

3.5W VT-2234

SKU: 2775 -RGB+3000K 3800157646789
 SKU: 2776 -RGB+4000K 3800157646796
 SKU: 2777 -RGB+6400K 3800157646802



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	P45

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming




DIMMABLE WITH REMOTE



LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	180°
Body Type:	Thermoplastic
Dimension:	Ø45x81mm
Box Qty:	200pcs



Bulbs-A60-E27-RGB

6W VT-2022

SKU: 7121 - 2700K Warm White 3800157609975
 SKU: 7150 - 4000K Day White 3800157610711
 SKU: 7151 - 6400K White 3800157610728



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	A60

- High-efficient RGB light LED bulb with IR remote controller
- Your smart choice to replace your outdated incandescent and fluorescent bulbs
- Provides various colors and light modes for your choice: flash, strobe, fade, smooth, on and off for your choice




DIMMABLE WITH REMOTE



LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs



Bulbs-A60-E27-Sensor

9W VT-2016

SKU: 4459 - 2700K Warm White 3800157608237
 SKU: 4460 - 4000K Day White 3800157608244
 SKU: 4461 - 6000K White 3800157608251



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	A60


- Our smart sensor bulbs are built in with photocells with transmits Signal to light source as per lumen conditions smartly and saves power by going onto Light mode, enabling you to save power and reduce consumption of power when not required.



SENSOR BULB

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x122mm
Box Qty:	100 Pcs





Bulbs-A60-E27-3 Step Dimming

9w VT-2011


SKU: 4447 - 2700K Warm White 3800157607988
 SKU: 4448 - 4000K Day White 3800157607995
 SKU: 4449 - 6400K White 3800157608008



EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **806lm**
 Commercial Type: **A60**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **200°**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**
 Box Qty: **100 Pcs**



Smart Dimming Technology Without A Dimmer!
 At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.




Bulbs-A60-E27-Color Changing

9w VT-2119

SKU: 7317 - 3 IN 1 3800157624497




COLOR CHANGING



EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **806lm**
 Commercial Type: **A60**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **200°**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**
 Box Qty: **100 Pcs**




HOW IT WORKS
 1. Switch the light on for cool white.
 2. Turn the Switch off and on again for warm white.
 3. Turn the Switch off and on again for day white.
 4. Switch between these to select your ideal colour.



Bulbs-A60-E27

9w VT-2000R

SKU: 7341 - Red 3800157626033



EQ. Watts: **30w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **270lm**
 Commercial Type: **A60**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **200°**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**
 Box Qty: **100 Pcs**



Bulbs-A60-E27

9w VT-2000Y

SKU: 7342 - Yellow 3800157626040



EQ. Watts: **50w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **570lm**
 Commercial Type: **A60**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **200°**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**
 Box Qty: **100 Pcs**



Bulbs-A60-E27

9W VT-2000G

SKU: 7343 - Green 3800157626057



EQ. Watts:	30w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	310lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs



Bulbs-A60-E27

9W VT-2000B

SKU: 7344 - Blue 3800157626064



EQ. Watts:	15w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	120lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs



LED Bulbs-E27

9W VT-1900

SKU: 7240 - 2700K Warm White 3800157620130
 SKU: 7241 - 4000K Day White 3800157620147
 SKU: 7242 - 6400K White 3800157620154



EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	20 Pcs



LED Bulbs-B22

9W VT-2069-3PC

SKU: 7246 - 2700K Warm White 3800157620192



EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x106mm
Commercial Type:	A60	Base:	B22	Box Qty:	20 Pcs



Bulbs-A60-E27

9W VT-2099

SKU: 7260 - 2700K Warm White 3800157622110
 SKU: 7261 - 4000K Day White 3800157622127
 SKU: 7262 - 6400K White 3800157622134



EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs






Bulbs-A60-B22

9W VT-1853


SKU: 7402 - 4000K Day White 3800157629270
SKU: 7403 - 6400K White 3800157629287



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	B22


Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x104mm
Box Qty:	100 Pcs



Bulbs-A60-B22

9W VT-2189


SKU: 7422 - 2700K Warm White 3800230626295



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	B22

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x104mm
Box Qty:	100 Pcs



LED Bulbs-E27

11W VT-2113


SKU: 7352 - 2700K Warm White 3800157627412
SKU: 7353 - 4000K Day White 3800157627429
SKU: 7354 - 6400K White 3800157627436



EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1055lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x120mm
Box Qty:	40 Pcs



Bulbs-A60-E27

11W VT-2112


SKU: 7350 - 2700K Warm White 3800157627399
SKU: 7349 - 4000K Day White 3800157627320
SKU: 7351 - 6400K White 3800157627405



EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1055lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27


Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x120mm
Box Qty:	100 Pcs



Bulbs-A65-B22

15W VT-2015-B22


SKU: 7229 - 2700K Warm White 3800157619554



EQ. Watts:	90w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
Commercial Type:	A65

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	B22

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	66.5x134mm
Box Qty:	100 Pcs



NEW




A65 E27 3PC Pack
15W VT-2015-3PC

SKU: 2819 - 2700K Warm White 3800157656023
SKU: 2820 - 4000K Day White 3800157656030
SKU: 2818 - 6400K White 3800157656016

EQ. Watts: **90w**
Voltage/Frequency: **AC:220-240V, 50Hz**
Luminous Flux: **1350lm**
Commercial Type: **A65**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Base: **E27**

Beam Angle: **200°**
Body Type: **Thermoplastic**
Dimension: **Ø66.5x134mm**
Box Qty: **120 Pcs**




Bulbs-A65-E27
15W VT-2015-E27

SKU: 4453 - 2700K Warm White 3800157608091
SKU: 4454 - 4000K Day White 3800157608107
SKU: 4455 - 6400K White 3800157608114

EQ. Watts: **90w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1350lm**
Commercial Type: **A65**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Base: **E27**

Beam Angle: **200°**
Body Type: **ThermoPlastic**
Dimension: **66.5x134mm**
Box Qty: **100 Pcs**




Bulbs-A65-E27
17W VT-2017

SKU: 4456 - 2700K Warm White 3800157608121
SKU: 4457 - 4000K Day White 3800157608138
SKU: 4458 - 6400K White 3800157608145

EQ. Watts: **100w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1521lm**
Commercial Type: **A65**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Base: **E27**

Beam Angle: **200°**
Body Type: **ThermoPlastic**
Dimension: **66.5x134mm**
Box Qty: **100 Pcs**



Bulbs-A80-E27
18W VT-2218

SKU: 2707 - 3000K Warm White 3800157641838
SKU: 2708 - 4000K Day White 3800157641845
SKU: 2709 - 6400K White 3800157641852

EQ. Watts: **125w**
Voltage/Frequency: **AC:220-240V, 50Hz**
Luminous Flux: **2000lm**
Commercial Type: **A80**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Base: **E27**

Beam Angle: **200°**
Body Type: **Thermoplastic**
Dimension: **80x142mm**
Box Qty: **50 Pcs**



Bulbs-A80-E27
20W VT-2220

SKU: 2710 - 3000K Warm White 3800157643917
SKU: 2711 - 4000K Day White 3800157643924
SKU: 2712 - 6400K White 3800157643931

EQ. Watts: **150w**
Voltage/Frequency: **AC:220-240V, 50Hz**
Luminous Flux: **2452lm**
Commercial Type: **A80**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Base: **E27**

Beam Angle: **200°**
Body Type: **Thermoplastic**
Dimension: **80x149mm**
Box Qty: **20 Pcs**





Bulbs-G45-E27



4W VT-1830

SKU: 4160 - 2700K Warm White 3800230621047
 SKU: 4162 - 4000K Day White 3800230621054
 SKU: 4207 - 6400K White 3800230624611

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 320lm
 Commercial Type: G45

LED Type: SMD
 CRI: >80
 PF: >0.4
 Base: E27

Beam Angle: 180°
 Body Type: ThermoPlastic
 Dimension: 45x82mm
 Box Qty: 200 Pcs



Bulbs-G45-E27


5.5W VT-1879N

SKU: 7407 - 2700K Warm White 3800157629485
 SKU: 7408 - 4000K Day White 3800157629492
 SKU: 7409 - 6400K White 3800157629508

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: G45

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27

Beam Angle: 180°
 Body Type: ThermoPlastic
 Dimension: 45x82mm
 Box Qty: 200 Pcs



Bulbs-G45 - 3Pc Pack


5.5W VT-2176

SKU: 7362 - 2700K Warm White 3800157628204
 SKU: 7363 - 4000K Day White 3800157628211
 SKU: 7364 - 6400K White 3800157628228

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: G45

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27

Beam Angle: 180°
 Body Type: ThermoPlastic
 Dimension: 45x82mm
 Box Qty: 60 Pcs



Bulbs-G45-6Pc Pack



5.5W VT-2256

SKU: 2730 - 2700K Warm White 3800157645201
 SKU: 2731 - 4000K Day White 3800157645218
 SKU: 2732 - 6400K White 3800157645225

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: G45

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27

Beam Angle: 180°
 Body Type: Thermoplastic
 Dimension: 45x82mm
 Box Qty: 30 Pcs



Bulbs-G45-B22



5.5W VT-2197D

SKU: 7419 - 2700K Warm White 3800157633079

EQ. Watts: 50w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: G45

LED Type: SMD
 CRI: >80
 PF: >0.7
 Base: B22

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 45x81mm
 Box Qty: 100 Pcs





Bulbs-Candle-E14



4W VT-1818

SKU: 4216 - 2700K Warm White 3800230624796
 SKU: 4166 - 4000K Day White 3800230620675
 SKU: 4122 - 6400K White 3800230620668

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 320lm
 Commercial Type: Candle

LED Type: SMD
 CRI: >80
 PF: >0.4
 Base: E14

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 37x100mm
 Box Qty: 200 Pcs



Bulbs-Candle-E14



4W VT-1818TP

SKU: 4164 - 2700K Warm White 3800230620743
 SKU: 4156 - 4000K Day White 3800230620736

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 320lm
 Commercial Type: Candle

LED Type: SMD
 CRI: >80
 PF: >0.4
 Base: E14

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 37x124mm
 Box Qty: 200 Pcs



Bulbs-Candle-E14



5.5W VT-1855

SKU: 42151 - 2700K Warm White 3800157639316
 SKU: 42581 - 4000K Day White 3800157639323
 SKU: 42411 - 6400K White 3800157624411

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: Candle

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E14

Beam Angle: 200°
 Body Type: Thermoplastic
 Dimension: 37x100mm
 Box Qty: 200 Pcs



Candle-E14 - 3Pc Pack



5.5W VT-2076

SKU: 7263 - 2700K Warm White 3800157622950
 SKU: 7264 - 4000K Day White 3800157622967
 SKU: 7265 - 6400K White 3800157622974

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: Candle

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E14

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 37x100mm
 Box Qty: 60 Pcs



Bulbs-Candle-6Pc Pack



5.5W VT-2246

SKU: 2736 - 2700K Warm White 3800157645263
 SKU: 2737 - 4000K Day White 3800157645270
 SKU: 2738 - 6400K White 3800157645287

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: Candle

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E14

Beam Angle: 200
 Body Type: Thermoplastic
 Dimension: 37x100mm
 Box Qty: 30 Pcs






Bulbs-Candle-E27
5.5W VT-1821N

SKU: 43421 - 2700K Warm White 3800157624381
SKU: 43431 - 4000K Day White 3800157624398
SKU: 43441 - 6400K White 3800157624404

EQ. Watts: 40w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 470lm
Commercial Type: Candle

LED Type: SMD
CRI: >80
PF: >0.5
Base: E27

Beam Angle: 200°
Body Type: ThermoPlastic
Dimension: 37x100mm
Box Qty: 200 Pcs




Bulbs-Candle-B22
5.5W VT-2196D

SKU: 7418 - 2700K Warm White 3800157633062

EQ. Watts: 40w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 470lm
Commercial Type: Candle

LED Type: SMD
CRI: >80
PF: >0.5
Base: B22

Beam Angle: 200°
Body Type: ThermoPlastic
Dimension: 37x100mm
Box Qty: 200 Pcs



Bulbs-Candle-B22
6W VT-1965

SKU: 4440 - 2700K Warm White 3800157607667
SKU: 7346 - 6400K White 3800157627283

EQ. Watts: 40w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 470lm
Commercial Type: Candle

LED Type: SMD
CRI: >80
PF: >0.5
Base: B22

Beam Angle: 200°
Body Type: ThermoPlastic
Dimension: 37x102mm
Box Qty: 200 Pcs



Bulbs-P45-E14
4W VT-1819

SKU: 4123 - 2700K Warm White 3800230620996
SKU: 4174 - Day White 3800230621009
SKU: 4124 - 6400K White 3800230621016

EQ. Watts: 30w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 320lm
Commercial Type: P45

LED Type: SMD
CRI: >80
PF: >0.4
Base: E14

Beam Angle: 180°
Body Type: Thermoplastic
Dimension: 45x82mm
Box Qty: 200 Pcs




Bulbs-P45-E14
5.5W VT-1880N

SKU: 42501 - 2700K Warm White 3800157624367
SKU: 42511 - 4000K Day White 3800157626408
SKU: 42521 - 6400K White 3800157624374

EQ. Watts: 40w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 470lm
Commercial Type: P45

LED Type: SMD
CRI: >80
PF: >0.5
Base: E14

Beam Angle: 180°
Body Type: ThermoPlastic
Dimension: 45x81mm
Box Qty: 200 Pcs





Bulbs-P45-6Pc Pack


5.5W VT-2266

SKU: 2733 - 2700K Warm White 3800157645232
 SKU: 2734 - 4000K Day White 3800157645249
 SKU: 2735 - 6400K White 3800157645256

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: P45

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E14

Beam Angle: 180
 Body Type: Thermoplastic
 Dimension: 45x81mm
 Box Qty: 30 Pcs



LED Bulbs-E14


5.5W VT-2156

SKU: 7357 - 2700K Warm White 3800157628150
 SKU: 7358 - 4000K Day White 3800157628167
 SKU: 7359 - 6400K White 3800157628174

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: P45

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E14

Beam Angle: 180°
 Body Type: ThermoPlastic
 Dimension: 45x81mm
 Box Qty: 60 Pcs



Bulbs-R7S



10W VT-1990

SKU: 4369 - 3000K Warm White 3800157602952
 SKU: 4390 - 6400K White 3800157604147

EQ. Watts: 60w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 1000lm
 Commercial Type: R7S

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: R7S

Beam Angle: 360°
 Body Type: ThermoPlastic
 Dimension: 25x118mm
 Box Qty: 100 Pcs



Bulbs-R7S



7W VT-2237

SKU: 2713 - 3000K Warm White 3800157644365
 SKU: 2714 - 4000K Day White 3800157644372
 SKU: 2715 - 6400K White 3800157644389

EQ. Watts: 45w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 580lm
 Commercial Type: R7S

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: R7S

Beam Angle: 360°
 Body Type: Plastic
 Dimension: 28x78mm
 Box Qty: 200 Pcs



Bulbs-R7S



13W VT-2213

SKU: 2716 - 3000K Warm White 3800157644396
 SKU: 2717 - 4000K Day White 3800157644402
 SKU: 2718 - 6400K White 3800157644419

EQ. Watts: 80w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 1200lm
 Commercial Type: R7S

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: R7S

Beam Angle: 360°
 Body Type: Plastic
 Dimension: 28x118mm
 Box Qty: 200 Pcs





Bulbs-T37-E14



9W VT-2029

SKU: 7173 - 2700K Warm White 3800157615495

EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	750lm
Commercial Type:	T37

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	230°
Body Type:	ThermoPlastic
Dimension:	37x115mm
Box Qty:	200 Pcs



PAR38 Bulbs-E27



15W VT-1125-G

SKU: 4418 - Green 3800157606318
 SKU: 4419 - Red 3800157606325
 SKU: 4420 - Blue 3800157606301

EQ. Watts:	100w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1200lm
Commercial Type:	PAR38

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	40°
Body Type:	Plastic Coated Aluminium
Dimension:	120x133mm
Box Qty:	40 Pcs



PAR38 Bulbs-E27



17W VT-1227

SKU: 45691 - 4000K Day White 3800157641241

EQ. Watts:	95w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1300lm
Commercial Type:	PAR38

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	100°
Body Type:	Thermoplastic
Dimension:	120x132mm
Box Qty:	40 Pcs



Bulbs-Globe-E27



10W VT-1893

SKU: 4276 - 3000K Warm White 3800230627889
 SKU: 4277 - 4000K Day White 3800230627896
 SKU: 4278 - 6400K White 3800230627902

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	810lm
Commercial Type:	G95

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	95x140mm
Box Qty:	12 Pcs



Bulbs-Globe-E27



13W VT-1884D

SKU: 4254 - 2700K Warm White 3800230627100
 SKU: 7194 - 4000K Day White 3800157615709
 SKU: 7195 - 6000K White 3800157615716

EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1055lm
Commercial Type:	G120

LED Type:	SMD
CRI:	>80
PF:	>0.7
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	120x164mm
Box Qty:	12 Pcs



UFO-F150-E27

24w VT-2124



SKU: 7161 - 3000K Warm White 3800157612524
SKU: 7163 - 6400K White 3800157612548



EQ. Watts:	160w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2610lm
Commercial Type:	F150

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	120°
Body Type:	Plastic
Dimension:	200x80mm
Box Qty:	20 Pcs



UFO-F150-E27

36w VT-2136



SKU: 7164 - 3000K Warm White 3800157612555
SKU: 7166 - 6400K White 3800157612579



EQ. Watts:	190w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3240lm
Commercial Type:	F150

LED Type:	SMD
CRI:	>80
PF:	>0.9
Base:	E27

Beam Angle:	120°
Body Type:	Plastic
Dimension:	250x80mm
Box Qty:	20 Pcs



LED Bulbs-E14

4w VT-2184


SKU: 7366 - 2700K Warm White 3800157628570



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	P45

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	50 Pcs



LED Candle Filament Bulbs

4w VT-2174



SKU: 7365 - 2700K Warm White 3800157628563



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	50 Pcs



LED Bulbs-E27

6w VT-2186



SKU: 7368 - 2700K Warm White 3800157628594



EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	660lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	25 Pcs





LED Candle Bulbs


5.5W VT-2106

SKU: 7291 - 2700K Warm White 3800157623810
 SKU: 7292 - 4000K Day White 3800157623827
 SKU: 7293 - 6400K White 3800157623834

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: Candle

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E14

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 37x100mm
 Box Qty: 50 Pcs



LED Bulbs-E14

5.5W VT-2146

SKU: 7355 - 2700K Warm White 3800157628136
 SKU: 7356 - 4000K Day White 3800157628143

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: P45

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E14

Beam Angle: 180°
 Body Type: ThermoPlastic
 Dimension: 45x81mm
 Box Qty: 50 Pcs



LED Bulbs-E27


5.5W VT-2166

SKU: 7360 - 2700K Warm White 3800157628181
 SKU: 7361 - 4000K Day White 3800157628198

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: G45

LED Type: SMD
 CRI: >80
 PF: >0.4
 Base: E27

Beam Angle: 180°
 Body Type: ThermoPlastic
 Dimension: 45x82mm
 Box Qty: 50 Pcs



LED Bulbs-E27

6W VT-2022BP

SKU: 7324 - 2700K Warm White 3800157624602
 SKU: 7325 - 4000K Day White 3800157624619
 SKU: 7326 - 6400K White 3800157624626

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: A60

LED Type: SMD
 CRI: >80
 PF: >0.4
 Base: E27

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 60x112mm
 Box Qty: 40 Pcs



LED Bulbs-E27


9W VT-2139

SKU: 7295 - 4000K Day White 3800157623858
 SKU: 7296 - 6400K White 3800157623865

EQ. Watts: 60w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 806lm
 Commercial Type: A60

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 60x112mm
 Box Qty: 25 Pcs





LED Bulbs-E27

9W VT-2109

SKU: 7285 - 2700K Warm White 3800157623759
 SKU: 7286 - 4000K Day White 3800157623766
 SKU: 7287 - 6400K White 3800157623773



EQ. Watts: 60w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 806lm
 Commercial Type: A60

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 60x122mm
 Box Qty: 25 Pcs



LED Bulbs-E27

9W VT-2129


SKU: 7288 - 2700K Warm White 3800157623780
 SKU: 7289 - 4000K Day White 3800157623797
 SKU: 7290 - 6400K White 3800157623803



EQ. Watts: 60w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 806lm
 Commercial Type: A60

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 60x112mm
 Box Qty: 25 Pcs



LED Bulbs-E27

9W VT-2149

SKU: 7309 - 3 IN 1 3800157623995



EQ. Watts: 60w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 806lm
 Commercial Type: A60

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27


Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 60x112mm
 Box Qty: 25 Pcs



LED Bulbs-E27

11W VT-2111


SKU: 7297 - 2700K Warm White 3800157623872
 SKU: 7298 - 4000K Day White 3800157623889



EQ. Watts: 75w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 1055lm
 Commercial Type: A60

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 60x120mm
 Box Qty: 25 Pcs



LED Bulbs-E27

15W VT-2117


SKU: 7300 - 2700K Warm White 3800157623902
 SKU: 7301 - 4000K Day White 3800157623919
 SKU: 7302 - 6400K White 3800157623926



EQ. Watts: 90w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 1350lm
 Commercial Type: A65

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 66.5x134mm
 Box Qty: 25 Pcs



LED Filament Bulbs

- Classic Vintage Design
- Available in Amber cover, White cover and Frost cover
- Lasts 20 times longer than Standard Bulbs
- Low power consumption
- No mercury, enviromental protection
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Dimmable & Non Dimmable options




SpecialBulbs

3D Filament-A60-E27

3W VT-2203

SKU: 2704 - 3000K Warm White 3800157641524



EQ. Watts:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	20lm
Commercial Type:	A60

LED Type:	COB
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø64x145mm
Box Qty:	100 Pcs




SpecialBulbs

3D Filament-ST64-E27

3W VT-2223

SKU: 2705 - 3000K Warm White 3800157641531



EQ. Watts:	
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	25lm
Commercial Type:	ST64

LED Type:	COB
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø64x135mm
Box Qty:	100 Pcs




SpecialBulbs

3D Filament-G125-E27

3W VT-2233

SKU: 2706 - 3000K Warm White 3800157641548



EQ. Watts:	
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	40lm
Commercial Type:	G125

LED Type:	COB
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø125x170mm
Box Qty:	50 Pcs




SpecialBulbs

Filament-G125-E27

5W VT-2205

SKU: 2700 - 2200K Warm White 3800157641487



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V, 50Hz
Luminous Flux:	70lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø125x175mm
Box Qty:	50 Pcs



SpecialBulbs

Amber-G165-E27



8W VT-2159

SKU: 45641 - 2200K Warm White 3800157641197

EQ. Watts:	
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	620lm
Commercial Type:	G165

LED Type:	Filament
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø165x295mm
Box Qty:	6 Pcs



SpecialBulbs

Smoky-G165-E27


8W VT-2159-S

SKU: 45651 - 2200K Warm White 3800157641203

EQ. Watts:	
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	240lm
Commercial Type:	G165

LED Type:	Filament
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø165x295mm
Box Qty:	6 Pcs



SpecialBulbs

Amber-S180-E27



8W VT-2169

SKU: 45661 - 2200K Warm White 3800157641210

EQ. Watts:	
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	620lm
Commercial Type:	S180

LED Type:	Filament
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø195x400mm
Box Qty:	6 Pcs



SpecialBulbs

Smoky-S180-E27


8W VT-2169-S

SKU: 45671 - 2200K Warm White 3800157641227

EQ. Watts:	
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	240lm
Commercial Type:	S180

LED Type:	Filament
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø195x400mm
Box Qty:	6 Pcs







SpecialBulbs

Filament-G100-E27

5W VT-2235

SKU: 2748 - 2200K Warm White 3800157645447



EQ. Watts:	25w
Voltage/Frequency:	AC:170-240V,50Hz
Luminous Flux:	250lm
Commercial Type:	G100

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø100x190mm
Box Qty:	20 Pcs





SpecialBulbs

Amber Cover -Filament-T60-E27

5W VT-2245

SKU: 2749 - 2200K Warm White 3800157645454



EQ. Watts:	25w
Voltage/Frequency:	AC:170-240V,50Hz
Luminous Flux:	250lm
Commercial Type:	T60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø60x183mm
Box Qty:	35 Pcs



SpecialBulbs

Filament-T180-E27

8W VT-2308

SKU: 2790 - 2200K Warm White 3800157648592



EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	620lm
Commercial Type:	T180

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	D:180x190mm
Box Qty:	6 Pcs




SpecialBulbs

Filament-A165-E27

8W VT-2138D

SKU: 7461 - 2000K Warm White 3800157637367



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
Commercial Type:	A165

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	340°
Body Type:	Glass
Dimension:	160x298mm
Box Qty:	6 Pcs



SpecialBulbs

Filament-G200-E27


8W VT-2158D

SKU: 7462 - 2000K Warm White 3800157637374

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
Commercial Type:	G200

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	340°
Body Type:	Glass
Dimension:	200x280mm
Box Qty:	4 Pcs



SpecialBulbs

Filament-BF180-E27


8W VT-2168D

SKU: 7463 - 2000K Warm White 3800157637381

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
Commercial Type:	BF180

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	340°
Body Type:	Glass
Dimension:	180x360mm
Box Qty:	6 Pcs



SpecialBulbs

Filament-BF180-E27



8W VT-2178D

SKU: 7464 - 2000K Warm White 3800157637398

EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
Commercial Type:	BF180

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	340°
Body Type:	Glass
Dimension:	180x360mm
Box Qty:	6 Pcs



SpecialBulbs

Smoky Filament-S200-E27


8W VT-2188D

SKU: 7465 - 2000K Warm White 3800157637404

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	S200

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	340°
Body Type:	Glass
Dimension:	180x390mm
Box Qty:	4 Pcs





SpecialBulbs

Filament-R125-E27



8W VT-2198D

SKU: 7468 - 6500K White 3800157639187
 SKU: 7466 - 2700K Warm White 3800157639163
 SKU: 7467 - 4000K Day White 3800157639170

EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
Commercial Type:	R125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	110°
Body Type:	Glass
Dimension:	125x182mm
Box Qty:	24 Pcs



Amber Cover -LED Filament Bulbs



4W VT-2154

SKU: 7335 - 2200K Warm White 3800157625197

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	360lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x98mm
Box Qty:	50 Pcs



Filament-A60-E27



4W VT-2164

SKU: 7336 - 2700K Warm White 3800157625203

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x98mm
Box Qty:	50 Pcs



Amber Cover -Filament-A60-E27



4W VT-1954

SKU: 4498 - 2200K Warm White 3800157609739

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs





Amber Cover -Filament-A60-E27


8W VT-1958

SKU: 4472 - 2200K Warm White 3800157609067

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	720lm
Commercial Type:	A67

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	50 Pcs



Amber Cover -Filament-A67-E27


10W VT-2028

SKU: 7157 - 2200K Warm White 3800157612227

EQ. Watts:	65w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
Commercial Type:	A67

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	50 Pcs



Amber Filament-A70-E27



12.5W VT-2123

SKU: 7457 - 2200K Warm White 3800157637862

EQ. Watts:	85w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1240lm
Commercial Type:	A70

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	330°
Body Type:	Glass
Dimension:	70x132mm
Box Qty:	50 Pcs



Filament-ST64-E27



4W VT-2185

SKU: 7474 - 1800K Warm White 3800157640312

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V, 50Hz
Luminous Flux:	200lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x150mm
Box Qty:	50 Pcs



Amber Cover -Filament-ST64-B22

4W VT-2145



SKU: 7421 - 2200K Warm White 3800157633093



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	B22

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	100 Pcs






Amber Cover -Filament-ST64-B22

4W VT-2145D


SKU: 7420 - 2200K Warm White 3800157633086



EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	B22

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	100 Pcs



Amber Cover -Filament-ST64-E27


5W VT-2065

SKU: 7218 - 2200K Warm White 3800157617260

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	300lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x140mm
Box Qty:	100 Pcs



Amber Cover -Filament-ST64-E27


5W VT-2066

SKU: 7220 - 2200K Warm White 3800157617284

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	300lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x140mm
Box Qty:	100 Pcs



Amber Cover -Filament-ST64-E27

5W VT-2065D



SKU: 7416 - 2200K Warm White 3800157632003



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	300lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x140mm
Box Qty:	100 Pcs



Amber Cover -Filament-ST64-E27


6W VT-1966

SKU: 4362 - 2200K Warm White 3800157602754

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	50 Pcs





Amber Cover -Filament-ST64-E27



8W VT-1968

SKU: 4421 - 2200K Warm White 3800157606356

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	700lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	50 Pcs



Amber Cover -Filament-Globe-E27



4W VT-2004

SKU: 7148 - 2200K Warm White 3800157610636

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	400lm
Commercial Type:	G80

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	80x140mm
Box Qty:	100 Pcs



Amber Cover -Filament-Globe-E27



4W VT-2024

SKU: 7146 - 2200K Warm White 3800157610612

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	95x140mm
Box Qty:	50 Pcs



Amber Cover -Filament-Globe-E27



5W VT-2075

SKU: 7217 - 2200K Warm White 3800157617253

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	300lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	95x138mm
Box Qty:	50 Pcs



Amber Cover -Filament-Globe-E27

6W VT-2026D



SKU: 7156 - 2200K Warm White 3800157612210

EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	500lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.7
Base:	E27



Beam Angle:	300°
Body Type:	Glass
Dimension:	95x135mm
Box Qty:	12 Pcs





Amber Cover -Filament-Globe-E27


7W VT-2027

SKU: 7147 - 2200K Warm White 3800157610629

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	700lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	95x140mm
Box Qty:	50 Pcs



Amber Cover -Filament-Globe-E27


8W VT-2019

SKU: 7145 - 2200K Warm White 3800157610605

EQ. Watts:	65w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	95x140mm
Box Qty:	50 Pcs



Filament-Globe-E27


4W VT-2195

SKU: 7475 - 1800K Warm White 3800157640329

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V, 50Hz
Luminous Flux:	200lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	132x178mm
Box Qty:	20 Pcs



Amber Cover -Filament-Globe-E27


4W VT-1956

SKU: 4473 - 2200K Warm White 3800157609074

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	550lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x165mm
Box Qty:	12 Pcs



Amber Cover -Filament-Globe-E27

5W VT-2085

SKU: 7216 - 2200K Warm White 3800157617246

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	300lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x175mm
Box Qty:	20 Pcs





Amber Cover -Filament-Globe-E27

5W VT-2085D


SKU: 7415 - 2200K Warm White 3800157631990

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	300lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27



Beam Angle:	300°
Body Type:	Glass
Dimension:	125x175mm
Box Qty:	20 Pcs



Amber Cover -Filament-Globe-E27


6W VT-2126

SKU: 7328 - 2200K Warm White 3800157624725

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	480lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>70
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x175mm
Box Qty:	100 Pcs



Amber Cover -Filament-Globe-E27

8W VT-2018D


SKU: 7155 - 2200K Warm White 3800157612203

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	700lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.7
Base:	E27



Beam Angle:	300°
Body Type:	Glass
Dimension:	125x177mm
Box Qty:	12 Pcs



Filament-G125-E27


12.5W VT-2153

SKU: 7456 - 2200K Warm White 3800157637855

EQ. Watts:	85w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1240lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	330°
Body Type:	Glass
Dimension:	125x178mm
Box Qty:	25 Pcs



Amber Cover -Filament-T30-E27


2W VT-2162

SKU: 7473 - 1800K Warm White 3800157640305

EQ. Watts:	9w
Voltage/Frequency:	AC:220-240V, 50Hz
Luminous Flux:	65lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x190mm
Box Qty:	100 Pcs





Amber Cover -Filament-T30-E27



2W VT-2052

SKU: 7252 - 2200K Warm White 3800157620833

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	200lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	30x136mm
Box Qty:	100 Pcs



Amber Cover -Filaments-T30-E27



5W VT-2005

SKU: 7142 - 2200K Warm White 3800157610575

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	500lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	30x300mm
Box Qty:	100 Pcs



Amber Cover -Filaments-T30-E27



6W VT-2006

SKU: 7143 - 2200K Warm White 3800157610582

EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	600lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	30x185mm
Box Qty:	100 Pcs



Amber Cover -Filaments-T30-E27



7W VT-2008

SKU: 7144 - 2200K Warm White 3800157610599

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	700lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	30x300mm
Box Qty:	100 Pcs



Amber Filament



4W VT-1953

SKU: 4499 - 2200K Warm White 3800157609746

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	P45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	100 Pcs





Filament-Candle-E14


2W VT-2152

SKU: 7472 - 1800K Warm White 3800157640299

EQ. Watts:	9w
Voltage/Frequency:	AC:220-240V, 50Hz
Luminous Flux:	65lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x105mm
Box Qty:	200 Pcs



Amber Cover -Filament-Candle-E14

4W VT-1955

SKU: 7113 - 2200K Warm White 3800157609883

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Amber Cover -Filament-Candle-E14


4W VT-1949

SKU: 7114 - 2200K Warm White 3800157609890

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Amber Cover -Filament-Candle-E14

4W VT-1948

SKU: 7115 - 2200K Warm White 3800157609906

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Amber Cover -Filament-Candle-E14


4W VT-1947

SKU: 7116 - 2200K Warm White 3800157609913

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs





White Cover -Filament-A60-E27


4W VT-1939

SKU: 4489 - 2700K Warm White 3800157609647
 SKU: 4490 - 4000K Day White 3800157609654
 SKU: 4491 - 6400K White 3800157609661

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Cross Filament-Candle-E14



4W VT-1924C

SKU: 71031 - 6400K White 3800157624244

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Frost Cover -Filament-Candle-E14



4W VT-1936

SKU: 4476 - 6400K White 3800157609104

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Frost Cover -Filament-Candle-E14


4W VT-1937

SKU: 4479 - 6400K White 3800157609135

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Frost Cover -Filament-Candle-E14



4W VT-1928

SKU: 7109 - 6400K White 3800157609845

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs





Cross Filament-Candle-E14



4W VT-1928C

SKU: 71091 - 6400K White 3800157624237

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Frost Cover -Filament-Candle-E14



4W VT-1923

SKU: 7110 - 2700K Warm White 3800157609852
SKU: 7112 - 6400K White 3800157609876

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Frost Cover -Filament-Candle-E14

4W VT-2056D


SKU: 7177 - 2700K Warm White 3800157615532

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14



Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Frost Cover -Filament-P45-E14


4W VT-1835C

SKU: 44941 - 6400K White 3800157624268
3800157624282

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	P45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	100 Pcs



Frost Cover -Filament-A60-E27



4W VT-1934

SKU: 4486 - 2700K Warm White 3800157609616
SKU: 4487 - 4000K Day White 3800157609623
SKU: 4488 - 6400K White 3800157609630

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs





Frost Cover -Filament-A60-E27


5W VT-2045

SKU: 7178 - 2700K Warm White 3800157615549
 SKU: 7179 - 4000K Day White 3800157615556
 SKU: 7180 - 6400K White 3800157615563

EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	600lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Frost Cover -Filament-A60-E27


6W VT-1935C

SKU: 44801 - 2700K Warm White 3800157624091

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	660lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Frost Cover -Filament-A60-E27



6W VT-1935

SKU: 4482 - 6400K White 3800157609166

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	660lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Frost Cover -Filament-A60-E27


7W VT-2047

SKU: 7181 - 2700K Warm White 3800157615570
 SKU: 7182 - 4000K Day White 3800157615587
 SKU: 7183 - 6400K White 3800157615594

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Frost Cover -Filament-A60-E27


7W VT-2047C

SKU: 71811 - 2700K Warm White 3800157624107

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs





Frost Cover -Filament-A67-E27



8W VT-1938

SKU: 4483 - 2700K Warm White 3800157609586
 SKU: 4484 - 4000K Day White 3800157609593
 SKU: 4485 - 6400K White 3800157609609

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **800lm**
 Commercial Type: **A67**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **300°**
 Body Type: **Glass**
 Dimension: **67x123mm**
 Box Qty: **50 Pcs**



Frost Cover -Filament-A67-E27


10W VT-2023

SKU: 7154 - 6400K White 3800157612197

EQ. Watts: **75w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1055lm**
 Commercial Type: **A67**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **300°**
 Body Type: **Glass**
 Dimension: **67x123mm**
 Box Qty: **50 Pcs**



Frost Cover -Filament-A67-E27



9W VT-2049

SKU: 7184 - 2700K Warm White 3800157615600
 SKU: 7186 - 6400K White 3800157615624

EQ. Watts: **80w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1100lm**
 Commercial Type: **A67**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **300°**
 Body Type: **Glass**
 Dimension: **67x123mm**
 Box Qty: **50 Pcs**



Frost Cover -Filament-Globe-E27

7W VT-2057

SKU: 7187 - 2700K Warm White 3800157615631
 SKU: 7188 - 6400K White 3800157615648

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **840lm**
 Commercial Type: **G95**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **300°**
 Body Type: **Glass**
 Dimension: **95x135mm**
 Box Qty: **12 Pcs**



Frost Cover -Filament-Globe-E27


7W VT-2067

SKU: 7189 - 2700K Warm White 3800157615655
 SKU: 7190 - 6400K White 3800157615662

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **840lm**
 Commercial Type: **G125**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **300°**
 Body Type: **Glass**
 Dimension: **125x177mm**
 Box Qty: **12 Pcs**





Frost Cover -Filament-Globe-E27

7W VT-2067D


SKU: 7191 - 2700K Warm White 3800157615679

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	750lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27



Beam Angle:	300°
Body Type:	Glass
Dimension:	125x177mm
Box Qty:	12 Pcs



Filament-T30-E27



2W VT-2042

SKU: 7251 - 2700K Warm White 3800157620826

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	200lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	30x136mm
Box Qty:	100 Pcs



Filament-T20-E14


4W VT-2204

SKU: 2701 - 2700K Warm White 3800157641494
 SKU: 2702 - 4000K Day White 3800157641500
 SKU: 2703 - 6000K White 3800157641517

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	400lm
Commercial Type:	T20

LED Type:	COB
CRI:	>80
PF:	>0.45
Base:	E14

Beam Angle:	360°
Body Type:	Glass
Dimension:	20x135mm
Box Qty:	100 Pcs



Clear Glass-Filament-A60-E27



4W VT-1885

SKU: 4259 - 2700K Warm White 3800230627179
 SKU: 7119 - 4000K Day White 3800157609951
 SKU: 7120 - 6400K White 3800157609968

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Clear Glass-Filament-A60-E27

4W VT-1885D



SKU: 4364 - 2700K Warm White 3800157602907

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27



Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



NEW



Clear Glass-Filament-A67-E27

8W VT-2288D



SKU: 2815 - 2700K Warm White 3800157655101

EQ. Watts: **50w**
 Voltage/Frequency: **AC:220-240V, 50Hz**
 Luminous Flux: **700lm**
 Commercial Type: **A67**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**



Beam Angle: **300°**
 Body Type: **Glass**
 Dimension: **Ø67x123mm**
 Box Qty: **100 Pcs**



Clear Glass-Filament-A67-E27



8W VT-1978

SKU: 4407 - 2700K Warm White 3800157606165
 SKU: 4408 - 4000K Day White 3800157606172
 SKU: 4409 - 6400K White 3800157606189

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **800lm**
 Commercial Type: **A67**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **300°**
 Body Type: **Glass**
 Dimension: **67x123mm**
 Box Qty: **100 Pcs**



Clear Glass-Filament-A67-E27


10W VT-1981

SKU: 4410 - 2700K Warm White 3800157606196
 SKU: 4411 - 4000K Day White 3800157606202
 SKU: 4412 - 6400K White 3800157606219

EQ. Watts: **75w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1055lm**
 Commercial Type: **A67**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **300°**
 Body Type: **Glass**
 Dimension: **67x123mm**
 Box Qty: **50 Pcs**



Clear Filament-A67-E27


18W VT-2328

SKU: 2802 - 3000K Warm White 3800157652568

EQ. Watts: **150w**
 Voltage/Frequency: **AC:220-240V**
 Luminous Flux: **2520lm**
 Commercial Type: **A67**

LED Type: **Filament**
 CRI: **80**
 PF: **0.5**
 Base: **E27**

Beam Angle: **330°**
 Body Type: **Glass**
 Dimension: **67x123mm**
 Box Qty: **50 Pcs**



Clear Filament-A70-E27

12.5W VT-2133

SKU: 7460 - 6500K White 3800157637893
 SKU: 7458 - 3000K Warm White 3800157637879
 SKU: 7459 - 4000K Day White 3800157637886

EQ. Watts: **100w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1550lm**
 Commercial Type: **A70**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **330°**
 Body Type: **Glass**
 Dimension: **70x132mm**
 Box Qty: **50 Pcs**





Clear Glass-Filament-ST26-E14


2W VT-1952

SKU: 4444 - 2700K Warm White 3800157607858
 SKU: 4445 - 4000K Day White 3800157607865
 SKU: 4446 - 6400K White 3800157607872

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	180lm
Commercial Type:	ST26

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	26x58mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14



4W VT-1986

SKU: 4301 - 2700K Warm White 3800230629951
 SKU: 4413 - 4000K Day White 3800157606226
 SKU: 4414 - 6400K White 3800157606233

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14

4W VT-1986D



SKU: 4365 - 2700K Warm White 3800157602914

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14



Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14



4W VT-1985

SKU: 4307 - 2700K Warm White 3800157600347

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Clear Filament

4W VT-1985D


SKU: 4367 - 2700K Warm White 3800157602938

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14



Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs





Clear Glass-Filament-Candle-E14


4W VT-1995

SKU: 4308 - 2700K Warm White 3800157600354
 SKU: 4431 - 4000K Day White 3800157606455
 SKU: 4432 - 6400K White 3800157606462

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: Candle

LED Type: Filament
 CRI: >80
 PF: >0.4
 Base: E14

Beam Angle: 300°
 Body Type: Glass
 Dimension: 35x121mm
 Box Qty: 100 Pcs



Clear Glass-Filament-Candle-E14

4W VT-1995D


SKU: 4388 - 2700K Warm White 3800157603973

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 320lm
 Commercial Type: Candle

LED Type: Filament
 CRI: >80
 PF: >0.5
 Base: E14



Beam Angle: 300°
 Body Type: Glass
 Dimension: 35x121mm
 Box Qty: 100 Pcs



Clear Glass-Filament-Candle-E14

4W VT-1995DC


SKU: 43881 - 2700K Warm White 3800157624251

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: Candle

LED Type: Filament
 CRI: >80
 PF: >0.5
 Base: E14



Beam Angle: 300°
 Body Type: Glass
 Dimension: 35x121mm
 Box Qty: 100 Pcs



Clear Glass-Filament-Candle-E14


4W VT-1997

SKU: 4302 - 2700K Warm White 3800230629968
 SKU: 4429 - 4000K Day White 3800157606431

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: Candle

LED Type: Filament
 CRI: >80
 PF: >0.4
 Base: E14

Beam Angle: 300°
 Body Type: Glass
 Dimension: 35x121mm
 Box Qty: 50 Pcs



Clear Glass-Filament-Candle-E14

4W VT-1997D



SKU: 4366 - 2700K Warm White 3800157602921

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 320lm
 Commercial Type: Candle

LED Type: Filament
 CRI: >80
 PF: >0.5
 Base: E14



Beam Angle: 300°
 Body Type: Glass
 Dimension: 35x121mm
 Box Qty: 100 Pcs





Clear Glass-Filament-Candle-E14



6W VT-2127

SKU: 7423 - 3000K Warm White 3800157632577
 SKU: 7424 - 4000K Day White 3800157632584
 SKU: 7425 - 6400K White 3800157632591

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	200 Pcs



Clear Glass-Filament-Globe-E27



4W VT-1980

SKU: 4427 - 4000K Day White 3800157606417
 SKU: 4428 - 6400K White 3800157606424

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs



Color Bulbs-G45-E27


2W VT-2132-P

SKU: 7410 - Pink 3800157630269

EQ. Watts:	10w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	60lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs



Color Bulbs-G45-E27


2W VT-2132-G

SKU: 7411 - Green 3800157630276

EQ. Watts:	10w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	60lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs



Color Bulbs-G45-E27


2W VT-2132-B

SKU: 7412 - Blue 3800157630283

EQ. Watts:	10w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	60lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs





Color Bulbs-G45-E27


2W VT-2132-R

SKU: 7413 - Red 3800157630290

EQ. Watts:	10w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	60lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs



Clear Glass-Filament-P45-E14


4W VT-1996D

SKU: 4394 - 2700K Warm White 3800157604314

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	P45

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	100 Pcs



Clear Glass-Filament-P45-E14


4W VT-1996

SKU: 4300 - 2700K Warm White 3800230629944
 SKU: 4425 - 4000K Day White 3800157606394
 SKU: 4426 - 6400K White 3800157606394

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	P45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	100 Pcs



Clear Glass-Filament-Globe-E27

4W VT-1994D

SKU: 4399 - 2700K Warm White 3800157605021

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x177mm
Box Qty:	20 Pcs



Clear Glass-Filament-Globe-E27


6W VT-2147

SKU: 7427 - 6400K White 3800157635288

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x177mm
Box Qty:	20 Pcs





Clear Glass-Filament-Globe-E27


12.5W VT-2143

SKU: 7455 - 6500K White 3800157637848
 SKU: 7453 - 3000K Warm White 3800157637824
 SKU: 7454 - 4000K Day White 3800157637848

EQ. Watts: **100w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1550lm**
 Commercial Type: **G125**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **330°**
 Body Type: **Glass**
 Dimension: **125x177mm**
 Box Qty: **25 Pcs**



Clear Glass-Filament-Globe-E27



18W VT-2338

SKU: 2803 - 3000K Warm White 3800157652575

EQ. Watts: **150w**
 Voltage/Frequency: **AC:220-240V**
 Luminous Flux: **2520lm**
 Commercial Type: **G95**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **330°**
 Body Type: **Glass**
 Dimension: **95x135mm**
 Box Qty: **25 Pcs**



Lamp Holder E27

SKU: 8839

EAN: 3800157654005

Box Qty. **400 Pcs**

Thermoplastic



Lamp Holder E14

SKU: 8840

EAN: 3800157654012

Box Qty. **400 Pcs**

Thermoplastic



Lamp Holder-E27

SKU: 8750

EAN: 3800157642620

Box Qty. **400 Pcs**

Bakelite Powder



Lamp Holder-E14

SKU: 8751

EAN: 3800157642637

Box Qty. **400 Pcs**

Bakelite Powder



Lamp Holder-E27

SKU: 8752

EAN: 3800157642644

Box Qty. **400 Pcs**

PET+Nylon



Lamp Holder-E14

SKU: 8753

EAN: 3800157642651

Box Qty. **400 Pcs**

PET+Nylon



VT-71510
String Light-LED-5M **0.6w**
 SKU: 2728 - 3000K Warm White 3800157644549

- 5 Meter Long String
- 10 Bulbs included
- 0.6 watts per Bulb
- 300 Degree Beam Angle
- IP rating IP40
- 10 Pcs In Cartoon

VT-71010
Solar String Light **1w**
 SKU: 8559 - 3000K Warm White 3800157641432

- 2 Meter Long String
- 1 watts per Bulb
- 10 Bulbs included
- 6-8 Hours Working Time
- 8-12 Hours Charging Time
- Battery 1XAA Ni-MH, 1.2V/300mAh
- IP rating IP54
- 10 Pcs In Cartoon



VT-70510
String Light-LED-5M **0.5w**
 SKU: 7437 - 6000K White 3800157637473
 SKU: 7436 - 3000K Warm White 3800157637466
 SKU: 7435 - RGB+Yellow 3800157637459

- 5 Meter Long String
- 0.5 watts per Bulb
- 10 Holders with 0.5 Meter Distance
- IP rating IP44
- 10 Pcs In Cartoon

VT-71020
String Light-LED-10M **0.5w**
 SKU: 7440 - 6000K White 3800157637503
 SKU: 7439 - 3000K Warm White 3800157637497
 SKU: 7438 - RGB+Yellow 3800157637480

- 10 Meter Long String
- 0.5 watts per Bulb
- 20 Holders with 0.5 Meter Distance
- IP rating IP44
- 5 Pcs In Cartoon



VT-7135
String Light-WP Socket-E27
 SKU: 3698 3800157634182

- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance
- 4 Pcs In Cartoon
- IP54
- Linkable upto 500W max
- Bulbs are not included

VT-713
String Light-WP Socket-E27
 SKU: 3673 3800157625173

- 15 Meter Long String
- 15 Holders with 1 Meter Distance
- 4 Pcs In Cartoon
- IP54
- Linkable upto 500W max
- Bulbs are not included





LED Spotlights

Introducing a sustainable and energy efficient replacement for power consuming 35W and 50W Halogen Spotlights. An extensive range of LED Spotlights (1.2W-8W)

Product Features

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands



Capsules-G9



2.5W VT-1946

SKU: 4466 - 3000K Warm White 3800157609005
 SKU: 4467 - 4000K Day White 3800157609012
 SKU: 4468 - 6400K White 3800157609029

EQ. Watts: 25w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 200lm
 LED Type: SMD

CRI: >80
 PF: >0.4
 Base: G9
 Beam Angle: 300°

Body Type: Plastic
 Dimension: 16.5x46.5mm
 Box Qty: 400 Pcs



Capsules-G9



3W VT-2103

SKU: 7476 - 3000K Warm White 3800157640336
 SKU: 7477 - 4000K Day White 3800157640343
 SKU: 7478 - 6400K White 3800157640350

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V, 50/60Hz
 Luminous Flux: 330lm
 LED Type: COB

CRI: >80
 PF: >0.7
 Base: G9
 Beam Angle: 300°

Body Type: Glass
 Dimension: 14.5x61mm
 Box Qty: 450 Pcs



Capsules-G9-6Pc Pack



3W VT-2243

SKU: 2745 - 3000K Warm White 3800157645416
 SKU: 2746 - 4000K Day White 3800157645423
 SKU: 2747 - 6400K White 3800157645430

EQ. Watts: 25w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 300lm
 LED Type: SMD

CRI: >80
 PF: >0.5
 Base: G9
 Beam Angle: 300°

Body Type: Plastic
 Dimension: 17x49mm
 Box Qty: 300 Pcs



Capsules-G9



4W VT-2254

SKU: 2742 - 2700K Warm White 3800157645324
 SKU: 2743 - 4000K Day White 3800157645331
 SKU: 2744 - 6400K White 3800157645348

EQ. Watts: 35w
 Voltage/Frequency: AC:230V
 Luminous Flux: 410lm
 LED Type: COB

CRI: >80
 PF: >0.7
 Base: G9
 Beam Angle: 300°

Body Type: Glass
 Dimension: 16x58mm
 Box Qty: 400 Pcs



Capsules-G9

5W VT-2175D

SKU: 7429 - 3000K Warm White 3800157637046
 SKU: 7430 - 4000K Day White 3800157637053
 SKU: 7431 - 6400K White 3800157637060

EQ. Watts: 50w
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 500lm
 LED Type: SMD

CRI: >80
 PF: >0.4
 Base: G9
 Beam Angle: 300°



DIMMABLE

Body Type: Ceramic
 Dimension: 22x60mm
 Box Qty: 600 Pcs





Capsules-G9


5.5W VT-2177

SKU: 7432 - 3000K Warm White 3800157637077
 SKU: 7433 - 4000K Day White 3800157637084
 SKU: 7434 - 6400K White 3800157637091

EQ. Watts: **50w**
 Voltage/Frequency: **AC:200-240V,50/60Hz**
 Luminous Flux: **550lm**
 LED Type: **SMD**

CRI: **>80**
 PF: **>0.4**
 Base: **G9**
 Beam Angle: **300°**

Body Type: **Ceramic**
 Dimension: **16x63mm**
 Box Qty: **600 Pcs**



Capsules-G9



6W VT-2227

SKU: 2719 - 3000K Warm White 3800157644426
 SKU: 2720 - 4000K Day White 3800157644433
 SKU: 2721 - 6400K White 3800157644440

EQ. Watts: **45**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **550lm**
 LED Type: **SMD**

CRI: **>80**
 PF: **>0.5**
 Base: **G9**
 Beam Angle: **300°**

Body Type: **Plastic**
 Dimension: **19x68mm**
 Box Qty: **200 Pcs**



Capsules-G9


7W VT-2228

SKU: 2722 - 3000K Warm White 3800157644457
 SKU: 2723 - 4000K Day White 3800157644464
 SKU: 2724 - 6400K White 3800157644471

EQ. Watts: **50**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **650lm**
 LED Type: **SMD**

CRI: **>80**
 PF: **>0.5**
 Base: **G9**
 Beam Angle: **300°**

Body Type: **Plastic**
 Dimension: **23x70mm**
 Box Qty: **200 Pcs**



Spotlights-GU10-Lens-38°

5W VT-2305

SKU: 2796 - 3000K Warm White 3800157651653
 SKU: 2797 - 4000K Day White 3800157651660
 SKU: 2798 - 6400K White 3800157651677

EQ. Watts: **50w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **380lm**
 LED Type: **SMD**

CRI: **>80**
 PF: **>0.5**
 Base: **GU10**
 Beam Angle: **38°**

Body Type: **Plastic**
 Dimension: **50x55mm**
 Box Qty: **200 Pcs**



Spotlights-GU10-Lens-38°


6W VT-2206

SKU: 7497 - 3000K Warm White 3800157640831
 SKU: 7498 - 4000K Day White 3800157640848
 SKU: 7499 - 6400K White 3800157640855

EQ. Watts: **55w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 LED Type: **SMD**

CRI: **>95**
 PF: **>0.5**
 Base: **GU10**
 Beam Angle: **38°**

Body Type: **Plastic**
 Dimension: **ø50x58mm**
 Box Qty: **200 Pcs**





GU10-RGB With Remote Control

3.5W VT-2244

SKU: 2778 - RGB+3000K Warm White 3800157646819
 SKU: 2779 - RGB+4000K Day White 3800157646826
 SKU: 2780 - RGB+6400K White 3800157646833



- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode



EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	290lm
LED Type:	SMD


CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	110°

Body Type:	Plastic
Dimension:	50x56.5mm
Box Qty:	200 Pcs

Spotlights-GU10-Milky Cover-110°

5W VT-1975

SKU: 1685 - 3000K Warm White 3800157606240
 SKU: 1686 - 4000K Day White 3800157606257
 SKU: 1687 - 6000K White 3800157606264



EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD



CRI:	>80
PF:	>0.4
Base:	GU10
Beam Angle:	110°

Body Type:	Plastic
Dimension:	50x57mm
Box Qty:	200 Pcs

Reflector-Square

5W VT-1100SQ

SKU: 7332 - 3000K Warm White 3800157624855
 SKU: 7334 - 6400K White 3800157624879



EQ. Watts:	35w
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	350lm
LED Type:	SMD



CRI:	>80
PF:	>0.4
Base:	N/A
Beam Angle:	68°

Body Type:	ABS+PC
Dimension:	90x90x45mm
Box Qty:	50 Pcs

GU10-3PC Pack-Fitting

5W VT-3333

SKU: 8881 - 3000K Warm White 3800157650038
 SKU: 8882 - 4000K Day White 3800157650045
 SKU: 8883 - 6400K White 3800157650052



EQ. Watts:	35w
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	400lm
LED Type:	SMD


CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	110°

Body Type:	Plastic + Ferrum
Dimension:	120x99mm
Box Qty:	20 Pcs

GU10-3PC Pack-Fitting

5W VT-4444

SKU: 8884 - 3000K Warm White 3800157650069
 SKU: 8885 - 4000K Day White 3800157650076
 SKU: 8886 - 6400K White 3800157650083



EQ. Watts:	35w
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	400lm
LED Type:	SMD

CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	110°

Body Type:	Plastic + Ferrum
Dimension:	120x99mm
Box Qty:	20 Pcs

Spotlights-GU10-3PC Pack

5W VT-2095


SKU: 7269 - 3000K Warm White 3800157623018
 SKU: 7270 - 4000K Day White 3800157623025
 SKU: 7271 - 6400K White 3800157623032



EQ. Watts: 35w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 LED Type: SMD

CRI: >80
 PF: >0.5
 Base: GU10
 Beam Angle: 110°

Body Type: Plastic
 Dimension: 50x57mm
 Box Qty: 60 Pcs



Spotlights-GU10-6PC Pack

5W VT-2225


SKU: 2739 - 3000K Warm White 3800157645294
 SKU: 2740 - 4000K Day White 3800157645300
 SKU: 2741 - 6400K White 3800157645317



EQ. Watts: 35w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 LED Type: SMD

CRI: >80
 PF: >0.5
 Base: GU10
 Beam Angle: 110°

Body Type: Plastic
 Dimension: 50x57mm
 Box Qty: 30 Pcs



GU10- 38°-10PC Pack

5W VT-2305-10PC


SKU: 2799 - 3000K Warm White 3800157651684
 SKU: 2800 - 4000K Day White 3800157651691
 SKU: 2801 - 6400K White 3800157651707



EQ. Watts: 50w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 380lm
 LED Type: SMD

CRI: >80
 PF: >0.5
 Base: GU10
 Beam Angle: 38°

Body Type: Plastic
 Dimension: 50x55mm
 Box Qty: 20 Pcs



Spotlights-GU10-Blister Pack

6W VT-2107


SKU: 7305 - 6400K White 3800157623957



EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 500lm
 LED Type: SMD

CRI: >80
 PF: >0.5
 Base: GU10
 Beam Angle: 110°

Body Type: Plastic
 Dimension: 50x57mm
 Box Qty: 50 Pcs



Spotlights-GU10-Blister Pack

6.5W VT-2108D

SKU: 7306 - 3000K Warm White 3800157623964
 SKU: 7307 - 4000K Day White 3800157623971
 SKU: 7308 - 6400K White 3800157623988




EQ. Watts: 55w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 450lm
 LED Type: SMD

CRI: >80
 PF: >0.5
 Base: GU10
 Beam Angle: 38°



DIMMABLE


Body Type: Plastic
 Dimension: 50x57mm
 Box Qty: 50 Pcs





Concrete Wall Lamp

NEW



Model No	VT-891D
SKU:	8690
Base:	G9
Material:	Concrete
Shape:	Round
Color of Fxture:	Dark Grey
Dimension:	150x130x130mm
EAN:	3800157655316
Box Qty:	12 Pcs

Concrete Wall Lamp

NEW



Model No	VT-891L
SKU:	8691
Base:	G9
Material:	Concrete
Shape:	Round
Color of Fxture:	Light Grey
Dimension:	150x130x130mm
EAN:	3800157655323
Box Qty:	12 Pcs

Concrete Wall Lamp


NEW



Model No	VT-892D
SKU:	8692
Base:	G9
Material:	Concrete
Shape:	Square
Color of Fxture:	Dark Grey
Dimension:	120x100x120mm
EAN:	3800157655330
Box Qty:	12 Pcs

Concrete Wall Lamp


NEW



Model No	VT-892L
SKU:	8693
Base:	G9
Material:	Concrete
Shape:	Square
Color of Fxture:	Light Grey
Dimension:	120x100x120mm
EAN:	3800157655347
Box Qty:	12 Pcs

Concrete Wall Lamp


NEW



Model No	VT-893D
SKU:	8694
Base:	G9
Material:	Concrete
Shape:	Rectangle
Color of Fxture:	Dark Grey
Dimension:	120x100x240mm
EAN:	3800157655354
Box Qty:	6 Pcs


Concrete Wall Lamp

NEW




Model No	VT-893L
SKU:	8695
Base:	G9
Material:	Concrete
Shape:	Rectangle
Color of Fxture:	Light Grey
Dimension:	120x100x240mm
EAN:	3800157655361
Box Qty:	6 Pcs

Concrete Wall Lamp

NEW

Model No	VT-894D
SKU:	8696
Base:	GU10
Material:	Concrete
Shape:	Round
Color of Fixture:	Dark Grey
Dimension:	120x140x235mm
EAN:	3800157655378
Box Qty:	6 Pcs


Concrete Wall Lamp

NEW

Model No	VT-894L
SKU:	8697
Base:	GU10
Material:	Concrete
Shape:	Round
Color of Fixture:	Light Grey
Dimension:	120x140x235mm
EAN:	3800157655385
Box Qty:	6 Pcs




Fitting Round-GU10




Model No	VT-884-B
SKU:	8608
Base:	GU10
Material:	Aluminium + PC
Shape:	Half Circle
Color of Fixture:	Black frame + Black reflector
Dimension:	83x40.7mm
Cutting Size:	ø75mm
EAN:	3800157652056
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-886
SKU:	8877
Base:	2xGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White+Black
Dimension:	185x100x45mm
Cutting Size:	175x85mm
EAN:	3800157648646
Box Qty:	20 Pcs

Fitting Square-GU10




Model No	VT-887
SKU:	8878
Base:	3xGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White+Black
Dimension:	270x100x45mm
Cutting Size:	256x85mm
EAN:	3800157648653
Box Qty:	20 Pcs

Fitting Round-GU10




Model No	VT-889
SKU:	8879
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White Frame+Chrome Reflector
Dimension:	ø140x50mm
Cutting Size:	ø85/90mm
EAN:	3800157648660
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-890
SKU:	8880
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White Frame+Chrome Reflector
Dimension:	128x75x55mm
Cutting Size:	79/85x75mm
EAN:	3800157648677
Box Qty:	50 Pcs

Fitting Round-GU10




Model No	VT-872-WB
SKU:	3153
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Black
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638968
Box Qty:	50 Pcs

Fitting Round-GU10




Model No	VT-872-WG
SKU:	3154
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Gold
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638975
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-872-WR
SKU:	3155
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Rose Gold
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638982
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-872-WC
SKU:	3156
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638999
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-873
SKU:	8595
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	Black frame + Black reflector
Dimension:	ø83x40.7mm
Cutting Size:	ø75mm
EAN:	3800157652001
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-873-WB
SKU:	3157
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Black
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639002
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-873-WG
SKU:	3158
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639019
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-873-WR
SKU:	3159
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Rose Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639026
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-873-WC
SKU:	3160
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639033
Box Qty:	50 Pcs

Fitting Round-GU10




Model No	VT-874
SKU:	8596
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	Black frame + Black reflector
Dimension:	ø83x40.7mm
Cutting Size:	ø75mm
EAN:	3800157652018
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-874-WB
SKU:	3161
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Black
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639040
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-874-WG
SKU:	3162
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639057
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-874-WR
SKU:	3163
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Rose Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639064
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-874-WC
SKU:	3164
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Chrome
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639071
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-875-WB
SKU:	3165
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fixture:	White+Black
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639088
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-875-WG
SKU:	3166
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fixture:	White+Gold
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639095
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-875-WR
SKU:	3167
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fixture:	White+Rose Gold
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639101
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-875-WC
SKU:	3168
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fixture:	White+Chrome
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639118
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-876-RD
SKU:	3169
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	85x32mm
Cutting Size:	75mm
EAN:	3800157639125
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-876-SQ
SKU:	3170
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	85x85x32mm
Cutting Size:	75mm
EAN:	3800157639132
Box Qty:	50 Pcs

Fitting-Square-GU10




Model No	VT-797-WH
SKU:	3630
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	142x100x100mm
Cutting Size:	N/A
EAN:	3800157612074
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-797-B
SKU:	3631
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fxture:	Black
Dimension:	100x100x142mm
Cutting Size:	N/A
EAN:	3800157612081
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-797-SN
SKU:	3632
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	100x100x142mm
Cutting Size:	N/A
EAN:	3800157612098
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-796-WH
SKU:	3627
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø100x142mm
Cutting Size:	N/A
EAN:	3800157612043
Box Qty:	50 Pcs

Fitting-Round-GU10




Model No	VT-796-B
SKU:	3628
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Round
Color of Fxture:	Black
Dimension:	Ø100x142mm
Cutting Size:	N/A
EAN:	3800157612050
Box Qty:	50 Pcs

Fitting-Round-GU10




Model No	VT-796-SN
SKU:	3629
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø100x142mm
Cutting Size:	N/A
EAN:	3800157612067
Box Qty:	50 Pcs

GX53-Accessory




Model No	VT-715-W
SKU:	3675
Base:	GX53
Material:	Iron
Shape:	Round
Color of Fxture:	White
Dimension:	Ø105x40mm
Cutting Size:	90mm
EAN:	3800157625241
Box Qty:	50 Pcs

GX53-Accessory



Model No	VT-715-G
SKU:	3676
Base:	GX53
Material:	Iron
Shape:	Round
Color of Fxture:	Gold
Dimension:	Ø105x40mm
Cutting Size:	90mm
EAN:	3800157625258
Box Qty:	50 Pcs

GX53-Accessory



Model No	VT-715-CH
SKU:	3677
Base:	GX53
Material:	Iron
Shape:	Round
Color of Fixture:	Chrome
Dimension:	Ø105x40mm
Cutting Size:	90mm
EAN:	3800157625265
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-727SQ
SKU:	3664
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	70x70x75mm
Cutting Size:	N/A
EAN:	3800157624589
Box Qty:	36 Pcs

Fitting-Round-GU10



Model No	VT-727RD
SKU:	3665
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø70x75mm
Cutting Size:	N/A
EAN:	3800157624596
Box Qty:	36 Pcs

Fitting-Square-GU10



Model No	VT-716SQ
SKU:	3666
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	75x75x75mm
Cutting Size:	N/A
EAN:	3800157624732
Box Qty:	36 Pcs

Fitting-Round-GU10



Model No	VT-716RD
SKU:	3667
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø75x75mm
Cutting Size:	N/A
EAN:	3800157624749
Box Qty:	36 Pcs

0

Fitting-Square-GU10



Model No	VT-762
SKU:	3648
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	215x120x60mm
Cutting Size:	218x123mm
EAN:	3800157618588
Box Qty:	20 Pcs

Fitting-Square-GU10



Model No	VT-763
SKU:	3649
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120x120x50mm
Cutting Size:	123x123mm
EAN:	3800157618595
Box Qty:	24 Pcs

Fitting-Round-GU10



Model No	VT-764
SKU:	3650
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø140x40mm
Cutting Size:	Ø140mm
EAN:	3800157618601
Box Qty:	20 Pcs

Fitting-Square-GU10




Model No	VT-765
SKU:	3651
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	100x100x30mm
Cutting Size:	103x103mm
EAN:	3800157618618
Box Qty:	30 Pcs

Fitting-Round-GU10




Model No	VT-771
SKU:	3652
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø100x30mm
Cutting Size:	Ø103mm
EAN:	3800157618625
Box Qty:	20 Pcs

Fitting-Square-GU10



Model No	VT-772
SKU:	3653
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	132x132x74mm
Cutting Size:	135x135mm
EAN:	3800157618632
Box Qty:	20 Pcs

Fitting-Round-GU10



Model No	VT-776RD
SKU:	3640
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø120x40mm
Cutting Size:	Ø123mm
EAN:	3800157616348
Box Qty:	24 Pcs

Fitting-Square-GU10




Model No	VT-776SQ
SKU:	3641
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120x120x50mm
Cutting Size:	123x123mm
EAN:	3800157616355
Box Qty:	24 Pcs

Fitting-Round-GU10



Model No	VT-773
SKU:	3654
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø132x74mm
Cutting Size:	Ø132mm
EAN:	3800157618649
Box Qty:	20 Pcs

Fitting-Square-GU10



Model No	VT-714
SKU:	3674
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120x120x45mm
Cutting Size:	123x123mm
EAN:	3800157625180
Box Qty:	24 Pcs

Fitting-Square-GU10-Frost Glass



Model No	VT-801SQ
SKU:	3691
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120x120x60mm
Cutting Size:	123x123mm
EAN:	3800157628938
Box Qty:	24 Pcs

Fitting-Round-GU10-Frost Glass



Model No	VT-801RD
SKU:	3692
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø120x60mm
Cutting Size:	Ø123mm
EAN:	3800157628945
Box Qty:	24 Pcs

Fitting-Round-GU10-2Pc Pack



Model No	VT-778-WH
SKU:	3584
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø80x30mm
Cutting Size:	Ø65mm
EAN:	3800157607131
Box Qty:	200 Pcs

Fitting-Round-GU10-2Pc Pack



Model No	VT-778-SN
SKU:	3585
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø80x30mm
Cutting Size:	Ø65mm
EAN:	3800157607148
Box Qty:	200 Pcs

Fitting-Round-GU10-2Pc Pack



Model No	VT-778-CH
SKU:	3586
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	Chrome
Dimension:	Ø80x30mm
Cutting Size:	Ø65mm
EAN:	3800157607155
Box Qty:	200 Pcs

Fitting-Round-GU10-Changing Angle



Model No	VT-780-WH
SKU:	3593
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø100x45mm
Cutting Size:	Ø90mm
EAN:	3800157607223
Box Qty:	100 Pcs

Fitting-Round-GU10-Changing Angle



Model No	VT-780-SN
SKU:	3594
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø100x45mm
Cutting Size:	Ø90mm
EAN:	3800157607230
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-774-WH
SKU:	3642
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	Ø81x34mm
Cutting Size:	Ø73mm
EAN:	3800157617086
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-774-SN
SKU:	3643
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø81x34mm
Cutting Size:	Ø73mm
EAN:	3800157617093
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-774-MG
SKU:	3644
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	Metallic Grey
Dimension:	Ø81x34mm
Cutting Size:	Ø73mm
EAN:	3800157617109
Box Qty:	100 Pcs

Fitting-Round-GU10




Model No	VT-775-WH
SKU:	3645
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	Ø95x32mm
Cutting Size:	Ø85mm
EAN:	3800157617116
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-775-SN
SKU:	3646
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø95x32mm
Cutting Size:	Ø85mm
EAN:	3800157617123
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-775-MG
SKU:	3647
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Metallic Grey
Dimension:	Ø95x32mm
Cutting Size:	Ø85mm
EAN:	3800157617130
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-782RD-WH
SKU:	3599
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø91x25mm
Cutting Size:	Ø75mm
EAN:	3800157607285
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-782RD-AB
SKU:	3600
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Aluminium Brush
Dimension:	Ø91x25mm
Cutting Size:	Ø75mm
EAN:	3800157607292
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-783RD-WH
SKU:	3601
Base:	2XGU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607308
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-783RD-AB
SKU:	3602
Base:	2XGU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Aluminium Brush
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607315
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-784RD-WH
SKU:	3603
Base:	3XGU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	255x91x25
Cutting Size:	235x75mm
EAN:	3800157607322
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-784RD-AB
SKU:	3604
Base:	3XGU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Aluminium Brush
Dimension:	255x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607339
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-782SQ-WH
SKU:	3605
Base:	1XGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	91x91x25mm
Cutting Size:	75x75mm
EAN:	3800157607346
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-782SQ-AB
SKU:	3606
Base:	1XGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	Aluminium Brush
Dimension:	91x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607353
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-783SQ-WH
SKU:	3607
Base:	2XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607360
Box Qty:	50 Pcs

Fitting-Square-GU10




Model No	VT-783SQ-AB
SKU:	3608
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	Aluminium Brush
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607377
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-784SQ-WH
SKU:	3609
Base:	3XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	255x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607384
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-784SQ-AB
SKU:	3610
Base:	3XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	Aluminium Brush
Dimension:	255x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607391
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-7227RD-WH
SKU:	3469
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø99x30.8mm
Cutting Size:	Ø74mm
EAN:	3800157605885
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-7227RD-SN
SKU:	3470
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø99x30.8mm
Cutting Size:	Ø74mm
EAN:	3800157605892
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-7227RD-SS
SKU:	3471
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	Stainless Steel
Dimension:	Ø99x30.8mm
Cutting Size:	Ø74mm
EAN:	3800157605908
Box Qty:	100 Pcs

Fitting-Square-GU10




Model No	VT-7227SQ-WH
SKU:	3472
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fixture:	White
Dimension:	99x99x30.8mm
Cutting Size:	74x74mm
EAN:	3800157605915
Box Qty:	100 Pcs

Fitting-Square-GU10




Model No	VT-7227SQ-SN
SKU:	3473
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fixture:	Satin Nickel
Dimension:	99x99x30.8mm
Cutting Size:	74x74mm
EAN:	3800157605922
Box Qty:	100 Pcs

Fitting-Square-GU10




Model No	VT-7227SQ-SS
SKU:	3474
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fxture:	Stainless Steel
Dimension:	99x99x30.8mm
Cutting Size:	74x74mm
EAN:	3800157605939
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-785
SKU:	3611
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	88x38mm
Cutting Size:	Ø75mm
EAN:	3800157607407
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-786
SKU:	3612
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	88x38mm
Cutting Size:	Ø75mm
EAN:	3800157607414
Box Qty:	100 Pcs

Fitting-Round-GU10




Model No	VT-711-W-RD
SKU:	3669
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	82x101mm
Cutting Size:	N/A
EAN:	3800157625135
Box Qty:	50 Pcs

Zoom Fitting



Model No	VT-700W
SKU:	3689
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø102x46mm
Cutting Size:	93mm
EAN:	3800157628501
Box Qty:	50 Pcs

Zoom Fitting



Model No	VT-700S
SKU:	3690
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø102x46mm
Cutting Size:	93mm
EAN:	3800157628518
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-787RD-WH
SKU:	3613
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	84x38mm
Cutting Size:	75mm
EAN:	3800157607421
Box Qty:	100 Pcs

Fitting-Round-GU10




Model No	VT-787RD-SN
SKU:	3614
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	84x38mm
Cutting Size:	75mm
EAN:	3800157607438
Box Qty:	100 Pcs

Fitting-Square-GU10




Model No	VT-787SQ-WH
SKU:	3615
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Square
Color of Fxture:	White
Dimension:	84x84x38mm
Cutting Size:	75mm
EAN:	3800157607445
Box Qty:	100 Pcs

Fitting-Square-GU10




Model No	VT-787SQ-SN
SKU:	3616
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Square
Color of Fixture:	Satin Nickel
Dimension:	84x84x38mm
Cutting Size:	75mm
EAN:	3800157607452
Box Qty:	100 Pcs

Fitting-Round-GU10




Model No	VT-781RD-WH
SKU:	3595
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	100x45mm
Cutting Size:	90mm
EAN:	3800157607247
Box Qty:	100 Pcs

Fitting-Round-GU10




Model No	VT-781RD-SN
SKU:	3596
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	100x45mm
Cutting Size:	90mm
EAN:	3800157607254
Box Qty:	100 Pcs

Fitting-Square-GU10




Model No	VT-781SQ-WH
SKU:	3597
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Square
Color of Fixture:	White
Dimension:	100x100x38mm
Cutting Size:	90x90mm
EAN:	3800157607261
Box Qty:	100 Pcs

Fitting-Square-GU10




Model No	VT-781SQ-SN
SKU:	3598
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Square
Color of Fixture:	Satin Nickel
Dimension:	100x100x38mm
Cutting Size:	90x90mm
EAN:	3800157607278
Box Qty:	100 Pcs

Fitting-Round-GU10





Model No	VT-779-WH-RD
SKU:	3587
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fixture:	White
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157607162
Box Qty:	100 Pcs

Fitting-Round-GU10




Model No	VT-779-SN-RD
SKU:	3588
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157607179
Box Qty:	100 Pcs

Fitting Round-GU10



Model No	VT-779-B
SKU:	8580
Base:	GU10
Material:	Zinc alloy
Shape:	Round
Color of Fixture:	Bronze
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157651851
Box Qty:	100 Pcs

Fitting Round-GU10



Model No	VT-779-G
SKU:	8579
Base:	GU10
Material:	Zinc alloy
Shape:	Round
Color of Fixture:	Gold
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157651844
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-779-CH-RD
SKU:	3589
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fixture:	Chrome
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157607186
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-779-WH-SQ
SKU:	3590
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fixture:	White
Dimension:	82x82x22mm
Cutting Size:	74mm
EAN:	3800157607193
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-779-SN-SQ
SKU:	3591
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fixture:	Satin Nickel
Dimension:	82x82x25mm
Cutting Size:	74mm
EAN:	3800157607209
Box Qty:	100 Pcs

Fitting-Square-GU10




Model No	VT-779-CH-SQ
SKU:	3592
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fixture:	Chrome
Dimension:	82x82x25mm
Cutting Size:	74mm
EAN:	3800157607216
Box Qty:	100 Pcs

Fitting Square-GU10



Model No	VT-779-SB
SKU:	8582
Base:	GU10
Material:	Zinc alloy
Shape:	Square
Color of Fixture:	Bronze
Dimension:	82x82x22mm
Cutting Size:	74mm
EAN:	3800157651875
Box Qty:	100 Pcs

Fitting Square-GU10



Model No	VT-779-SG
SKU:	8581
Base:	GU10
Material:	Zinc alloy
Shape:	Square
Color of Fixture:	Gold
Dimension:	82x82x22mm
Cutting Size:	74mm
EAN:	3800157651868
Box Qty:	100 Pcs

Fitting-Round-G9




Model No	VT-858RD
SKU:	3694
Base:	G9
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	70x90x95mm
Cutting Size:	N/A
EAN:	3800157633536
Box Qty:	24 Pcs

Fitting-Square-G9



Model No	VT-858SQ
SKU:	3695
Base:	G9
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	70x100x100mm
Cutting Size:	N/A
EAN:	3800157633543
Box Qty:	24 Pcs

Fitting-Square-GU10



Model No	VT-859SQ
SKU:	3696
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	100x100x40mm
Cutting Size:	103x103mm
EAN:	3800157633550
Box Qty:	40 Pcs

Fitting-Round-GU10




Model No	VT-859RD
SKU:	3697
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	ø100x40mm
Cutting Size:	ø103
EAN:	3800157633567
Box Qty:	40 Pcs

Fitting-Suspended-GU10



Model No	VT-864-G
SKU:	3111
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Matt Rose Gold
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157634366
Box Qty:	9 Pcs

Fitting-Pendant Metal-1XGU10



Model No	VT-864-GBC
SKU:	3134
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	Grey+Gun Black
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157635332
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10




Model No	VT-864CHC
SKU:	3135
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	Grey+Chrome
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157635349
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10



Model No	VT-864-GB
SKU:	3112
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Gun Black
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157634373
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10



Model No	VT-864-CH
SKU:	3129
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Chrome
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157634540
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10



Model No	VT-864-MR
SKU:	3130
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	Grey+Matt Rose Gold
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157635325
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10




Model No	VT-865-GBM
SKU:	3136
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Gun Black
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635356
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10




Model No	VT-865-MRC
SKU:	3137
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	Grey+Matt Rose Gold
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635363
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10




Model No	VT-865CHC
SKU:	3138
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Chrome
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635370
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10




Model No	VT-865-GBC
SKU:	3139
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Gun Black
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635387
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10




Model No	VT-865-MRM
SKU:	3113
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Matt Rose Gold
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157634380
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10




Model No	VT-865CHM
SKU:	3114
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157634397
Box Qty:	9 pcs

Fitting-Square Metal-1XGU10




Model No	VT-860-GB
SKU:	3140
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Gun Black
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635394
Box Qty:	12pcs

Fitting-Square Metal-1XGU10




Model No	VT-860-MRM
SKU:	3141
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Grey+Matt Rose Gold
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635400
Box Qty:	12pcs

Fitting-Square Metal-1XGU10




Model No	VT-860-CHM
SKU:	3142
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Grey+Chrome
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635417
Box Qty:	12pcs

Fitting-Square Metal-1XGU10




Model No	VT-860-GBM
SKU:	3143
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Grey+Gun Black
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635424
Box Qty:	12pcs

Fitting-Square Metal-1XGU10




Model No	VT-860-MR
SKU:	3115
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Matt Rose Gold
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157634403
Box Qty:	12pcs

Fitting-Square Metal-1XGU10




Model No	VT-860-CH
SKU:	3116
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Chrome
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157634410
Box Qty:	12pcs

Fitting Square-GU10




Model No	VT-882-B
SKU:	8584
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fixture:	White frame + Black reflector
Dimension:	74x74x140mm
Cutting Size:	NA
EAN:	3800157651899
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-882-C
SKU:	8585
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fixture:	White frame + Chrome reflector
Dimension:	74x74x140mm
Cutting Size:	NA
EAN:	3800157651905
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-882-G
SKU:	8586
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fixture:	White frame + Gold reflector
Dimension:	74x74x140mm
Cutting Size:	NA
EAN:	3800157651912
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-882-SRG
SKU:	8587
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fixture:	White frame + Rose gold reflector
Dimension:	74x74x140mm
Cutting Size:	NA
EAN:	3800157651929
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-882-SW
SKU:	8583
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fixture:	White frame + White reflector
Dimension:	74x74x140mm
Cutting Size:	NA
EAN:	3800157651882
Box Qty:	50 Pcs

Fitting Round-GU10




Model No	VT-882-RB
SKU:	8589
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fixture:	White frame + Black reflector
Dimension:	ø80x140mm
Cutting Size:	NA
EAN:	3800157651943
Box Qty:	50 Pcs

Fitting Round-GU10




Model No	VT-882-RC
SKU:	8590
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fixture:	White frame + Chrome reflector
Dimension:	ø80x140mm
Cutting Size:	NA
EAN:	3800157651950
Box Qty:	50 Pcs

Fitting Round-GU10




Model No	VT-882-RG
SKU:	8591
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fixture:	White frame + Gold reflector
Dimension:	ø80x140mm
Cutting Size:	NA
EAN:	3800157651967
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-882-RRG
SKU:	8592
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	White frame + Rose gold reflector
Dimension:	ø80x140mm
Cutting Size:	NA
EAN:	3800157651974
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-882-RW
SKU:	8588
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	White frame + White reflector
Dimension:	ø80x140mm
Cutting Size:	NA
EAN:	3800157651936
Box Qty:	50 Pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRW
SKU:	3117
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Matt Rose Gold
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634427
Box Qty:	24 pcs

Fitting-Recessed-1XGU10




Model No	VT-862-MRG
SKU:	3118
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Grey+Matt Rose Gold
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634434
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-CHW
SKU:	3119
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Chrome
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634441
Box Qty:	24 pcs

Fitting-Recessed-1XGU10




Model No	VT-862-CHG
SKU:	3120
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Grey+Chrome
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634458
Box Qty:	24 pcs

Fitting-Recessed-1XGU10




Model No	VT-862-MRR
SKU:	3121
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Off White+Matt Rose Gold
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634465
Box Qty:	24 pcs

Fitting-Recessed-1XGU10




Model No	VT-862-CHR
SKU:	3122
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Off White+Chrome
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634472
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRP
SKU:	3123
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Matt Rose Gold
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634489
Box Qty:	24 pcs

Fitting-Recessed-1XGU10




Model No	VT-862-MGRD
SKU:	3124
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	Grey+Matt Rose Gold
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634496
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRC
SKU:	3125
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	Off White+Matt Rose Gold
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634502
Box Qty:	24 pcs

Fitting-Recessed-1XGU10




Model No	VT-862-MRD
SKU:	3126
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	Off White+Chrome
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634519
Box Qty:	24 pcs

Fitting-Recessed-1XGU10




Model No	VT-862-CRD
SKU:	3127
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Chrome
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634526
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MG
SKU:	3128
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	Grey+Chrome
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634533
Box Qty:	24 pcs

Fitting-Ceiling Metal-1XGU10



Model No	VT-863
SKU:	3144
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White
Dimension:	200x200mm
Cutting Size:	206x206mm
EAN:	3800157634557
Box Qty:	12 pcs

Fitting-Recessed-Black Metal-Round



Model No	VT-866-BRD
SKU:	3145
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Black
Dimension:	ø100mm
Cutting Size:	ø103mm
EAN:	3800157635592
Box Qty:	30 pcs

Fitting-Recessed-Chrome Metal-Round



Model No	VT-866-CRD
SKU:	3146
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Chrome
Dimension:	ø100mm
Cutting Size:	ø103mm
EAN:	3800157635608
Box Qty:	30 pcs

Fitting-Recessed-Matt Rose Gold Metal-Round



Model No	VT-866-MRD
SKU:	3147
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Matt Rose Gold
Dimension:	ø100mm
Cutting Size:	ø103mm
EAN:	3800157635615
Box Qty:	30 pcs

Fitting-Recessed-Black Metal-Square



Model No	VT-866-BSQ
SKU:	3148
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Black
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN:	3800157635622
Box Qty:	30 pcs

Fitting-Recessed-Chrome Metal-Square




Model No	VT-866-CSQ
SKU:	3149
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Chrome
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN:	3800157635639
Box Qty:	30 pcs

Fitting-Recessed-Matt Rose Gold-Square




Model No	VT-866-GSQ
SKU:	3150
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Matt Rose Gold
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN:	3800157635646
Box Qty:	30 pcs

Fitting-Recessed-Square




Model No	VT-867-SQ
SKU:	3151
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White
Dimension:	ø120x120mm
Cutting Size:	125x125mm
EAN:	3800157635653
Box Qty:	24 Pcs

Fitting-Recessed-Round



Model No	VT-867-RD
SKU:	3152
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White
Dimension:	ø120mm
Cutting Size:	ø125mm
EAN:	3800157635660
Box Qty:	24 Pcs



Ceiling Fitting-Gu10



Model No	VT-788
SKU:	3617
Base:	1XGU10
Material:	Aluminium
Color of Fixture:	White
Dimension:	140x75x138mm
Cutting Size:	NA
EAN:	3800157607469
Box Qty:	20 Pcs

Ceiling Fitting-Gu10



Model No	VT-789
SKU:	3618
Base:	2XGU10
Material:	Aluminium
Color of Fixture:	White
Dimension:	230x75x138mm
Cutting Size:	NA
EAN:	3800157607476
Box Qty:	20 Pcs

Ceiling Fitting-Gu10



Model No	VT-790
SKU:	3619
Base:	3XGU10
Material:	Aluminium
Color of Fixture:	White
Dimension:	390x75x138mm
Cutting Size:	NA
EAN:	3800157607483
Box Qty:	10 Pcs

Ceiling/Wall Fitting-Gu10

NEW

Model No	VT-823
SKU:	7980
Base:	1XGU10
Material:	PC
Shape:	Round
Color of Fixture:	White
Dimension:	120x144.8mm
Cutting Size:	NA
EAN:	3800157655453
Box Qty:	50 Pcs

Ceiling/Wall Fitting-Gu10

NEW


Model No	VT-897
SKU:	7981
Base:	2XGU10
Material:	PC
Shape:	Round
Color of Fixture:	White
Dimension:	120x144.8mm
Cutting Size:	NA
EAN:	3800157655460
Box Qty:	50 Pcs

Ceiling/Wall Fitting-Gu10

NEW

Model No	VT-899
SKU:	7982
Base:	3XGU10
Material:	PC
Shape:	Round
Color of Fixture:	White
Dimension:	145x144.8mm
Cutting Size:	NA
EAN:	3800157655477
Box Qty:	20 Pcs

Gu10-Holder-PVC Cable



Model No	PVC Cable-5pc
SKU:	34235
Base:	GU10
Material:	Ceramic
Color of Fixture:	White
Wire length:	150mm
EAN:	3800157609982
Box Qty:	100 Pcs

Gu10-Holder-PVC Cable



Model No	PVC Cable
SKU:	3423
Base:	GU10
Material:	Ceramic
Color of Fixture:	White
Wire length:	150mm
EAN:	3800157607827
Box Qty:	500 Pcs

GU10 Silicon Wire-5Pc Pack



Model No	VT-791
SKU:	36205
Base:	GU10
Material:	Aluminium Ceramic
Color of Fixture:	White
Wire length:	158mm
EAN:	3800157636063
Box Qty:	500 Pcs

GU10 Silicon Wire



Model No	VT-791-W
SKU:	3620
Base:	GU10
Material:	Aluminium Ceramic
Color of Fixture:	White
Wire length:	158mm
EAN:	3800157607704
Box Qty:	500 Pcs

Mr16-Lampholder-5Pc Pack



Model No	VT-7889
SKU:	36265
Base:	MR16
Material:	Ceramic
Color of Fixture:	White
Wire length:	150mm
EAN:	3800157609999
Box Qty:	100 Pcs



LED PAR Lamps & AR111

V-TAC's LED PAR Lamps offer great quality of light and work as a perfect replacement for Standard Halogen PAR Lamps. Boasting energy efficiency and an impressive lamp life.

Product Features

- Eco friendly and Power Saving alternative for Standard Halogen Par Lamps with a longer life.
- Exceptional Heat Radiation Efficiency
- Premium Quality Power Driver
- Creates better Lighting effect than the old halogen bulb
- Dimmable & Non Dimmable options available

Applications


Widely used in Showrooms, Exhibition Stands, Stores, Offices and Reception areas, Hotels, Bars and Commercial Lighting






Including 2 reflectors (40° already mounted)

20°

40°



Instructions to change the reflector




AR111 Downlight

20w VT-1121

- SKU: 2792 | 3000K Warm White | 3800157650090
- SKU: 2793 | 4000K Day White | 3800157650106
- SKU: 2794 | 6400K White | 3800157650113

EQ. Watts:	130w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1800lm
LED Type:	COB
CRI:	>80
PF:	>0.9

Base:	N/A
Beam Angle:	40°/20°
Body Type:	Die Cast Aluminium
Dimension:	Ø111x53mm
Box Qty:	50 Pcs



AR111 Downlight

20W VT-1120-20



SKU: 1243 - 3000K Warm White 3800157606004
 SKU: 1244 - 4500K Day White 3800157606011
 SKU: 1245 - 6000K White 3800157606028



EQ. Watts: **100w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1800lm**
 LED Type: **COB**

CRI: **>80**
 PF: **>0.7**
 Base: **N/A**
 Beam Angle: **20°**

Body Type: **Die Cast Aluminium**
 Dimension: **Ø111x53mm**
 Box Qty: **50 Pcs**



AR111 Downlight

20W VT-1120-40



SKU: 1246 - 3000K Warm White 3800157606035
 SKU: 1247 - 4500K Day White 3800157606042
 SKU: 1248 - 6000K White 3800157606059



EQ. Watts: **100w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1800lm**
 LED Type: **COB**

CRI: **>80**
 PF: **>0.7**
 Base: **N/A**
 Beam Angle: **40°**

Body Type: **Die Cast Aluminium**
 Dimension: **Ø111x53mm**
 Box Qty: **50 Pcs**



AR111-G53

15W VT-1110-20

SKU: 4084 - 3000K Warm White 3800230620064
 SKU: 4062 - 4000K Day White 3800230620057
 SKU: 4061 - 6400K White 3800230620040





EQ. Watts: **75w**
 Voltage/Frequency: **AC/DC:12V,50Hz**
 Luminous Flux: **950lm**
 LED Type: **COB**

CRI: **>80**
 PF: **>0.9**
 Base: **G53**
 Beam Angle: **20°**

20°
 BEAM ANGLE

Body Type: **Plastic Clad Aluminium**
 Dimension: **Ø111x86x63mm**
 Box Qty: **60 Pcs**



AR111-G53

15W VT-1110-40

SKU: 4257 - 3000K Warm White 3800230628664
 SKU: 4256 - 4000K Day White 3800230628657
 SKU: 4255 - 6400K White 3800230628640





EQ. Watts: **25w**
 Voltage/Frequency: **AC/DC:12V,50Hz**
 Luminous Flux: **950lm**
 LED Type: **COB**

CRI: **>80**
 PF: **>0.9**
 Base: **G53**
 Beam Angle: **40°**

40°
 BEAM ANGLE

Body Type: **Plastic Clad Aluminium**
 Dimension: **Ø111x86x63mm**
 Box Qty: **60 Pcs**



AR111-GU10

12W VT-1112


SKU: 4224 - 2700K Warm White 3800230626257
 SKU: 4223 - 4000K Day White 3800230626219
 SKU: 4225 - 6400K White 3800230626264



EQ. Watts: **60w**
 Voltage/Frequency: **AC:200-240V,50Hz**
 Luminous Flux: **900lm**
 LED Type: **COB**

CRI: **>80**
 PF: **>0.9**
 Base: **GU10**
 Beam Angle: **40°**


Body Type: **Plastic Clad Aluminium**
 Dimension: **Ø111x86mm**
 Box Qty: **60 Pcs**





AR111-GU10
12W VT-1112D




SKU: 7234 - 3000K Warm White 3800157620055
SKU: 7235 - 4500K Day White 3800157620062
SKU: 7236 - 6000K White 3800157620079



EQ. Watts: 60w
Voltage/Frequency: AC:200-240V,50Hz
Luminous Flux: 900lm
LED Type: COB



CRI: >80
PF: >0.9
Base: GU10
Beam Angle: 40°

Body Type: Plastic Clad Aluminium
Dimension: Ø111x86mm
Box Qty: 60 Pcs





AR111-Accessories

Model No: VT-7221-W Dimension: 174x174 mm
SKU: 3575 Cutting Size: 163x163mm
Base: 1XAR111 EAN: 3800157604765
Material: Aluminium Box Qty: 24 Pcs
Color of Fixture: White





AR111-Accessories

Model No: VT-7222-W Dimension: 325x174mm
SKU: 3576 Cutting Size: 167x305mm.
Base: 2XAR111 EAN: 3800157604772
Material: Aluminium Box Qty: 12 Pcs
Color of Fixture: White




AR111-Accessories

Model No: VT-7223-W Dimension: 475x174mm
SKU: 3577 Cutting Size: 168x455mm
Base: 3XAR111 EAN: 3800157604789
Material: Aluminium Box Qty: 12 Pcs
Color of Fixture: White





AR111-Accessories

Model No: VT-7221-B Dimension: 174x174 mm
SKU: 3581 Cutting Size: 163x163mm
Base: 1XAR111 EAN: 3800157607063
Material: Aluminium Box Qty: 24 Pcs
Color of Fixture: Black




AR111-Accessories

Model No: VT-7222-B Dimension: 325x174 mm
SKU: 3582 Cutting Size: 167x305mm.
Base: 2XAR111 EAN: 3800157607070
Material: Aluminium Box Qty: 12 Pcs
Color of Fixture: Black



AR111-Accessories

Model No: VT-7223-B Dimension: 475x174mm
SKU: 3583 Cutting Size: 168x455mm
Base: 3XAR111 EAN: 3800157607087
Material: Aluminium Box Qty: 12 Pcs
Color of Fixture: Black



LED Floodlights

V-TAC's LED floodlights are ideal for lighting driveways, gardens and buildings. These energy efficient lights emit bright, vibrant light and make an eco-friendly alternative for traditional halogen floodlights and metal halide fixtures.

Product Features

- Available from 10w up to 1000w
- Premium quality aluminium alloy body
- Fascia glass sealed with silicone rubber ensuring superior waterproof / airtight performance
- High power led chip
- Built in constant current driver
- Built in power supply, no external ballast required

Applications



Widely used for lighting driveways, gardens & buildings, commercial bill boards & hoardings, sports grounds & parking lots



E Series-White Body
10w VT-4011W

SKU: 5943 - 3000K Warm White 3800157625364
 SKU: 5944 - 4000K Day White 3800157625371
 SKU: 5945 - 6500K White 3800157625388



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
Color of Fixture:	White
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	110x112x22mm
Box Qty:	40 Pcs



E Series-White Body
20w VT-4021W

SKU: 5949 - 3000K Warm White 3800157625425
 SKU: 5950 - 4000K Day White 3800157625432
 SKU: 5951 - 6500K White 3800157625449



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1700lm
Color of Fixture:	White
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	150x143x26mm
Box Qty:	20 Pcs



E Series-White Body
30w VT-4031W

SKU: 5955 - 3000K Warm White 3800157625487
 SKU: 5956 - 4000K Day White 3800157625494
 SKU: 5957 - 6500K White 3800157625500

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2550lm
Color of Fixture:	White
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	185x163x26mm
Box Qty:	20 Pcs







E Series-White Body


50W VT-4051W

SKU: 5961 - 3000K Warm White 3800157625548
 SKU: 5962 - 4000K Day White 3800157625555
 SKU: 5963 - 6500K White 3800157625562

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	4250lm
Color of Fixture:	White
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	245x192x28mm
Box Qty:	10 Pcs



IP65
RATING





E Series-White Body

100W VT-40101W

SKU: 5967 - 3000K Warm White 3800157625609
 SKU: 5968 - 4000K Day White 3800157625616
 SKU: 5969 - 6500K White 3800157625623

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	8500lm
Color of Fixture:	White
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	330x271x33mm
Box Qty:	5 Pcs



IP65
RATING





Slimline-White Body-White Wire

100W VT-49101W

SKU: 5972 - 6400K White 3800157626255

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	8500lm
Color of Fixture:	White
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Dimension:	291x240x30mm
Box Qty:	4 Pcs




IP65
RATING



E Series-Black Body

10w VT-4011

SKU: 5988 - Green 3800157625333
 SKU: 5989 - Red 3800157625340
 SKU: 5990 - Blue 3800157625357



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Color of Fixture:	Black
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	110x112x22mm
Box Qty:	40 Pcs




IP65
RATING



E Series-Black Body

20w VT-4021

SKU: 5991 - Green 3800157625395
 SKU: 5992 - Red 3800157625401
 SKU: 5993 - Blue 3800157625418



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Color of Fixture:	Black
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	150x143x26mm
Box Qty:	20 Pcs




IP65
RATING




E Series-Black Body

10w VT-4011B

SKU: 5940 - 3000K Warm White 3800157625333
 SKU: 5941 - 4000K Day White 3800157625340
 SKU: 5942 - 6500K White 3800157625357



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
Color of Fixture:	Black
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	110x112x22mm
Box Qty:	40 Pcs



IP65
RATING





IP65
RATING

E Series-Black Body 20W VT-4021B

SKU: 5946 - 3000K Warm White 3800157625395
SKU: 5947 - 4000K Day White 3800157625401
SKU: 5948 - 6500K White 3800157625418

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1700lm
Color of Fixture:	Black
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	150x143x26mm
Box Qty:	20 Pcs





IP65
RATING

E Series-Black Body 30W VT-4031B

SKU: 5952 - 3000K Warm White 3800157625456
SKU: 5953 - 4000K Day White 3800157625463
SKU: 5954 - 6500K White 3800157625470

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2550lm
Color of Fixture:	Black
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	185x163x26mm
Box Qty:	20 Pcs





IP65
RATING

E Series-Black Body 50W VT-4051B

SKU: 5958 - 3000K Warm White 3800157625517
SKU: 5959 - 4000K Day White 3800157625524
SKU: 5960 - 6500K White 3800157625531


Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4250lm
Color of Fixture:	Black
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	245x192x28mm
Box Qty:	10 Pcs






E Series-Black Body
100W VT-40101B

SKU: 5964 - 3000K Warm White 3800157625579
 SKU: 5965 - 4000K Day White 3800157625586
 SKU: 5966 - 6500K White 3800157625593



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	8500lm
Color of Fixture:	Black
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	330x271x33mm
Box Qty:	5 Pcs



Solar-Floodlight
VT-777-5 **5W**

SKU: 8547 - 4000K Day White 3800157639194

Battery:	3000mAh
Luminous Flux:	500lm
Color of Fixture:	Black
Charging Time:	6-7 Hours
Working Time:	Max 36 Hours
IP Rating:	IP65
Beam Angle:	90°
CRI:	>70
Body Type:	ABS+PC
Dimension:	217.4x149.3x33.7mm
Box Qty:	18Pcs



Solar-Floodlight
VT-787-10 **10w**

SKU: 8550 - 4000K Day White 3800157639224

Battery:	3000mAh
Luminous Flux:	1100lm
Color of Fixture:	Black
Charging Time:	6-7 Hours
Working Time:	Max 24 Hours
IP Rating:	IP65
Beam Angle:	90°
CRI:	>70
Body Type:	ABS+PC
Dimension:	300x215x35mm
Box Qty:	8Pcs






Solar-Floodlight VT-788-10 10w

SKU: 8674 - 4000K Day White 3800157652629


Battery:	7200mAh
Voltage/Frequency:	
Luminous Flux:	1100lm
Color of Fixture:	Black
Charging Time:	6-7 Hours
Working Time:	Max 24 Hours
IP Rating:	IP65
Beam Angle:	90°
CRI:	>80
Body Type:	Aluminium
Dimension:	232x166x33mm
Box Qty:	10 Pcs



12W Solar Panel with LED Floodlight VT-25W

SKU: 8573 - 4000K Day White 3800157645584
SKU: 94006 - 6000K White 3800157645744


Battery:	5000mAh
Voltage/Frequency:	DC:3.2V
Luminous Flux:	550lm
Color of Fixture:	Black
Charging Time:	4 Hours
Working Time:	8 Hours
IP Rating:	IP65
Beam Angle:	120°
CRI:	>70
Body Type:	Aluminium
Dimension:	205x50x170mm
Box Qty:	8Pcs



16W Solar Panel with LED Floodlight VT-40W

SKU: 8574 - 4000K Day White 3800157645591
SKU: 94008 - 6000K White 3800157645751


Battery:	10000mAh
Voltage/Frequency:	DC:3.2V
Luminous Flux:	1050lm
Color of Fixture:	Black
Charging Time:	4 Hours
Working Time:	8 Hours
IP Rating:	IP65
Beam Angle:	120°
CRI:	>70
Body Type:	Aluminium
Dimension:	247x65x210mm
Box Qty:	6Pcs



20W Solar Panel with LED Floodlight
VT-60W

SKU: 8575 - 4000K Day White 3800157645607
SKU: 94010 - 6000K White 3800157645768


Battery:	10000mAh
Voltage/Frequency:	DC:6.4V
Luminous Flux:	1650lm
Color of Fixture:	Black
Charging Time:	4 Hours
Working Time:	8 Hours
IP Rating:	IP65
Beam Angle:	120°
CRI:	>70
Body Type:	Aluminium
Dimension:	270x70x238mm
Box Qty:	5Pcs



35W Solar Panel with LED Floodlight
VT-100W

SKU: 8576 - 4000K Day White 3800157645614
SKU: 94012 - 6000K White 3800157645775

Battery:	15000mAh
Voltage/Frequency:	DC:6.4V
Luminous Flux:	2450lm
Color of Fixture:	Black
Charging Time:	4 Hours
Working Time:	8 Hours
IP Rating:	IP65
Beam Angle:	120°
CRI:	>70
Body Type:	Aluminium
Dimension:	325x85x280mm
Box Qty:	2Pcs



40W Solar Panel with LED Floodlight
VT-200W

SKU: 8577 - 4000K Day White 3800157645621
SKU: 94026 - 6000K White 3800157645782


Battery:	20000mAh
Voltage/Frequency:	DC:10V
Luminous Flux:	3100lm
Color of Fixture:	Black
Charging Time:	4 Hours
Working Time:	8 Hours
IP Rating:	IP65
Beam Angle:	120°
CRI:	>70
Body Type:	Aluminium
Dimension:	353x90x304mm
Box Qty:	2Pcs



50W Solar Panel with LED Floodlight

VT-300W

SKU: 8578 - 4000K Day White 3800157645638
SKU: 94027 - 6000K White 3800157645799



Battery:	25000mAh
Voltage/Frequency:	DC:10V
Luminous Flux:	4200lm
Color of Fixture:	Black
Charging Time:	4 Hours
Working Time:	8 Hours
IP Rating:	IP65
Beam Angle:	120°
CRI:	>70
Body Type:	Aluminium
Dimension:	437x90x356mm
Box Qty:	2Pcs



Solar Streetlight-Black Cover

15W VT-ST15

SKU: 8549 - 4000K Day White 3800157639200
SKU: 8548 - 6000K White 3800157639217

Battery:	7.4V Lithium Battery,10800mAh
Lumens:	1600lm
No. of LED:	40
Detecting Angle:	120°
Sensing Range:	3-8M

Charging Time:	6-7 Hours
IP Rating:	IP65
Material:	ABS+PC
Dimension:	413x232x58mm
Working Time:	2-36 Hours

50W Solar Panel With Streetlight

VT-ST200

SKU: 5502 - 4000K Day White 3800157652339



Battery:	Li-ion 6.4V/27.5AH Battery
Charging Time:	4-6 hrs Sunlight Charging
Working Time:Volt-	12-15Hours
age/Frequency:	DC:3.2V
Luminous Flux:	4000lm
LED Type:	SMD

IP Rating:	IP65
CRI:	>70
Beam Angle:	120°
Body Type:	Aluminium
Box Qty:	1 Pcs



NEW



Floodlight-Remote Control-RGB

30W VT-4932

SKU: 5995 - RGB

3800157655064



IP65
RATING




RGB
RF CONTROL

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V
Color of Fixture:	Black

PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°

Body Type:	Aluminium
Dimension:	185x163x26mm
Box Qty:	20Pcs



NEW



Floodlight-Remote Control-RGB

50W VT-4952

SKU: 5996 - RGB

3800157655071



IP65
RATING




RGB
RF CONTROL

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V
Color of Fixture:	Black

PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°

Body Type:	Aluminium
Dimension:	245x192x28mm
Box Qty:	10Pcs



Floodlight-Infrared-RGB

10w VT-4711IF

SKU: 5895 - RGB

3800157617529



IP65
RATING




RGB
IR CONTROL

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
Color of Fixture:	Grey

CRI:	>80
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	87X115X85mm
Box Qty:	20 Pcs



Floodlight-Remote Control-RGB

30W VT-4732

SKU: 5755 - RGB

3800157609517



IP65
RATING




RGB
RF CONTROL

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V
Luminous Flux:	2400lm
Color of Fixture:	Grey

CRI:	>80
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	136x227x206mm
Box Qty:	6 Pcs






PIR Sensor-WIFI-Camera

18W VT-4818W

SKU: 5745 - 6000K White

3800157608268



Video Compression:	H.264 / MJPEG dual video stream	PF:	>0.5
Image Resolution:	1280*720	Beam Angle:	180°
Image sensor:	1/4 " 1Megapixel CMOS	Color of Fixture:	White
Pixels:	1 million pixels	Body Type:	ABS+Aluminium
Delay Time:	0-30S	IP Rating:	IP20
Voltage/Frequency:	AC:100-240V,50/60Hz	Dimension:	248x 162x 181mm
Luminous Flux:	600lm	Box Qty:	4 Pcs
CRI:	>70		




PIR Sensor-WIFI-Camera

18W VT-4818B

SKU: 5917 - 6000K White

3800157620925



Video Compression:	H.264 / MJPEG dual video stream	PF:	>0.5
Image Resolution:	1280*720	Beam Angle:	180°
Image sensor:	1/4 " 1Megapixel CMOS	Color of Fixture:	Black
Pixels:	1 million pixels	Body Type:	ABS+Aluminium
Delay Time:	0-30S	IP Rating:	IP20
Voltage/Frequency:	AC:100-240V,50/60Hz	Dimension:	248x162x181mm
Luminous Flux:	600lm	Box Qty:	4 Pcs
CRI:	>70		




Bluetooth Floodlight

20W VT-5020-W

SKU: 5984 - RGB+W/WW/DW

3800157640411



Voltage/Frequency:	AC:220-240V	IP Rating:	IP65
Luminous Flux:	1400lm	Beam Angle:	100°
Color of Fixture:	White	Body Type:	Aluminium
CRI:	>80	Dimension:	141.6x42.7x126.3mm
PF:	>0.9	Box Qty:	20 Pcs


CCT and Dimming
VIA SMART PHONE APP

Bluetooth Floodlight

20W VT-5020-B

SKU: 5985 - RGB+W/WW/DW

3800157640428



Voltage/Frequency:	AC:220-240V	IP Rating:	IP65
Luminous Flux:	1400lm	Beam Angle:	100°
Color of Fixture:	Black	Body Type:	Aluminium
CRI:	>80	Dimension:	141.6x42.7x126.3mm
PF:	>0.9	Box Qty:	20 Pcs

CCT and Dimming
VIA SMART PHONE APP



Waterproof Box Terminal Block

VT-881

SKU: 5987 3800157642835

Voltage:	AC:450V
Material:	PP
Size:	Ø65.33x46.31mm
Wire range:	0.5-2.5mm ²
Cable Diameter:	5-9mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	150 Pcs




Waterproof Box Terminal Block

VT-868-w

SKU: 5986 3800157642828

Voltage:	AC:450V
Material:	Polycarbonate(PA66)
Size:	75.8x26.7mm
Wire range:	0.5-1.5mm ²
Cable Diameter:	5-9mm
Fire Retardant Level:	V2
Ampere:	16A
Box Qty:	1000 Pcs




Waterproof Box Terminal Block

VT-868

SKU: 5977 3800157636070

Voltage:	AC:450V
Material:	Polycarbonate(PA66)
Size:	75.8x26.7mm
Wire range:	0.5-1.5mm ²
Cable Diameter:	5-9mm
Fire Retardant Level:	V2
Ampere:	16A
Box Qty:	1000



Waterproof Box Terminal Block

VT-869-B

SKU: 5978 3800157636087

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	106.8x96x29mm
Wire range:	0.5-4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	200



Waterproof Box Terminal Block

VT-869-W

SKU: 5979 3800157636094

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	106.8x96x29mm
Wire range:	0.5-4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	200



Waterproof Box Terminal Block

VT-870-B

SKU: 5980 3800157636100

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	126.8x93.3x35.3mm
Wire range:	0.5-4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



Waterproof Box Terminal Block

VT-870-W

SKU: 5981 3800157636117

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	126.8x93.3x35.3mm
Wire range:	0.5-4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



Waterproof Box Terminal Block

VT-871-B

SKU: 5982 3800157636124

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	112.6x93.3x35.3mm
Wire range:	0.5-4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



Waterproof Box Terminal Block

VT-871-W

SKU: 5983 3800157636131

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	112.6x93.3x35.3mm
Wire range:	0.5-4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



Waterproof Box Terminal Block

VT-7224-B

SKU: 3578 3800157605335

Voltage:	AC:250V Max
Material:	Polypropylene (PP)
Size:	123x46x33mm
Wire range:	0.5-2.5mm ²
Box Qty:	160 Pcs



Waterproof Box Terminal Block

VT-792-B

SKU: 3621 3800157607735

Voltage:	AC:220V
Material:	Flame Retardant PP
Size:	Ø27x76mm
Wire range:	4-6.5mm
Box Qty:	500 Pcs



Waterproof Box Terminal Block

VT-7224-W

SKU: 5897 3800157619202

Voltage:	AC:250V Max
Material:	Polypropylene (PP)
Size:	123x46x33mm
Wire range:	0.5-2.5mm ²
Box Qty:	240 Pcs



Waterproof Box Terminal Block

VT-792-W

SKU: 5896 3800157619196

Voltage:	AC:220V
Material:	Flame Retardant PP
Size:	Ø27x76mm
Wire range:	4-6.5mm
Box Qty:	500 Pcs



Tripod Stand-Yellow

VT-41150Y

SKU: 9104 3800230626202

Size: 900x940-1800mm
Box Qty: 8 Pcs



Tripod Stand-Black

VT-41150B

SKU: 9546 3800157604925

Size: 900x940-1800mm
Box Qty: 8 Pcs



Billboard Stand

VT-793

SKU: 3622 3800157607803

Size: 870x200mm
Box Qty: 4 Pcs

87cm Suitable For:
70w - 100w - 120w - 150w - 200w



Billboard Stand

VT-794

SKU: 3623 3800157607810

Size: 850x150mm
Box Qty: 4 Pcs

85cm Suitable For:
10w - 20w - 30w - 50w



Floodlight Spike-Grey

VT-854-G

SKU: 7533 3800157630467



Size: Ø35xH150mm
Box Qty: 200 Pcs
Body Type: Aluminium
Suitable for 10-50W



Floodlight Spike-White

VT-854-W

SKU: 7534 3800157630474



Size: Ø35xH150mm
Box Qty: 200 Pcs
Body Type: Aluminium
Suitable for 10-50W



Floodlight Spike-Black

VT-854-B

SKU: 7535 3800157630481



Size: Ø35xH150mm
Box Qty: 200 Pcs
Body Type: Aluminium
Suitable for 10-50W



Floodlight Spike-Grey

VT-855-G

SKU: 7536 3800157630498



Size: Ø60xH265mm
Box Qty: 100 Pcs
Body Type: Aluminium
Suitable for 10-150W



Floodlight Spike-White

VT-855-W

SKU: 7537 3800157630504



Size: Ø60xH265mm
Box Qty: 100 Pcs
Body Type: Aluminium
Suitable for 10-150W



Floodlight Spike-Black

VT-855-B

SKU: 7538 3800157630511



Size: Ø60xH265mm
Box Qty: 100 Pcs
Body Type: Aluminium
Suitable for 10-150W





LED Panels

Experience consistent illumination and zero hot or cold spots, introducing slim and sleek LED Panel Lighting from V-TAC.

Product Features

- Ultra Slim Design
- Contemporary & Elegant Design
- Higher Light Transmission Rate
- Exterior shell, cannot be easily damaged
- No infrared, does not attract flies
- Easy to install
- No Lead or mercury content hence environment friendly
- Dimmable options available in selected models

Applications

Offices, conference room, hospitals, hotels, shopping malls, showroom, kitchen and domestic lighting etc.

NEW




EASY TOGGLE SWITCH



3000K 4000K 6400K

EASY ACCESS FOR COLOR CHANGING WITH BUTTON

31 IN COLOR CHANGING



CCT Changing Panel
40W VT-6240

SKU: 6605 - 3IN1

3800157654852

Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **3200lm**
Beam Angle: **120°**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Shape: **Square**


Body Type: **FE+PP**
Dimension: **595x595x29mm**
Box Qty: **6 Pcs**



Witness the True to Life Colors

A CRI score of 95 is considered very high, and indicates that a light source will make objects appear very similar to how they would look under natural lighting conditions.

Without a high CRI light source, objects can appear faded, dull or inaccurate.



Big Panels-60x60-CRI>95

45W VT-6245


SKU: 8086 - 3000K Warm White
SKU: 8087 - 4000K Day White
SKU: 8088 - 6400K White

3800157648363
3800157648370
3800157648387

Emergency Pack: **Available**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **3600lm**
Beam Angle: **120°**

LED Type: **SMD**
CRI: **>95**
PF: **>0.9**
Shape: **Square**


Body Type: **Aluminium+PMMA+PP**
Dimension: **595x595x14mm**
Box Qty: **6 Pcs**



Big Panels-60x60-IP65

40W VT-6140

SKU: 6603 - 4000K Day White 3800157652100
SKU: 6604 - 6400K White 3800157652117



Emergency Pack:	NA
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4400lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square


Body Type:	Aluminium+PMMA+PS
Dimension:	595x595x11mm
Box Qty:	6 Pcs



Big Panels-60x60-Lifud Driver

36W VT-6236

SKU: 8082 - 4000K Day White 3800157646857
SKU: 8081 - 6400K White 3800157646840



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3240lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square


Body Type:	Aluminium+PS+PP
Dimension:	595x595x8.5mm
Box Qty:	6 Pcs



Big Panels-60x60

36W VT-6237

SKU: 8083 - 3000K Warm White 3800157646925
SKU: 8084 - 4000K Day White 3800157646932
SKU: 8085 - 6400K White 3800157646949



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3240lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square


Body Type:	Aluminium+PS+PP
Dimension:	595x595x8.5mm
Box Qty:	6 Pcs



Big Panels-60x60

45W VT-6060-6

SKU: 60286 - 3000K Warm White 3800230624482
SKU: 60246 - 4000K Day White 3800230623652
SKU: 60256 - 6400K White 3800230623584



Emergency Pack:	Available
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA+PP
Dimension:	595x595x14mm
Box Qty:	6 Pcs




Big Panels-UGR<19-60x60

45w VT-6068-6

SKU: 62206 - 3000K Warm White 3800157619516
 SKU: 62186 - 4000K Day White 3800157609265
 SKU: 62196 - 6400K White 3800157609272

LG7 Compliant
UGR < 19



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA+PP
Dimension:	595x595x14mm
Box Qty:	6 Pcs




Big Panels-UGR<19-62x62

45w VT-6069

SKU: 6222 - 3000K Warm White 3800157604918
 SKU: 6217 - 4000K Day White 3800157604857
 SKU: 6221 - 6400K White 3800157604901

LG7 Compliant
UGR < 19



Emergency Pack:	Available
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	90°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA+PP
Dimension:	620x620x13mm
Box Qty:	6 Pcs




Big Panels-High Lumen-62x62

29w VT-6262

SKU: 6471 - 4000K Day White 3800157641012

120
 Lumen/W



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3480lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA
Dimension:	620x620x15.5mm
Box Qty:	6 Pcs




Big Panels-High Lumen-60x60

29w VT-6129-6

SKU: 62406 - 3000K Warm White 3800157619608
 SKU: 62416 - 4000K Day White 3800157609289
 SKU: 62426 - 6400K White 3800157609296

120
 Lumen/W



Emergency Pack:	Available
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3480lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA+PP
Dimension:	595x595x13mm
Box Qty:	6 Pcs




Big Panels-High Lumen-60x60

45w VT-6145-6

SKU: 63776 - 3000K Warm White 3800157622158
 SKU: 62366 - 4000K Day White 3800157615723
 SKU: 62376 - 6400K White 3800157615730

120
 Lumen/W



Emergency Pack:	Available
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	5400lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA+PP
Dimension:	595x595x13mm
Box Qty:	6 Pcs



Big Panels-High Lumen-60x60


36w VT-6136

SKU: 6376 - 3000K Warm White 3800157622141
 SKU: 6238 - 4000K Day White 3800157607636
 SKU: 6239 - 6400K White 3800157607643



Emergency Pack: Available
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 4320lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium+PMMA+PC
 Dimension: 595x595x13mm
 Box Qty: 6 Pcs



Big Panels-High Lumen-62x62


36w VT-6137

SKU: 62436 - 4000K Day White 3800157619622
 SKU: 63796 - 6400K White 3800157622172



Emergency Pack: Available
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 4320lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square




Body Type: Aluminium+PMMA+PC
 Dimension: 620x620x13mm
 Box Qty: 6 Pcs



Surface/Recessed Panel-60x60

40w VT-6142-1

SKU: 64511 - 4000K Day White 3800157644990
 SKU: 64521 - 6500K White 3800157645003



Emergency Pack: NA
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 3200lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square

Body Type: FE+PP
 Dimension: 595x595x29mm
 Box Qty: 4 Pcs



Surface/Recessed Panel-60x60


40w VT-6142

SKU: 6451 - 4000K Day White 3800157636438
 SKU: 6452 - 6500K White 3800157636421



Emergency Pack: NA
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 4000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square




Body Type: FE+PP
 Dimension: 595x595x29mm
 Box Qty: 6 Pcs



Surface/Recessed Panel-60x60

70w VT-6170

SKU: 6453 - 4000K Day White 3800157636452
 SKU: 6454 - 6500K White 3800157636445



Emergency Pack: NA
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 5950lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square

Body Type: FE+PP
 Dimension: 595x595x29mm
 Box Qty: 6 Pcs




Big Panels-High Lumen-120x30

29w VT-12031

SKU: 6256 - 3000K Warm White 3800157610414
 SKU: 6257 - 4000K Day White 3800157610421
 SKU: 6258 - 6400K White 3800157610438

120
Lumen/W



Emergency Pack:	Available
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3480lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Rectangle

Body Type:	Aluminium+PMMA+PS
Dimension:	1195x295x14mm
Box Qty:	6 Pcs




Big Panel-High Lumen-120x30

45w VT-12046

SKU: 6384 - 4000K Day White 3800157624770
 SKU: 6385 - 6000K White 3800157624787

120
Lumen/W



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	5400lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Rectangle


Body Type:	Aluminium+PMMA+PS
Dimension:	1195x295x14mm
Box Qty:	6 Pcs



Big Panels-120x30

45w VT-12030

SKU: 60696 - 3000K Warm White 3800157609326
 SKU: 60266 - 4000K Day White 3800230623638
 SKU: 60276 - 6400K White 3800157609319



Emergency Pack:	Available
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Rectangle

Body Type:	Aluminium+PMMA+PS
Dimension:	1195x295x14mm
Box Qty:	6 Pcs




Big Panels-UGR<19-120x30

45w VT-12032

SKU: 6329 - 4000K Day White 3800157619615


LG7 Compliant UGR < 19



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Rectangle

Body Type:	Aluminium+PMMA+PS
Dimension:	1195x295x14mm
Box Qty:	6 Pcs




Big Panels-High Lumen-120x60

45w VT-12045

SKU: 6332 - 4000K Day White 3800157620321
 SKU: 6333 - 6400K White 3800157620338

120
Lumen/W



Emergency Pack:	Available
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	5400lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Rectangle

Body Type:	Aluminium+PMMA+PS
Dimension:	1195x595x14mm
Box Qty:	2 Pcs



Transparent Panel-120x30


40w VT-6144

SKU: 6458 - 4000K Day White

3800157638098

5 YEAR WARRANTY

0-10V DIMMABLE



Emergency Pack: Available
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 3200lm
 Beam Angle: 140°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Rectangle

Body Type: Aluminium+PC
 Dimension: 1210x319mm
 Box Qty: 4 Pcs

DRIVERS FOR BIG PANELS voltage: AC:220-240V,50/60Hz

 Watts: 45w SKU: 6019 Dimmable: Yes EAN: 3800157604017 Box Qty: 50 Pcs DIMMABLE	 Watts: 29w SKU: 6268 Dimmable: Yes EAN: 3800157614412 Box Qty: 20 Pcs DIMMABLE	 Watts: 29w SKU: 6271 Dimmable: No EAN: 3800157614443 Box Qty: 50 Pcs 5 YEAR WARRANTY FLICKER FREE	 Watts: 36w SKU: 6436 Dimmable: No EAN: 3800157629386 Box Qty: 20 Pcs 5 YEAR WARRANTY	 Watts: 45w SKU: 6450 Dimmable: No EAN: 3800157635677 Box Qty: 50 Pcs 5 YEAR WARRANTY
 Watts: 45w SKU: 6437 Dimmable: Yes EAN: 3800157630337 Box Qty: 20 Pcs 1-10V DIMMABLE	 Watts: 45w SKU: 6386 Dimmable: No EAN: 3800157624886 Box Qty: 50 Pcs 120 Lumen/W	 Watts: 45w SKU: 6427 Dimmable: No EAN: 3800157626996 Box Qty: 50 Pcs 5 YEAR WARRANTY 120 Lumen/W	 Watts: 45w SKU: 6270 Dimmable: No EAN: 3800157614436 Box Qty: 50 Pcs FLICKER FREE 5 YEAR WARRANTY 120 Lumen/W	 Watts: 72w SKU: 6328 Dimmable: No EAN: 3800157619592 Box Qty: 50 Pcs 5 YEAR WARRANTY

MOUNTING KITS FOR PANELS



Watts: **29w**
 SKU: **6259**
 Dimmable: **No**
 EAN: **3800157610445**
 Box Qty: **50 Pcs**



Suspended Mounting

SKU: **6018**
 EAN: **3800230623669**
 Box Qty: **100 Pcs**

Adjustable height from 0.3 to 1m. This product can be used for all sizes of panels, that is
 • 300 x 300 • 600 x 600 • 1200 x 300 • 1200 x 600



Surface Mounting-60x60

SKU: **9999**
 EAN: **3800230623676**
 Box Qty: **5 Pcs**

Convert the recessed panel to surface panel and install it easily on solid surfaces.



Surface Mounting-62x62

SKU: **9997**
 EAN: **3800157633130**
 Box Qty: **5 Pcs**

Convert the recessed panel to surface panel and install it easily on solid surfaces.



Surface Mounting-60x60

SKU: **8156**
 EAN: **3800157640213**
 Box Qty: **10 Pcs**

IMPROVED
MATERIAL
MORE STRONG



Surface Mounting-62x62

SKU: **8157**
 EAN: **3800157640220**
 Box Qty: **10 Pcs**

IMPROVED
MATERIAL
MORE STRONG



Surface Mounting-120x30

SKU: **9969**
 EAN: **3800230623683**
 Box Qty: **6 Pcs**



Surface Mounting-120x60

SKU: **9989**
 EAN: **3800230623614**
 Box Qty: **5 Pcs**




Surface Mounting-120x30

SKU: **8158**
 EAN: **3800157640237**
 Box Qty: **10 Pcs**

IMPROVED
MATERIAL
MORE STRONG





Emergency Pack-6W to 24W


VT-525

SKU: 8275 3800157627474

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

Voltage:	DC:20-80V
Led output power:	AC:220-240V,50/60Hz
Charging time:	24 Hours
Working time:	3 hours
Battery:	Ni-Cd7.2V/2000mAh

Color of Fixture:	Silver
Body Type:	Aluminium
Size:	455x52x33mm
Emergency switch on time:	< 1s
Box Qty:	20 Pcs



Emergency Pack-29W to 45W

VT-518

SKU: 60303 3800157617451

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

Voltage:	DC:30-42V
Led output power:	AC:220-240V,50/60Hz
Charging time:	24 Hours
Working time:	3 Hours
Battery:	NI-CD, 7.2V, 4000 mAh

Color of Fixture:	Silver
Body Type:	Aluminium
Size:	465x52x33mm
Emergency switch on time:	< 1s
Box Qty:	12 Pcs



Linear Lights

10w VT-10001

SKU: 6401 - 3000K Warm White 3800157626620
 SKU: 6402 - 4000K Day White 3800157626637
 SKU: 6403 - 6400K White 3800157626644

Cutting Size:
138x32mm

Emergency Pack: Available	LED Type: SMD	Body Type: Aluminium
Voltage/Frequency: AC:85-265V,50/60Hz	CRI: >80	Dimension: 160x45x65mm
Luminous Flux: 750lm	PF: >0.5	Box Qty: 20 Pcs
Beam Angle: 120°	Shape: Rectangle	



Linear Lights

20w VT-20001

SKU: 6404 - 3000K Warm White 3800157626651
 SKU: 6405 - 4000K Day White 3800157626668
 SKU: 6406 - 6400K White 3800157626675

Cutting Size:
270x32mm

Emergency Pack: Available	LED Type: SMD	Body Type: Aluminium
Voltage/Frequency: AC:85-265V,50/60Hz	CRI: >80	Dimension: 290x45x65mm
Luminous Flux: 1600lm	PF: >0.5	Box Qty: 20 Pcs
Beam Angle: 120°	Shape: Rectangle	



Linear Lights

30w VT-30001

SKU: 6407 - 3000K Warm White 3800157626682
 SKU: 6408 - 4000K Day White 3800157626699
 SKU: 6409 - 6400K White 3800157626705

Cutting Size:
405x32mm

Emergency Pack: Available	LED Type: SMD	Body Type: Aluminium
Voltage/Frequency: AC:85-265V,50/60Hz	CRI: >80	Dimension: 430x45x65mm
Luminous Flux: 2400lm	PF: >0.9	Box Qty: 10 Pcs
Beam Angle: 120°	Shape: Rectangle	



Linear Lights

10w VT-10002

SKU: 6410 - 3000K Warm White 3800157626712
 SKU: 6411 - 4000K Day White 3800157626729
 SKU: 6412 - 6400K White 3800157626736

Cutting Size:
138x32mm

Emergency Pack: Available	LED Type: SMD	Body Type: Aluminium
Voltage/Frequency: AC:85-265V,50/60Hz	CRI: >80	Dimension: 160x45x72mm
Luminous Flux: 700lm	PF: >0.5	Box Qty: 20 Pcs
Beam Angle: 120°	Shape: Rectangle	

Linear Lights

20W VT-20002

SKU: 6413 - 3000K Warm White 3800157626743
 SKU: 6414 - 4000K Day White 3800157626750
 SKU: 6415 - 6400K White 3800157626767

Cutting Size:
 270x32mm

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1400lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**
 Shape: **Rectangle**

Body Type: **Aluminium**
 Dimension: **290x45x72mm**
 Box Qty: **20 Pcs**

Linear Lights

30W VT-30002

SKU: 6416 - 3000K Warm White 3800157626774
 SKU: 6417 - 4000K Day White 3800157626781
 SKU: 6418 - 6400K White 3800157626798

Cutting Size:
 405x32mm

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **2100lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Rectangle**

Body Type: **Aluminium**
 Dimension: **430x45x72mm**
 Box Qty: **10 Pcs**




Premium Series-Round

3W VT-307RD

SKU: 6292 - 3000K Warm White 3800157616751
 SKU: 6293 - 4000K Day White 3800157616768
 SKU: 6294 - 6400K White 3800157616775

Cutting Size:
 Ø73mm



Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **210lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**
 Shape: **Round**


Body Type: **Aluminium**
 Dimension: **Ø84x12mm**
 Box Qty: **40 Pcs**

Premium Series-Round

6W VT-607RD

SKU: 4854 - 3000K Warm White 3800230629753
 SKU: 4855 - 4000K Day White 3800230629760
 SKU: 4856 - 6400K White 3800230629777

Cutting Size:
 Ø110mm



Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **420lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**
 Shape: **Round**

Body Type: **Aluminium**
 Dimension: **Ø120x12mm**
 Box Qty: **40 Pcs**




Premium Series-Round

12w VT-1207RD

SKU: 4857 - 3000K Warm White 3800230629784
 SKU: 4858 - 4000K Day White 3800230629791
 SKU: 4859 - 6400K White 3800230629807

Cutting Size:
 Ø155mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.6
 Shape: Round

Body Type: Aluminium
 Dimension: Ø170x12mm
 Box Qty: 20 Pcs




Premium Series-Round

18w VT-1807RD

SKU: 4860 - 3000K Warm White 3800230629814
 SKU: 4861 - 4000K Day White 3800230629821
 SKU: 4862 - 6400K White 3800230629838

Cutting Size:
 Ø210mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.6
 Shape: Round

Body Type: Aluminium
 Dimension: Ø225x12mm
 Box Qty: 20 Pcs




Premium Series-Round

22w VT-2207RD

SKU: 6422 - 3000K Warm White 3800157626941
 SKU: 6423 - 4000K Day White 3800157626958
 SKU: 6424 - 6400K White 3800157626965

Cutting Size:
 Ø220 mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1800lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium
 Dimension: Ø240x12mm
 Box Qty: 20 Pcs




Premium Series-Round

24w VT-2407RD

SKU: 4872 - 3000K Warm White 3800157601559
 SKU: 4873 - 4000K Day White 3800157601566
 SKU: 4874 - 6400K White 3800157601573

Cutting Size:
 Ø280mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium
 Dimension: Ø300x12mm
 Box Qty: 10 Pcs




Premium Series-Round

30w VT-3107RD

SKU: 6428 - 4000K Day White 3800157628075
 SKU: 6429 - 6400K White 3800157628082

Cutting Size:
 Ø280mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2400lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium
 Dimension: Ø300x12mm
 Box Qty: 10 Pcs



Premium Series-Square


3W VT-3075Q

SKU: 6295 - 3000K Warm White 3800157616782
 SKU: 6296 - 4000K Day White 3800157616799
 SKU: 6297 - 6400K White 3800157616805

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **210lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**
 Shape: **Square**

Cutting Size:
74x73mm



Body Type: **Aluminium**
 Dimension: **84x84x12mm**
 Box Qty: **40 Pcs**



Premium Series-Square


6W VT-6075Q

SKU: 4863 - 3000K Warm White 3800230629845
 SKU: 4864 - 4000K Day White 3800230629852
 SKU: 4865 - 6400K White 3800230629869

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **420lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.7**
 Shape: **Square**

Cutting Size:
110mm



Body Type: **Aluminium**
 Dimension: **120x120x12mm**
 Box Qty: **40 Pcs**



Premium Series-Square


12W VT-12075Q

SKU: 4866 - 3000K Warm White 3800230629876
 SKU: 4867 - 4000K Day White 3800230629883
 SKU: 4868 - 6400K White 3800230629890

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1000lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.6**
 Shape: **Square**

Cutting Size:
155x155mm



Body Type: **Aluminium**
 Dimension: **170x170x12mm**
 Box Qty: **20 Pcs**



Premium Series-Square


18W VT-18075Q

SKU: 4869 - 3000K Warm White 3800230629906
 SKU: 4870 - 4000K Day White 3800230629913
 SKU: 4871 - 6400K White 3800230629920

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.6**
 Shape: **Square**

Cutting Size:
205x205mm



Body Type: **Aluminium**
 Dimension: **225x225x12mm**
 Box Qty: **20 Pcs**



Premium Series-Square


24W VT-24075Q

SKU: 4887 - 3000K Warm White 3800157602198
 SKU: 4888 - 4000K Day White 3800157602204
 SKU: 4889 - 6400K White 3800157602211

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **2000lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Square**

Cutting Size:
280x280mm



Body Type: **Aluminium**
 Dimension: **300x300x12mm**
 Box Qty: **10 Pcs**




Premium Series-Square

36W VT-3107SQ

SKU: 6430 - 4000K Day White 3800157628099
 SKU: 6431 - 6400K White 3800157628105

Cutting Size:
 280x280mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2400lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium
Dimension:	300x300x12mm
Box Qty:	10 Pcs




SG Series-Square

8W VT-800 SQ

SKU: 4818 - 6400K White 3800230622563

Cutting Size:
 125x125mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	800lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium(PKW)
Dimension:	145x145x20mm
Box Qty:	20 Pcs




SG Series-Round

8W VT-800 RD

SKU: 4821 - 6400K White 3800230622587


Cutting Size:
 Ø105mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	800lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round

Body Type:	Aluminium(PKW)
Dimension:	Ø120x20mm
Box Qty:	20 Pcs




SG Series-Square

15W VT-1500 SQ

SKU: 4826 - 3000K Warm White 3800230622617
 SKU: 4824 - 6400K White 3800230624994
 3800230622600

Cutting Size:
 140x140mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1500lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium(PKW)
Dimension:	160x160x20mm
Box Qty:	20 Pcs




SG Series-Round

22W VT-2200 RD

SKU: 4833 - 6400K White 3800230622662

Cutting Size:

Ø220mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2200lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round

Body Type:	Aluminium(PKW)
Dimension:	Ø240x20mm
Box Qty:	20 Pcs




Trimless Panel-Round

8W VT-888RD

SKU: 4931 - 3000K Warm White 3800157606479
SKU: 4932 - 4000K Day White 3800157606486
SKU: 4933 - 6400K White 3800157606493

Cutting Size:

Ø75mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	800lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round

Body Type:	Aluminium
Dimension:	Ø90x8mm
Box Qty:	100 Pcs


Trimless Panel-Round

15W VT-1515RD

SKU: 4934 - 3000K Warm White 3800157606509
SKU: 4935 - 4000K Day White 3800157606516
SKU: 4936 - 6400K White 3800157606523

Cutting Size:

Ø130mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1500lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round

Body Type:	Aluminium
Dimension:	Ø146x8mm
Box Qty:	40 Pcs


Trimless Panel-Round

22W VT-2222RD

SKU: 4937 - 3000K Warm White 3800157606530
SKU: 4938 - 4000K Day White 3800157606547
SKU: 4939 - 6400K White 3800157606554

Cutting Size:

Ø155mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2200lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round


Body Type:	Aluminium
Dimension:	Ø170x8mm
Box Qty:	40 Pcs



Trimless Panel-Round
29w VT-2929RD

SKU: 4940 - 3000K Warm White 3800157606561
SKU: 4941 - 4000K Day White 3800157606578
SKU: 4942 - 6400K White 3800157606585

Cutting Size:
Ø195mm



Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2900lm**
Beam Angle: **120°**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Shape: **Round**


Body Type: **Aluminium**
Dimension: **Ø220x8mm**
Box Qty: **40 Pcs**



Trimless Panel-Square
8w VT-888SQ

SKU: 4943 - 3000K Warm White 3800157606592
SKU: 4944 - 4000K Day White 3800157606608
SKU: 4945 - 6400K White 3800157606615

Cutting Size:
75x75mm



Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **800lm**
Beam Angle: **120°**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Shape: **Square**


Body Type: **Aluminium**
Dimension: **90x90x8mm**
Box Qty: **100 Pcs**



Trimless Panel-Square
15w VT-1515SQ

SKU: 4946 - 3000K Warm White 3800157606622
SKU: 4947 - 4000K Day White 3800157606639
SKU: 4948 - 6400K White 3800157606646

Cutting Size:
130x130mm



Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **1500lm**
Beam Angle: **120°**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Shape: **Square**


Body Type: **Aluminium**
Dimension: **146x146x8mm**
Box Qty: **40 Pcs**



Trimless Panel-Square
22w VT-2222SQ

SKU: 4949 - 3000K Warm White 3800157606653
SKU: 4797 - 4000K Day White 3800157606660
SKU: 4798 - 6400K White 3800157606677

Cutting Size:
155x155mm



Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2200lm**
Beam Angle: **120°**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Shape: **Square**


Body Type: **Aluminium**
Dimension: **170x170x8mm**
Box Qty: **40 Pcs**



Trimless Panel-Square
29w VT-2929SQ

SKU: 5031 - 3000K Warm White 3800157606660
SKU: 5032 - 4000K Day White 3800157606677
SKU: 5033 - 6400K White 3800157606684

Cutting Size:
195x195mm



Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2900lm**
Beam Angle: **120°**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Shape: **Square**

Body Type: **Aluminium**
Dimension: **220x220x8mm**
Box Qty: **40 Pcs**




Slim Surface-Round

6W VT-605RD

SKU: 4904 - 3000K Warm White 3800157605380
 SKU: 4905 - 4000K Day White 3800157605397
 SKU: 4906 - 6400K White 3800157605403

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round



Body Type: Aluminium
 Dimension: Ø90x24mm
 Box Qty: 40 Pcs




Slim Surface-Round

12W VT-1205 RD

SKU: 4910 - 3000K Warm White 3800157605441
 SKU: 4911 - 4000K Day White 3800157605458
 SKU: 4912 - 6400K White 3800157605465

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 900lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round



Body Type: Aluminium
 Dimension: Ø140x24mm
 Box Qty: 40 Pcs




Slim Surface-Round

18W VT-1805RD

SKU: 4916 - 3000K Warm White 3800157605502
 SKU: 4917 - 4000K Day White 3800157605519
 SKU: 4918 - 6400K White 3800157605526

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1440lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round



Body Type: Aluminium
 Dimension: Ø190x24mm
 Box Qty: 20 Pcs




Slim Surface-Square

6W VT-605SQ

SKU: 4907 - 3000K Warm White 3800157605410
 SKU: 4908 - 4000K Day White 3800157605427
 SKU: 4909 - 6400K White 3800157605434

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium
 Dimension: 90x90x24mm
 Box Qty: 40 Pcs




Slim Surface-Square

12w VT-1205 SQ

SKU: 4913 - 3000K Warm White 3800157605472
 SKU: 4914 - 4000K Day White 3800157605489
 SKU: 4915 - 6400K White 3800157605496

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **900lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Square**



Body Type: **Aluminium**
 Dimension: **140x140x24mm**
 Box Qty: **40 Pcs**




Slim Surface-Square

18w VT-1805SQ

SKU: 4919 - 3000K Warm White 3800157605533
 SKU: 4920 - 4000K Day White 3800157605540
 SKU: 4921 - 6400K White 3800157605557

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1440lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Square**



Body Type: **Aluminium**
 Dimension: **190x190x24mm**
 Box Qty: **20 Pcs**




Surface Series-Round

8w VT-1408 RD

SKU: 4805 - 3000K Warm White 3800230622730
 SKU: 4804 - 4000K Day White 3800230622723
 SKU: 4803 - 6400K White 3800230622716

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **800lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Round**



Body Type: **Aluminium**
 Dimension: **Ø110x35mm**
 Box Qty: **20 Pcs**




Surface Series-Round

15w VT-1415 RD

SKU: 4811 - 3000K Warm White 3800230622792
 SKU: 4810 - 4000K Day White 3800230622785
 SKU: 4809 - 6400K White 3800230622778

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Round**



Body Type: **Aluminium**
 Dimension: **Ø160x35mm**
 Box Qty: **20 Pcs**




Surface Series-Round

22w VT-1422 RD

SKU: 4817 - 3000K Warm White 3800230622853
 SKU: 4816 - 4000K Day White 3800230622846
 SKU: 4815 - 6400K White 3800230622839

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **2200lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Round**



Body Type: **Aluminium**
 Dimension: **Ø205x35mm**
 Box Qty: **20 Pcs**




Surface Series-Square

8W VT-1408 SQ

SKU: 4802 - 3000K Warm White 3800230622709
 SKU: 4801 - 4000K Day White 3800230622693
 SKU: 4800 - 6400K White 3800230622686

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 800lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium
 Dimension: 107x107x35mm
 Box Qty: 40 Pcs




Surface Series-Square

15W VT-1415 SQ

SKU: 4808 - 3000K Warm White 3800230622761
 SKU: 4807 - 4000K Day White 3800230622754
 SKU: 4806 - 6400K White 3800230622747

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium
 Dimension: 155x155x35mm
 Box Qty: 20 Pcs




Surface Series-Square

22W VT-1422 SQ

SKU: 4814 - 3000K Warm White 3800230622822
 SKU: 4813 - 4000K Day White 3800230622815
 SKU: 4812 - 6400K White 3800230622808

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2200lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium
 Dimension: 205x205x35mm
 Box Qty: 20 Pcs



Slim Series-Chrome-Round


12W VT-1207CH

SKU: 6340 - 3000K Warm White 3800157621243

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round

Cutting Size:
 Ø155mm




Body Type: Aluminium+Chrome
 Dimension: Ø170x25mm
 Box Qty: 20 Pcs

Slim Series-Chrome-Round

18w VT-1807CH

SKU: 6346 - 3000K Warm White 3800157621304
 SKU: 6347 - 4000K Day White 3800157621311
 SKU: 6348 - 6400K White 3800157621328

Cutting Size:
 Ø205mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round


Body Type: Aluminium+Chrome
 Dimension: Ø225x25mm
 Box Qty: 20 Pcs

Slim Series-Chrome-Round

24w VT-2407CH

SKU: 6352 - 3000K Warm White 3800157621366
 SKU: 6353 - 4000K Day White 3800157621373
 SKU: 6354 - 6400K White 3800157621380

Cutting Size:
 Ø285mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round


Body Type: Aluminium+Chrome
 Dimension: Ø300x25mm
 Box Qty: 10 Pcs

Slim Series-Satin Nickel-Round

24w VT-2407SN

SKU: 6355 - 3000K Warm White 3800157621397
 SKU: 6356 - 4000K Day White 3800157621403
 SKU: 6357 - 6400K White 3800157621410

Cutting Size:
 Ø285mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round


Body Type: Aluminium+Satin Nickel
 Dimension: Ø300x25mm
 Box Qty: 10 Pcs

Slim Surface-Chrome-Round

6w VT-605CH

SKU: 6358 - 3000K Warm White 3800157621427

Cutting Size:
 Ø90mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round


Body Type: Aluminium+Chrome
 Dimension: Ø90x24mm
 Box Qty: 40 Pcs

Slim Surface-Chrome-Round

12w VT-1205CH

SKU: 6364 - 3000K Warm White 3800157621489
 SKU: 6365 - 4000K Day White 3800157621496
 SKU: 6366 - 6400K White 3800157621502

Cutting Size:
 Ø140mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.6
 Shape: Round

Body Type: Aluminium+Chrome
 Dimension: Ø140x24mm
 Box Qty: 40 Pcs




Slim Surface-Chrome-Round

18w VT-1805CH

SKU: 6370 - 3000K Warm White 3800157621540
 SKU: 6372 - 6400K White 3800157621564

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.6
 Shape: Round



Body Type: Aluminium+Chrome
 Dimension: Ø190x24mm
 Box Qty: 20 Pcs




Slim Surface-Satin Nickel-Round

6w VT-605SN

SKU: 6361 - 3000K Warm White 3800157621458

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round



Body Type: Aluminium+Satin Nickel
 Dimension: Ø90x24mm
 Box Qty: 40 Pcs




Slim Surface-Satin Nickel-Round

12w VT-1205SN


SKU: 6367 - 3000K Warm White 3800157621519
 SKU: 6369 - 6400K White 3800157621533

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.6
 Shape: Round



Body Type: Aluminium+Satin Nickel
 Dimension: Ø140x24mm
 Box Qty: 40 Pcs




Twin LED-Square

8w VT-809SQ

SKU: 4922 - 3000K Warm White 3800157605564
 SKU: 4923 - 4000K Day White 3800157605571
 SKU: 4924 - 6400K White 3800157605588

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 800lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium
 Dimension: 142x142x40mm
 Box Qty: 20 Pcs




Twin LED-Square
15w VT-1509SQ

SKU: 4925 - 3000K Warm White 3800157605595
SKU: 4926 - 4000K Day White 3800157605601
SKU: 4927 - 6400K White 3800157605618

Emergency Pack: Available
Voltage/Frequency: AC:85-265V,50/60Hz
Luminous Flux: 1500lm
Beam Angle: 120°

LED Type: SMD
CRI: >80
PF: >0.9
Shape: Square



Body Type: Aluminium
Dimension: 192x192x40mm
Box Qty: 20 Pcs




Twin LED-Square
22w VT-2209SQ

SKU: 4928 - 3000K Warm White 3800157605625
SKU: 4929 - 4000K Day White 3800157605632
SKU: 4930 - 6400K White 3800157605649

Emergency Pack: Available
Voltage/Frequency: AC:85-265V,50/60Hz
Luminous Flux: 2200lm
Beam Angle: 120°

LED Type: SMD
CRI: >80
PF: >0.9
Shape: Square



Body Type: Aluminium
Dimension: 240x240x40mm
Box Qty: 20 Pcs




Twin LED-Round
8w VT-809RD

SKU: 4890 - 3000K Warm White 3800157602594
SKU: 4891 - 4000K Day White 3800157602600
SKU: 4892 - 6400K White 3800157602617

Emergency Pack: Available
Voltage/Frequency: AC:85-265V,50/60Hz
Luminous Flux: 800lm
Beam Angle: 120°

LED Type: SMD
CRI: >80
PF: >0.9
Shape: Round



Body Type: Aluminium
Dimension: 142x40mm
Box Qty: 20 Pcs




Twin LED-Round
15w VT-1509RD

SKU: 4893 - 3000K Warm White 3800157602624
SKU: 4894 - 4000K Day White 3800157602631
SKU: 4895 - 6400K White 3800157602648

Emergency Pack: Available
Voltage/Frequency: AC:85-265V,50/60Hz
Luminous Flux: 1500lm
Beam Angle: 120°

LED Type: SMD
CRI: >80
PF: >0.9
Shape: Round



Body Type: Aluminium
Dimension: 192x40mm
Box Qty: 20 Pcs




Twin LED-Round
22w VT-2209RD

SKU: 4896 - 3000K Warm White 3800157602655
SKU: 4897 - 4000K Day White 3800157602662
SKU: 4898 - 6400K White 3800157602679

Emergency Pack: Available
Voltage/Frequency: AC:85-265V,50/60Hz
Luminous Flux: 2200lm
Beam Angle: 120°

LED Type: SMD
CRI: >80
PF: >0.9
Shape: Round



Body Type: Aluminium
Dimension: 240x40mm
Box Qty: 20 Pcs




Glass Panel-Round

6W VT-602G RD

SKU: 4740 - 3000K Warm White 3800230622891
 SKU: 6277 - 4000K Day White 3800157615754
 SKU: 4739 - 6400K White 3800230622884

Cutting Size:
 Ø75mm



Emergency Pack: Available
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium+Glass
 Dimension: Ø100x40mm
 Box Qty: 40 Pcs




Glass Panel-Round

12W VT-1202G RD

SKU: 4744 - 3000K Warm White 3800230622938
 SKU: 6279 - 4000K Day White 3800157615778
 SKU: 4743 - 6400K White 3800230622921

Cutting Size:
 Ø120mm



Emergency Pack: Available
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 840lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium+Glass
 Dimension: Ø160x40mm
 Box Qty: 20 Pcs




Glass Panel-Round

18W VT-1881G RD

SKU: 4760 - 3000K Warm White 3800230622976
 SKU: 6281 - 4000K Day White 3800157615792
 SKU: 4759 - 6400K White 3800230622969


Cutting Size:
 Ø145mm



Emergency Pack: Available
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 1260lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium+Glass
 Dimension: Ø198x40mm
 Box Qty: 20 Pcs




Glass Panel-Square

6W VT-602G SQ

SKU: 4738 - 3000K Warm White 3800230622877
 SKU: 6276 - 4000K Day White 3800157615747
 SKU: 4737 - 6400K White 3800230622860


Cutting Size:
 75x75mm



Emergency Pack: Available
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square


Body Type: Aluminium+Glass
 Dimension: 100x100x40mm
 Box Qty: 40 Pcs



Glass Panel-Square
12w VT-1202G SQ

SKU: 4742 - 3000K Warm White 3800230622914
SKU: 6278 - 4000K Day White 3800157615761
SKU: 4741 - 6400K White 3800230622907


Cutting Size:
120x120mm



Emergency Pack: Available
Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 840lm
Beam Angle: 120°

LED Type: SMD
CRI: >80
PF: >0.9
Shape: Square


Body Type: Aluminium+Glass
Dimension: 160x160x40mm
Box Qty: 20 Pcs



Glass Panel-Square
18w VT-1881G SQ

SKU: 4746 - 3000K Warm White 3800230622952
SKU: 6280 - 4000K Day White 3800157615785
SKU: 4745 - 6400K White 3800230622945

Cutting Size:
145x145mm



Emergency Pack: Available
Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 1260lm
Beam Angle: 120°

LED Type: SMD
CRI: >80
PF: >0.9
Shape: Square

Body Type: Aluminium+Glass
Dimension: 198x198x40mm
Box Qty: 20 Pcs

DRIVERS FOR MINI PANELS

Voltage: AC:180-240V,50/60Hz



Watts: 6w
SKU: 8073
Dimmable: Yes
EAN: 3800157605823
Box Qty: 200 Pcs



DIMMABLE



Watts: 12w
SKU: 8074
Dimmable: Yes
EAN: 3800157605830
Box Qty: 200 Pcs



DIMMABLE



Watts: 18w
SKU: 8075
Dimmable: Yes
EAN: 3800157605847
Box Qty: 200 Pcs



DIMMABLE



Watts: 18/24w
SKU: 8070
Dimmable: Yes
EAN: 3800157616836
Box Qty: 50 Pcs



DIMMABLE



Watts: 24w
SKU: 8076
Dimmable: Yes
EAN: 3800157605946
Box Qty: 200 Pcs



DIMMABLE



LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.

Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or mercury content hence environment friendly
- No Ultraviolet or Infrared rays
- Long lifespan, low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm

Applications

Widely used for domestic and commercial lighting, offices, supermarkets, shops, hotels & similar environment.

T8-Nano Plastic-Rotatable-60cm



10w VT-6072-R

SKU: 6229 - 3000K Warm White 3800157605212
SKU: 6231 - 6400K White 3800157605236

3 YEAR WARRANTY



Dummy Starter Included



EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	125g
Dimension:	27.9x600mm
Box Qty:	25 Pcs

T8-Nano Plastic-60cm


10w VT-6072-NR

SKU: 6392 - 3000K Warm White 3800157625296
SKU: 6393 - 4000K Day White 3800157625302
SKU: 6394 - 6400K White 3800157625319

3 YEAR WARRANTY



Dummy Starter Included



EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	126.4g
Dimension:	27.9x600mm
Box Qty:	25 Pcs

T8-Nano Plastic-90cm


14w VT-9077

SKU: 6272 - 4000K Day White 3800157615419
SKU: 6262 - 6400K White 3800157612128

3 YEAR WARRANTY



Dummy Starter Included



EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	145.6g
Dimension:	27.9x900mm
Box Qty:	25 Pcs

T8-Nano Plastic-120cm



18w VT-1277

SKU: 6263 - 3000K Warm White 3800157612135
SKU: 6273 - 4000K Day White 3800157615426
SKU: 6264 - 6400K White 3800157612142

3 YEAR WARRANTY



Dummy Starter Included



EQ. Watts:	36w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	200g
Dimension:	27.9x1200mm
Box Qty:	25 Pcs

T8-Nano Plastic-150cm

22W VT-1577

SKU: 6265 - 3000K Warm White 3800157612159
 SKU: 6309 - 4000K Day White 3800157617437
 SKU: 6310 - 6400K White 3800157617444



 Dummy Starter
Included


EQ. Watts:	58w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2000lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	283.4g
Dimension:	27.9x1500mm
Box Qty:	25 Pcs

T5-Glass Plastic-60cm

8W VT-6005

SKU: 6318 - 4000K Day White 3800157619271
 SKU: 6319 - 6500K White 3800157619288



EQ. Watts:	14w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80


PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	120g
Dimension:	18.4x549mm
Box Qty:	25 Pcs

T5-Glass Plastic-120cm

16W VT-1225

SKU: 6320 - 4000K Day White 3800157619295
 SKU: 6321 - 6500K White 3800157619301



EQ. Watts:	28w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1600lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	208g
Dimension:	18.4x1149mm
Box Qty:	25 Pcs

T8 Bread Tube-120cm

18w VT-1228-B

SKU: 6322 3800157619318

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95
PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s
On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs





T8 Vegetable Tube-120cm

18w VT-1228-V

SKU: 6324 3800157619332

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95
PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s
On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs





T8 Seafood Tube-120cm

18w VT-1228-S

SKU: 6325 3800157619349

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95
PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s
On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



Tube-Batten Fitting
VT-16010


SKU:	6052
Body Type:	Iron
Size:	600mm
EAN:	3800230624642
Box Qty:	20 Pcs

Tube-Batten Fitting
VT-12020


SKU:	6054
Body Type:	Iron
Size:	1200mm
EAN:	3800230624666
Box Qty:	20 Pcs

Tube-Batten Fitting
VT-15020


SKU:	6056
Body Type:	Iron
Size:	1500mm
EAN:	3800230624680
Box Qty:	20 Pcs

Tube-Batten Fitting
VT-16011


SKU:	6053
Body Type:	Iron
Size:	600x2mm
EAN:	3800230624659
Box Qty:	20 Pcs

Tube-Batten Fitting
VT-12021


SKU:	6055
Body Type:	Iron
Size:	1200x2mm
EAN:	3800230624673
Box Qty:	12 Pcs

Tube-Batten Fitting
VT-15021


SKU:	6057
Body Type:	Iron
Size:	1500x2mm
EAN:	3800230624697
Box Qty:	12 Pcs


T8-Nano Plastic-60cm
18w VT-6077


SKU: 6313 - 4000K Day White 3800157618656
 SKU: 6314 - 6400K White 3800157618663



EQ. Watts:	36w
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	2500lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	290g
Dimension:	18.5x549mm
Box Qty:	10 Pcs





Cabinet Fitting

10w VT-8112

SKU: 5068 - 3000K Warm White 3800157606714
 SKU: 5070 - 6000K White 3800157606738

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	110°
Body Type:	Aluminium Body, Plastic Diffuser
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	600g
Dimension:	579x78x35mm
Box Qty:	12 Pcs




Wall Fitting-60cm

10w VT-8111

SKU: 5071 - 3000K Warm White 3800157606745
 SKU: 5072 - 4500K Day White 3800157606752
 SKU: 5073 - 6000K White 3800157606769

Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.6
Beam Angle:	120°
Body Type:	Aluminium+PC
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	240g
Dimension:	600x32x25mm
Box Qty:	25 Pcs




Wall Fitting-120cm

20w VT-8121

SKU: 5074 - 3000K Warm White 3800157606776
 SKU: 5076 - 6000K White 3800157606790

Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1800lm
LED Type:	SMD
CRI:	>80
PF:	>0.6
Beam Angle:	120°
Body Type:	Aluminium+PC
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	370g
Dimension:	1200x32x25mm
Box Qty:	25 Pcs





LED Waterproof Fittings

Introducing our complete Essentials range of IP65-rated waterproof tubes. Built with a tough, air-tight enclosure allowing it to resist jets of water and dust — an essential feature for outdoor lighting.

Product Features

- Easy to install
- IP65, free from water and dirt
- Direct wiring easily accessible when necessary
- Perfect replacement for the whole set of T8 fluorescent lighting fixture
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment.



IP65 RATING

1 LED TUBE INCLUDED

Waterproof Fitting-Tubes

10w VT-6028


SKU: 6463 - 4000K Day White 3800157639767
SKU: 6464 - 6400K White 3800157639750



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	0.70 kg
Dimension:	666x68x58mm
Box Qty:	16pcs



IP65 RATING

2 LED TUBES INCLUDED

Waterproof Fitting-Tubes

2x10w VT-6029


SKU: 6465 - 4000K Day White 3800157639781
SKU: 6466 - 6400K White 3800157639774



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	1 kg
Dimension:	666x96x58mm
Box Qty:	12pcs



IP65 RATING

1 LED TUBE INCLUDED

Waterproof Fitting-Tubes

18w VT-12028


SKU: 6459 - 4000K Day White 3800157639729
SKU: 6460 - 6400K White 3800157639712



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	1 kg
Dimension:	1276x68x58mm
Box Qty:	16pcs



IP65 RATING

1 LED TUBE INCLUDED

Waterproof Fitting-Tubes

22w VT-15028


SKU: 6461 - 4000K Day White 3800157639743
SKU: 6462 - 6400K White 3800157639736



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	2000lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	1.2 kg
Dimension:	1576x68x58mm
Box Qty:	16pcs



Waterproof Fitting-Tubes

36w VT-12023



SKU: 6387 - 4000K Day White 3800157625036
SKU: 6399 - 6400K White 3800157626385

2 LED TUBES INCLUDED



Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 3400lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

Body Type: Plastic+ABS


On/Off: >10,000

Life span: 30,000 Hours

Gross weight: 1.33 kg

Dimension: 1290x116x66mm

Box Qty: 10 Pcs



1290mm

66mm

Waterproof Fitting-Tubes

44w VT-15022



SKU: 6388 - 4000K Day White 3800157625043
SKU: 6400 - 6400K White 3800157626392

2 LED TUBES INCLUDED



Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 4000lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

Body Type: Plastic+ABS


On/Off: >10,000

Life span: 30,000 Hours

Gross weight: 1.65 kg

Dimension: 1590x116x66mm

Box Qty: 10 Pcs



1590mm

66mm

Waterproof Fitting-G Series

18w VT-6076



SKU: 6283 - 4000K Day White 3800157616478
SKU: 6282 - 6400K White 3800157616461

2 LED TUBES INCLUDED



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 1440lm

LED Type: SMD

CRI: >70

PF: >0.5

Beam Angle: 120°

Body Type: Plastic


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 0.60 kg

Dimension: 600x65x58mm

Box Qty: 12 Pcs



600mm

58mm

65mm

Waterproof Fitting-G Series

36w VT-1249



SKU: 6285 - 4000K Day White 3800157616492
SKU: 6284 - 6400K White 3800157616485

2 LED TUBES INCLUDED



Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 2880lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Plastic


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 0.60 kg

Dimension: 1200x65x58mm

Box Qty: 12 Pcs



1200mm

58mm

65mm

Waterproof Fitting-G Series

48w VT-1574



SKU: 6287 - 4000K Day White 3800157616515
SKU: 6286 - 6400K White 3800157616508

2 LED TUBES INCLUDED



Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 3840lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Plastic


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 1.1 kg

Dimension: 1500x65x58mm

Box Qty: 12 Pcs



1500mm

58mm

65mm

Waterproof Fitting-S Series

18W VT-1518




SKU: 6472 - 4000K Day White 3800157647199
SKU: 6473 - 6500K White 3800157647205



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD2835
CRI:	>80

PF:	>0.9
Beam Angle:	120°
Body Type:	PC
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	0.25 kg
Dimension:	600x60x35mm
Box Qty:	20 Pcs



Waterproof Fitting-S Series

36W VT-1239




SKU: 6469 - 4000K Day White 3800157640992
SKU: 6470 - 6500K White 3800157641005



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3000lm
LED Type:	SMD2835
CRI:	>80

PF:	>0.9
Beam Angle:	120°
Body Type:	PC
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	0.448 kg
Dimension:	1200x60x35mm
Box Qty:	20 Pcs



Waterproof Fitting-S Series

48W VT-1549




SKU: 6467 - 4000K Day White 3800157640978
SKU: 6468 - 6500K White 3800157640985



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4000lm
LED Type:	SMD2835
CRI:	>80

PF:	>0.9
Beam Angle:	120°
Body Type:	PC
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	0.558 kg
Dimension:	1500x60x35mm
Box Qty:	20 Pcs



Waterproof-Emergency Kit

36W VT-1250



**Waterproof
Emergency Kit**



SKU: 6448 - 4000K Day White 3800157632126
SKU: 6449 - 6400K White 3800157632133


Charging Time:	24 Hours
Emergency Operation Time:	3 Hours
Emergency Switch on time:	<1 Second



Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2880lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	1.9 kg
Dimension:	1200x76x66mm
Box Qty:	12 Pcs



Waterproof-Emergency Kit

48W VT-1550



**Waterproof
Emergency Kit**



SKU: 6446 - 4000K Day White 3800157632102
SKU: 6447 - 6400K White 3800157632119


Charging Time:	24 Hours
Emergency Operation Time:	3 Hours
Emergency Switch on time:	<1 Second



Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3920lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	ABS+PC
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	2.35 kg
Dimension:	1500x76x66mm
Box Qty:	12 Pcs



Waterproof Fitting

18w VT-6048

SKU: 6198 - 4500K Day White 3800157603256
SKU: 6199 - 6000K White 3800157603263

Voltage/Frequency: AC:200-240V,50Hz

Luminous Flux: 1440lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Plastic+ABS


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 0.80 kg

Dimension: 600x76x66mm

Box Qty: 12 Pcs



Waterproof Fitting

36w VT-1248

SKU: 6200 - 4500K Day White 3800157603270
SKU: 6201 - 6000K White 3800157603287

Voltage/Frequency: AC:200-240V,50Hz

Luminous Flux: 2880lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Plastic+ABS


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 1.42 kg

Dimension: 1200x76x66mm

Box Qty: 12 Pcs



Waterproof Fitting

48w VT-1548

SKU: 6184 - 4500K Day White 3800157602389
SKU: 6185 - 6000K White 3800157602396

Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 3840lm

LED Type: SMD

CRI: >70

PF: >0.7

Beam Angle: 120°

Body Type: Plastic+ABS



On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 1.86 kg

Dimension: 1480x76x66mm

Box Qty: 12 Pcs




Waterproof Suspension Kit

SKU: 8119

EAN: 3800157624763

Box Qty: 50 Pcs

suspension kit for all waterproof fittings



LED Highbays

V-TAC's new UFO and Linear High bays are designed for widespread illumination, efficiency, and resistance to harsh conditions. The UFO high-bays are supported by Meanwell drivers to boost their performance, are IP65 rated and have a sturdy body to ensure endurance, and have two options of beam angle to choose from, for even light distribution.

Product Features

- Powerful led light source with a unique design
- Extensive options can replace all types of standard MH highbays
- Aluminium diffuser with multiple beam angle's to choose from 45° / 90° / 120°
- Shatter proof perspex lens
- high thermal conductivity, low luminous decay, pure Colours & no heavy shade
- The unique design of radiator fuses with the lamp box perfectly hence diffuses the heat conduction efficiently which reduces the temperature of inside lamp

Applications

Perfect fit for industrial usage, warehouse & super markets, workshops, factories, warehouses, highway, toll stations, gas stations, malls, exhibition halls, stadiums & other vast areas.



UFO-High Lumen-Meanwell Driver

100w VT-9107

SKU: 5588 - 6400K White


3800157622301

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	13000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	280x165mm
Box Qty:	4 Pcs


90° BEAM ANGLE



5 YEAR WARRANTY



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



1-10V DIMMABLE

IP65 RATING



UFO-High Lumen-Meanwell Driver

500w VT-9500

SKU: 5607 - 4000K Day White

3800157625050

SKU: 5608 - 6400K White



3800157625067

Sensor Compatible:	Yes
Voltage/Frequency:	AC:90-295V,50Hz
Luminous Flux:	65000lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	Ø360
Box Qty:	1 Pcs

120° BEAM ANGLE



5 YEAR WARRANTY



1-10V DIMMABLE

IP65 RATING



UFO-Highbay-120°

50w VT-9065-W

SKU: 5609 - 3000K Warm White

3800157626507

SKU: 5610 - 4000K Day White


3800157626514

SKU: 5611 - 6400K White


3800157626521

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	220x114mm
Box Qty:	8 Pcs

120° BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM





UFO-Highbay-90°
50w VT-9055

SKU: 5560 - 6400K White 3800157621977



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	220x114mm
Box Qty:	8 Pcs

90° BEAM ANGLE




LED Highbays
100w VT-9-109

SKU: 590 - 6000K White 3800157643153



100° BEAM ANGLE

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	9000lm
LED Type:	SMD
CRI:	>80
PF:	>0.9>0.9
Beam Angle:	100°
Body Type:	Aluminium
IP Rating:	IP54
Dimension:	530x103.5x73.5mm
Box Qty:	10 Pcs



3 YEAR WARRANTY





LED Strip Lights


Add an extensive array of lights and colors to any setting or interior, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space requirement makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.

Product Features

- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades

Applications

Outdoor applications like streets, projects, cross roads, tunnels, car parks, industrial facilities etc.



Strip-2835-Sensor

2.4w VT-8082

SKU: 2573 - 2700K Warm White 3800157639330
SKU: 2574 - 4000K Day White 3800157639347

Watts:	2.4w
Voltage:	DC:6V
lm/M:	200lm
Roll:	1 Meter
Sensor Type:	Motion Sensor
Detection Range:	2-5 M
Battery Type:	4xAAA(Not Included)
Box Qty:	50 Pcs



Blister Pack



Bed Lights-PIR Sensor

3w VT-8067

SKU: 2548 - 3000K Warm White 3800157628433
SKU: 2549 - 4500K Day White 3800157628440

Watts:	3w
Voltage:	DC:12V
LED/M:	30
Strips length:	1.2 m x1
Sensor Distance:	2-5m
Delay time:	30sec, 130sec, 380sec
Box Qty:	25 Pcs



Blister Pack



Bed Lights-PIR Sensor

6w VT-8068

SKU: 2550 - 3000K Warm White 3800157628457
SKU: 2551 - 4500K Day White 3800157628464

Watts:	6w
Voltage:	DC:12V
LED/M:	30
Strips length:	1.2 m x2
Sensor Distance:	2-5 m
Delay time:	30sec, 130sec, 380sec
Box Qty:	18 Pcs

Striplights 5050 60

9W VT-5050 60-S3M

SKU: 2607 - 6400K White 3800157653411
SKU: 2606 - 3000K Warm White 3800157653404
SKU: 2605 - RGB 3800157653398



LED Type:	SMD
Watt/M:	9W
Current/M:	0.9A
Voltage:	AC:100-240V, 50/60Hz
LED Qty	60

lm/M:	1000lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	20 Pcs



Strip Sets-5050 60 LEDs

10w VT-5050 60 IP20-Set

SKU: 2545 - 3000K Warm White 3800157626804
 SKU: 2546 - 6000K White 3800157626811
 SKU: 2544 - RGB 3800157625975



BS PLUG



POWER SUPPLY



LED Type:	SMD
Watt/M:	10w
Current/M:	1.5A
Voltage:	AC:100-265V,50/60Hz
LED Qty	60

Im/M:	1000lm
Im/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	20 Pcs

Strip Sets-5050 60 LEDs

10w VT-5050 60 IP20-RGB Set

SKU: 2558-RGB 3800157634144



EU PLUG



POWER SUPPLY



LED Type:	SMD
Watt/M:	10w
Current/M:	1.5A
Voltage:	AC:100-265V,50/60Hz
LED Qty	60

Im/M:	1000lm
Im/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	20 Pcs

Strip-2835 60 LEDs

4w VT-2835 60

SKU: 2559 - 3000K Warm White 3800157637244
 SKU: 2560 - 4000K Day White 3800157637251
 SKU: 2561 - 6400K White 3800157637268



LED Type:	SMD
Watt/M:	4w
Current/M:	0.3A
Voltage:	DC:12V
LED Qty	60

Im/M:	300lm
Im/LED:	5-8lm
Beam Angle:	120°
IP Rating:	IP20
Width:	6mm
Box Qty:	400 Meters

Striplights 2835 120 Double PCB

7.2W VT-2835 120-IP65

SKU: 2627 - 6000K White 3800157654692
 SKU: 2625 - 3000K Warm White 3800157654678
 SKU: 2626 - 4000K Day White 3800157654685



LED Type:	SMD
Watt/M:	7.2W
Current/M:	0.6A
Voltage:	DC:24V
LED Qty	120

Im/M:	600lm
Im/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	400 Meters

Striplights 2835 120 Double PCB

7.2W VT-2835 120-IP20

SKU: 2624 - 6000K White 3800157654661
 SKU: 2622 - 3000K Warm White 3800157654647
 SKU: 2623 - 4000K Day White 3800157654654



LED Type:	SMD
Watt/M:	7.2W
Current/M:	0.6A
Voltage:	DC:24V
LED Qty	120

lm/M:	600lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	800 Meters



LED Strip-2835 126 LEDs

8w VT-2835 126-24V

SKU: 2593 | 3000K Warm White 3800157653121
 SKU: 2594 | 4000K Day White 3800157653138
 SKU: 2595 | 6400K White 3800157653145



LED Type:	SMD
Watt/M:	8w
Current/M:	0.33A
Voltage:	DC:24V
LED Qty	126

lm/M:	1200lm
lm/LED:	28-30lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED Strip-2835 168 LEDs

11w VT-2835 168-24V

SKU: 2596 | 3000K Warm White 3800157653152
 SKU: 2597 | 4000K Day White 3800157653169
 SKU: 2598 | 6400K White 3800157653176



LED Type:	SMD
Watt/M:	11w
Current/M:	0.45A
Voltage:	DC:24V
LED Qty	168

lm/M:	1650lm
lm/LED:	28-30lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED Strip-2835 238 LEDs

17w VT-2835 238-24V

SKU: 2599 | 3000K Warm White 3800157653183
 SKU: 2600 | 4000K Day White 3800157653190
 SKU: 2601 | 6400K White 3800157653206



LED Type:	SMD
Watt/M:	17w
Current/M:	0.7A
Voltage:	DC:24V
LED Qty	238

lm/M:	2550lm
lm/LED:	28-30lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-2835 204 LEDs

18w VT-2835 204

SKU: 2461 - 3000K Warm White 3800157612234
 SKU: 2462 - 4500K Day White 3800157612241
 SKU: 2463 - 6000K White 3800157612258

5M
ROLL

 IP20
RATING

LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty	204

lm/M:	1700lm
lm/LED:	9-11lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-2835 240 LEDs-High Lumen

18w VT-2835 240-H

SKU: 2164 - 3000K Warm White 3800157610117
 SKU: 2165 - 4500K Day White 3800157610124
 SKU: 2166 - 6000K White 3800157610131

5M
ROLL3000
LUMENS PER METER

 IP20
RATING
150
Lumen/W

LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty	240

lm/M:	3000lm
lm/LED:	20-22lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-5730 120 LEDs-High Lumen

18w VT-5730 120

SKU: 2162 - 3000K Warm White 3800157610094
 SKU: 2163 - 4500K Day White 3800157610100
 SKU: 2161 - 6000K White 3800157610087

5M
ROLL3000
LUMENS PER METER

 IP20
RATING
150
Lumen/W

LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty	120

lm/M:	3000lm
lm/LED:	20-22lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	400 Meters



Striplights 2110 700

21W VT-2110 700

SKU: 2604 - 6400K White 3800157653367
 SKU: 2602 - 3000K Warm White 3800157653343
 SKU: 2603 - 4000K Day White 3800157653350

NEW

5M
ROLL

 REAL COLOR SERIES
CRI
>95

 IP20
RATING
700 LED
PER METER

LED Type:	SMD
Watt/M:	21W
Current/M:	0.875A
Voltage:	DC:24V
LED Qty	700

lm/M:	2000lm
lm/LED:	8-10lm
Beam Angle:	120°
IP Rating:	IP20
Width:	12mm
Box Qty:	400 Meters



Strip-2216 360 LEDs
30w VT-2216 360

SKU: 2580 - 3000K Warm White 3800157642033
SKU: 2581 - 4000K Day White 3800157642040
SKU: 2582 - 6000K White 3800157642057



LED Type:	SMD
Watt/M:	30w
Current/M:	1.25A
Voltage:	DC:24V
LED Qty	360

lm/M:	2400lm
lm/LED:	6-7lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	250 Meters

LED strips-3014 204 LEDs
18w VT-3014 204

SKU: 2404 - 3000K Warm White 3800230628060
SKU: 2405 - 4500K Day White 3800157600309
SKU: 2403 - 6000K White 3800230628053



LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty	204

lm/M:	1700lm
lm/LED:	9-11lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters

LED strips-3528 60 LEDs
3.6w VT-3528 60-IP20

SKU: 2016 - 3000K Warm White 3800230621160
SKU: 2041 - 4500K Day White 3800230621184
SKU: 2005 - 6000K White 3800230621153
SKU: 2015 - Red 3800230621269
SKU: 2013 - Blue 3800230621252
SKU: 2011 - Green 3800230621221
SKU: 2009 - Yellow 3800230621214



LED Type:	SMD
Watt/M:	3.6w
Current/M:	0.3A
Voltage:	DC:12V
LED Qty	60

lm/M:	400lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	400 Meters

LED strips-3528 60 LEDs
3.6w VT-3528 60-IP65

SKU: 2032 - 3000K Warm White 3800230621177
SKU: 2043 - 4500K Day White 3800230621191
SKU: 2031 - 6000K White 3800230621146
SKU: 2036 - Red 3800230621276
SKU: 2035 - Blue 3800230621245
SKU: 2034 - Green 3800230621238



LED Type:	SMD
Watt/M:	3.6w
Current/M:	0.3A
Voltage:	DC:12V
LED Qty	60

lm/M:	400lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP65
Width:	8mm
Box Qty:	400 Meters

LED strips-3528 120 LEDs

7.2W VT-3528 120-IP20

SKU: 2025 - 3000K Warm White 3800230621306
 SKU: 2042 - 4500K Day White 3800230621320
 SKU: 2002 - 6000K White 3800230621283




LED Type:	SMD
Watt/M:	7.2w
Current/M:	0.6A
Voltage:	DC:12V
LED Qty	120

lm/M:	600lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	400 Meters



LED strips-3528 120 LEDs

7.2W VT-3528 120-IP65

SKU: 2038 - 3000K Warm White 3800230621313
 SKU: 2044 - 4500K Day White 3800230621337
 SKU: 2037 - 6000K White 3800230621290




LED Type:	SMD
Watt/M:	7.2w
Current/M:	0.6A
Voltage:	DC:12V
LED Qty	120

lm/M:	600lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP65
Width:	8mm
Box Qty:	400 Meters



LED strips-5050 30 LEDs

4.8W VT-5050 30-IP20

SKU: 2135 - 3000K Warm White 3800230621405
 SKU: 2133 - 6000K White 3800230621382
 SKU: 2124 - RGB 3800230621535




LED Type:	SMD
Watt/M:	4.8w
Current/M:	0.4A
Voltage:	DC:12V
LED Qty	30

lm/M:	500lm
lm/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-5050 30 LEDs

4.8W VT-5050 30-IP65

SKU: 2145 - 3000K Warm White 3800230621412
 SKU: 2460 - 4500K Day White 3800157612166
 SKU: 2144 - 6000K White 3800230621399
 SKU: 2118 - RGB 3800230621528




LED Type:	SMD
Watt/M:	4.8w
Current/M:	0.4A
Voltage:	DC:12V
LED Qty	30

lm/M:	500lm
lm/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	400 Meters



LED strips-5050 60 LEDs

10.8w VT-5050 60-IP20

SKU: 2122 - 3000K Warm White 3800230621504
 SKU: 2143 - 4500K Day White 3800230621467
 SKU: 2126 - 6000K White 3800230621481
 SKU: 2120 - RGB 3800230621542
 SKU: 2128 - Red 3800230624468
 SKU: 2137 - Blue 3800230621429
 SKU: 2138 - Green 3800230621443
 SKU: 2156 - Yellow 3800230628824
 SKU: 2547 - 2200K Warm White 3800157627313

LED Type:	SMD
Watt/M:	10.8w
Current/M:	0.9A
Voltage:	DC:12V
LED Qty	60

Im/M:	1000lm
Im/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



Striplights 5050 60

10.8w VT-5050 60-3M

SKU: 2609 - 6400K White 3800157653435
 SKU: 2608 - 3000K Warm White 3800157653428

LED Type:	SMD
Watt/M:	10.8W
Current/M:	0.9A
Voltage:	DC:12V
LED Qty	60

Im/M:	1000lm
Im/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-5050 60 LEDs

10.8w VT-5050 60-IP65

SKU: 2149 - 3000K Warm White 3800230621511
 SKU: 2150 - 4500K Day White 3800230621474
 SKU: 2148 - 6000K White 3800230621498
 SKU: 2155 - RGB 3800230621559

LED Type:	SMD
Watt/M:	10.8w
Current/M:	0.9A
Voltage:	DC:12V
LED Qty	60

Im/M:	1000lm
Im/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	400 Meters



LED strips-5050 60 LEDs

10.8w VT-5050 60RGBW

SKU: 2159 - RGB+White 3800230629623
 SKU: 2552 - RGB+Day White 3800157630306
 SKU: 2553 - RGB+Warm White 3800157630313

LED Type:	SMD
Watt/M:	10.8w
Current/M:	1.2A
Voltage:	DC:12V
LED Qty	60

Im/M:	900lm
Im/LED:	15lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-5050 60 LEDs

9w **VT-5050 60-24V-5M**

SKU: 2431 - 3000K Warm White 3800230621573
 SKU: 2459 - 4500K Day White 3800157612036
 SKU: 2430 - 6000K White 3800230621566
 SKU: 2591 - RGB 3800157653008

LED Type:	SMD
Watt/M:	9w
Current/M:	0.3A
Voltage:	DC:24V
LED Qty	60

lm/M:	600lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	200 Meters

5M
ROLL

IP20
 RATING


LED strips-5050 60 LEDs

9w **VT-5050 60-24V-10M**

SKU: 2592 - RGB 3800157653015

LED Type:	SMD
Watt/M:	9w
Current/M:	0.3A
Voltage:	DC:24V
LED Qty	60

lm/M:	600lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	200 Meters

10M
ROLL

IP20
 RATING


Tape-5050 60 LEDs

9w **VT-5050 60-24V-IP65**

SKU: 2562 - 3000K Warm White 3800157637534
 SKU: 2563 - 4000K Day White 3800157637541
 SKU: 2564 - 6400K White 3800157637558

LED Type:	SMD
Watt/M:	9w
Current/M:	0.375A
Voltage:	DC:24V
LED Qty	60

lm/M:	500lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	200 Meters

5M
ROLL

IP65
 RATING


Neon Flex IP68

6.5W VT-554



10M ROLL




IP68 RATING

- SKU: 2614 - 6400K White
- SKU: 2612 - 3000K Warm White
- SKU: 2613 - 4000K Day White
- SKU: 2618 - Red
- SKU: 2615 - Blue
- SKU: 2616 - Green
- SKU: 2617 - Yellow

- 3800157654562
- 3800157654548
- 3800157654555
- 3800157654609
- 3800157654579
- 3800157654586
- 3800157654593

Cuttable after every 5CM .
No End cap required.



Voltage:	DC:24V	Current/M:	0.27A
Lumen lm/M:	260lm	LED/M:	126
Power W/M:	6.5W	CRI:	>80
Beam Angle:	120°	Size:	8mm
		Box Qty:	50 Meters

Neon Flex Silicon Cover

8W VT-560



5M ROLL



IP65 RATING

- SKU: 2621 - 6000K White
- SKU: 2619 - 3000K Warm White
- SKU: 2620 - 4000K Day White

- 3800157654630
- 3800157654616
- 3800157654623




Voltage:	DC:24V	Current/M:	0.34A
Lumen lm/M:	530lm	LED/M:	238
Power W/M:	8W	CRI:	>90
Beam Angle:	120°	Size:	6mm
		Box Qty:	200 Meters



Surface Aluminium Profile

Model No:	VT-8117
SKU:	2610
Dimension:	11.8x12.5x2000mm
EAN:	3800157654524
Box Qty:	75 Pcs



Concealed Aluminium Profile

Model No:	VT-8120
SKU:	2611
Dimension:	17.8x2000mm
EAN:	3800157654531
Box Qty:	75 Pcs

Neon Flex-White

8w

VT-555W

2512 - 6000K White

3800157605656

10M
ROLLIP65
RATING

Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5
Power W/M:	8w

Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



Neon Flex-Warm White

8w

VT-555WW

2513 - 3000K Warm White

3800157605663

10M
ROLLIP65
RATING

Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5
Power W/M:	8w

Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



Neon Flex-Day White

8w

VT-555DW

2514 - 4500K Day White

3800157605670

10M
ROLLIP65
RATING

Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5
Power W/M:	8w

Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



Neon Flex-Blue

8w

VT-555B

2515 - Blue

3800157605687

10M
ROLLIP65
RATING

Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5
Power W/M:	8w

Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



Neon Flex-Red

8w

VT-555R

2516 - Red

3800157605694

10M
ROLLIP65
RATING

Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5
Power W/M:	8w

Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



Neon Flex-Green

8W **VT-555G**
 2517 - Green 3800157605700

10M ROLL

IP65 RATING

Voltage: **DC:24V**
 Lumen lm/M: **320**
 FPC Width MM: **7.5**
 Power W/M: **8w**

Jacket Dia: **9 x16.5 mm**
 Beam Angle: **160°**
 Box Qty: **5 Packets**



Neon Flex-Yellow

8W **VT-555Y**
 2518 - Yellow 3800157605717

10M ROLL

IP65 RATING

Voltage: **DC:24V**
 Lumen lm/M: **320**
 FPC Width MM: **7.5**
 Power W/M: **8w**

Jacket Dia: **9 x16.5 mm**
 Beam Angle: **160°**
 Box Qty: **5 Packets**



Neon Flex-Pink

8W **VT-555P**
 2529 - Pink 3800157619523

10M ROLL

IP65 RATING

Voltage: **DC:24V**
 Lumen lm/M: **320**
 FPC Width MM: **7.5**
 Power W/M: **8w**

Jacket Dia: **9 x16.5 mm**
 Beam Angle: **160°**
 Box Qty: **5 Packets**



Neon Flex-Violet

8W **VT-555V**
 2531 - Violet 3800157619547

10M ROLL

IP65 RATING

Voltage: **DC:24V**
 Lumen lm/M: **320**
 FPC Width MM: **7.5**
 Power W/M: **8w**

Jacket Dia: **9 x16.5 mm**
 Beam Angle: **160°**
 Box Qty: **5 Packets**



Backlite Silicon Neon Flex

13w **VT-559**
 2570 - 5000K White 3800157637657
 2568 - 3000K Warm White 3800157637633
 2569 - 4000K Day White 3800157637640

10M ROLL

IP65 RATING

LED Type: **SMD**
 Watt/M: **13w**
 Voltage: **DC:24V**
 lm/M: **1000**
 CRI: **>80**

Beam Angle: **120°**
 IP Rating: **IP65**
 Width: **8mm**
 Box Qty: **200 Meters**





Aluminium Profiles-5CM

SKU : 2527
 EAN : 3800157608404
 Box Qty: 2200Pcs



Neon Power Cord

SKU : 3331
 EAN : 3800157616829
 Box Qty: 500 Pcs



Neon Connector

SKU : 3333
 EAN : 3800157607889
 Box Qty: 3000 Pcs



Neon End Safe Cap

SKU : 3334
 EAN : 3800157607896
 Box Qty: 2 Pcs



Plastic Profile-1M

SKU : 2571
 EAN : 3800157637664
 Box Qty: 50 Pcs



Plug-Pin

SKU : 2565
 EAN : 3800157637565
 Box Qty: 1000Pcs



Fixing Clip

SKU : 2566
 EAN : 3800157637572
 Box Qty: 1000Pcs



End Cup

SKU : 2567
 EAN : 3800157637589
 Box Qty: 1000Pcs

LED Strip Set -PLUG AND PLAY

LED STRIP LIGHT set is a complete kit where we provide you with 5 meters of LED STRIP LIGHT, along with the POWER SUPPLY and CONNECTOR and REMOTE CONTROL (optional), to make it a complete kit. Available and made in different colour options as per requirement.

- LED Strip
- Remote control (included)
- Driver (included)
- Packing: Blister Pack, 5 meters roll



SKU	Description:	EAN :	BOX Qty:
2351	LED Strip Set SMD3528 60 LEDs 4500K IP20	3800230621634	48 Pcs
2350	LED Strip Set SMD5050 30 LEDs RGB IP20	3800230621641	48 Pcs
2352	LED Strip Set SMD5050 30 LEDs RGB IP65	3800230621658	50 Pcs
2353	LED Strip Set SMD5050 60 LEDs RGB IP20	3800230621665	50 Pcs
2354	LED Strip Set SMD5050 60 LEDs RGB IP65	3800230621672	48 Pcs
2355	LED Strip Set SMD5050 60 LEDs White IP20	3800230621689	48 Pcs
2356	LED Strip Set SMD5050 60 LEDs White IP65	3800230621696	48 Pcs

Strip Connectors



SKU	Description:	EAN :	BOX Qty:
2587	Flexible Connector - LED Strip 5050 RGB+White	3800157644655	2500 Pcs
2588	Flexible Connector - 5050 RGB+White With Pin	3800157644662	2000 Pcs
2589	Connector - LED Strip 5050 RGB+White	3800157644679	3000 Pcs
3500	Flexible Connector - LED Strip 3528	3800230622051	100 Pcs
3501	Flexible Connector - LED Strip 5050	3800230622068	100 Pcs
3502	Flexible Connector - LED Strip 5050 RGB	3800230622075	100 Pcs
3503	Connector - LED Strip 3528	3800230622082	100 Pcs
3504	Connector - LED Strip 5050	3800230622099	1000 Pcs
3505	Connector - LED Strip 5050 RGB	3800230622105	1000 Pcs
3507	Flexible Connector - LED Strip 3528 DC Female	3800230622112	100 Pcs
3508	Flexible Connector - LED Strip 5050 DC Female	3800157608466	100 Pcs
3509	Connector - LED Strip 3528 Cross Type	3800157608473	100 Pcs
3510	Connector - LED Strip 5050 Cross Type	3800157608480	200 Pcs
3511	Connector - LED Strip 5050 L Type	3800157608497	250 Pcs
3512	Connector - LED Strip DC Female	3800230622112	100 Pcs


2
PCS PACK

Bar 4014 144 LEDs

18w VT-4014 144-2Pc

- SKU: 2535 - 3000K Warm White 3800157625883
- SKU: 2536 - 4000K Day White 3800157625890
- SKU: 2537 - 6400K White 3800157625906

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20
Box Qty:	125 Pcs



10
PCS PACK

Bar 4014 144 LEDs

18w VT-4014 144-10Pc

- SKU: 2538 - 3000K Warm White 3800157625913
- SKU: 2539 - 4000K Day White 3800157625920
- SKU: 2540 - 6400K White 3800157625937

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20
Box Qty:	50 Pcs




Bar 4014 144 LEDs

18w VT-4014 144-P

- SKU: 2541 - 3000K Warm White 3800157625944
- SKU: 2542 - 4500K Day White 3800157625951
- SKU: 2543 - 6400K White 3800157625968

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20
Box Qty:	100 Pcs





PROFILES AND ACCESSORIES

V-TAC's range of strip lights and aluminum profiles were developed with the sole purpose of adding a constantly stylish way of lighting. Coupled with our diverse range of accessories and controllers, these stylish lights can be installed in a variety of ways and applications.





Lighting Flexibility



Elegant Lighting



Easy to Install



with 30 mm wide,
Perfect for double
row LED Strip

Aluminium Profiles-Milky

Model No: **VT-8118**


SKU: **3371**

Dimension: **2000x30x20mm**

Color of Fixture: **Milky**

EAN: **3800157648431**

Box Qty. **50 Pcs**



Aluminium Profiles-Milky

Model No: **VT-8119**



SKU: **3372**

Dimension: **2000x30x20mm**

Color of Fixture: **Milky**


EAN: **3800157648448**

Box Qty. **60 Pcs**



Aluminium Profiles-Milky

Model No:	VT-9327
SKU:	3370
Dimension:	x2000x16mmx7mm
Color of Fixture:	Milky
EAN:	3800157645553
Box Qty.	200 Pcs




Aluminium Profiles-Milky

Model No:	VT-8106
SKU:	3350
Dimension:	2000x24.7x7mm
Color of Fixture:	Milky
EAN:	3800157636780

Aluminium Profiles-White Housing



Model No:	VT-8106-W
SKU:	3368
Dimension:	2000x24.7x7mm
Color of Fixture:	White
EAN:	3800157640183

Box Qty. 180 Pcs



Aluminium Profiles-Milky

Model No:	VT-8107
SKU:	3351
Dimension:	2000x23x15.5mm
Color of Fixture:	Milky
EAN:	3800157636797
Box Qty.	120 Pcs




Aluminium Profiles-Milky

Model No:	VT-8108
SKU:	3352
Dimension:	2000x23.5x10mm
Color of Fixture:	Milky
EAN:	3800157636803

Aluminium Profiles-White Housing

Model No:	VT-8108-W
SKU:	3367
Dimension:	2000x23.5x10mm
Color of Fixture:	White
EAN:	3800157640176

Box Qty. 120 Pcs





Aluminium Profiles-Milky

Model No:	VT-8109
SKU:	3353
Dimension:	2000x15.8x15.8mm
Color of Fixture:	Milky
EAN:	3800157636810

Aluminium Profiles-White Housing

Model No:	VT-8109-W
SKU:	3369
Dimension:	2000x15.8x15.8mm
Color of Fixture:	White
EAN:	3800157640190

Box Qty. 160 Pcs




Box Qty. 120 Pcs

Aluminium Profiles-Milky

Model No:	VT-8110
SKU:	3354
Dimension:	2000x17.2x15.5mm
Color of Fixture:	Milky
EAN:	3800157636827

Aluminium Profiles-White Housing

Model No:	VT-8110-W
SKU:	3366
Dimension:	2000x17.2x15.5mm
Color of Fixture:	White
EAN:	3800157640169





Box Qty. 180 Pcs

Aluminium Profiles-Milky

Model No:	VT-8113
SKU:	3355
Dimension:	2000x17.4x7mm
Color of Fixture:	Milky
EAN:	3800157636834

Aluminium Profiles-White Housing

Model No:	VT-8113-W
SKU:	3365
Dimension:	2000x17.4x7mm
Color of Fixture:	White
EAN:	3800157640152




Box Qty. 120 Pcs

Aluminium Profiles-Milky

Model No:	VT-8114
SKU:	3356
Dimension:	2000x19x19mm
Color of Fixture:	Milky
EAN:	3800157636841

Aluminium Profiles-White Housing


Model No:	VT-8114-W
SKU:	3364
Dimension:	2000x19x19mm
Color of Fixture:	White
EAN:	3800157640145



Aluminium Profiles-Milky

Model No:	VT-8115
SKU:	3357
Dimension:	2000x24.5x12.2mm
Color of Fixture:	Milky
EAN:	3800157636858

Box Qty. 120 Pcs



Aluminium Profiles-Milky


Model No:	VT-8116
SKU:	3358
Dimension:	2000x17.4x12.1mm
Color of Fixture:	Milky
EAN:	3800157636865

Box Qty. 120 Pcs



Aluminium Profiles-Milky-Set

Model No:	VT-8101
SKU:	3359
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157636995
Box Qty.	30 Pcs




Aluminium Profiles-Milky-Set

Model No:	VT-8102
SKU:	3360
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637008
Box Qty.	50 pcs




Aluminium Profiles-Milky-Set

Model No:	VT-8103
SKU:	3361
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637015
Box Qty.	40 Pcs




Aluminium Profiles-Milky-Set

Model No:	VT-8104
SKU:	3362
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637022
Box Qty.	30 Pcs




Aluminium Profiles-Milky-Set

Model No:	VT-8105
SKU:	3363
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637039
Box Qty.	30 Pcs



Aluminium Profile-Matt


Model No:	VT-7103-M
SKU:	9986
Dimension:	26.5x9x1000mm
Color of Fixture:	Matt
EAN:	3800230622174
Box Qty.	90 Pcs



2
PCS PACK

Aluminium Profile-2 Meters

Model No:	VT-7104
SKU:	9956
Dimension:	19x19x2000mm
Color of Fixture:	Milky
EAN:	3800157635509
Box Qty.	40 Pcs





Strip-Controller-Dimmer

Model:	VT-2402
SKU:	3300
Max Current /Watt:	8A 96/192W
Input Voltage:	DC:12/24V
EAN:	3800230622198
Box Qty.	50 Pcs



Strip-Controller-Radio

Model:	VT-2404
SKU:	3303
Max Current /Watt:	12A, 144W
Input Voltage:	DC:12/24V
EAN:	3800230622204
Box Qty.	100 Pcs



Strip-Controller-DMX 512

Model:	VT-DM X 512
SKU:	3307
Max Current /Watt:	4A x3 144/288W
Input Voltage:	DC:12V
EAN:	3800230622266
Box Qty.	50 Pcs



Strip-Controller-Radio

Model:	VT-2405
SKU:	3312
Max Current /Watt:	4A x3 144/288W
Input Voltage:	DC:12/24V
EAN:	3800230622273
Box Qty.	20 Pcs



Strip-Controller-Radio

Model:	VT-2406
SKU:	3318
Max Current /Watt:	500W
Input Voltage:	DC:12/24V
EAN:	3800230622235
Box Qty.	50 Pcs



Strip-Controller-RF

Model:	3320
SKU:	3320
Max Current /Watt:	N/A
Input Voltage:	DC:12V
EAN:	3800230628022
Box Qty.	500 Pcs



Strip-Controller-Infrared

Model:	VT-2472
SKU:	3625
Max Current /Watt:	72/144w
Input Voltage:	DC:12/24V
EAN:	3800230629630
Box Qty.	100 Pcs



Strip-Amplifier-5050

Model:	3018
SKU:	3018
Input Voltage:	DC:12V
EAN:	3800230622242
Box Qty.	1000 Pcs



Strip-Controller

Model:	3319
SKU:	3319
Input Voltage:	DC:12V
EAN:	3800230628015
Box Qty.	500 Pcs



Strip-Controller-Wifi

Model:	3321
SKU:	3321
Input Voltage:	DC:12V
EAN:	3800230628039
Box Qty.	50 Pcs



Strip-Controller-Wifi RGB

Model:	3322
SKU:	3322
Input Voltage:	DC:12V
EAN:	3800230628046
Box Qty.	50 Pcs



Strip-Controller-5050

Model:	3326
SKU:	3326
Input Voltage:	DC:12/24V
EAN:	3800230629630
Box Qty.	100 Pcs



Strip-Amplifier

Model:	VT-2408
SKU:	3327
Input Voltage:	DC:12/24V
EAN:	3800157601047
Box Qty.	100 Pcs




Strip-Amplifier

Model:	VT-2407
SKU:	3309
Input Voltage:	DC:12/24V
EAN:	3800157620819
Box Qty.	100Pcs



Bed Light-Sensor

Model:	VT-8069
SKU:	2554
Input voltage:	DC:12V
Sensing Distance:	2-5m
DeLay Time:	3s-6min
EAN:	3800157632690
Box Qty.	400Pcs




Bed Light-Touch Sensor

Model:	VT-8071
SKU:	2556
Input voltage:	DC:12V
EAN:	3800157632713
Box Qty.	100Pcs



Model:	VT-8072
SKU:	2557
Input voltage:	DC:12V
EAN:	3800157632720
Box Qty.	100Pcs



Model:	VT-2411
SKU:	3341
Input voltage:	DC:12V
EAN:	3800157636148
Box Qty.	500Pcs



Model:	VT-8070
SKU:	2555
EAN:	3800157632706
Box Qty.	400Pcs



Model:	VT-2410
SKU:	3663
Max Current /Watt:	6A 216W/432W
Input Voltage:	DC:12/24V
EAN:	3800157619509
Box Qty.	100 Pcs



Model:	VT-2414
SKU:	3337
Input Voltage:	DC:12/24V
EAN:	3800157634601
Box Qty.	50Pcs



Model:	VT-2424
SKU:	3338
Input Voltage:	DC:12/24V
EAN:	3800157634618
Box Qty.	60Pcs



Model:	VT-2420
SKU:	3339
Input Voltage:	DC:12/24V
EAN:	3800157634625
Box Qty.	60Pcs



Model:	VT-2410
SKU:	3340
Input Voltage:	DC:12/24V
EAN:	3800157634632
Box Qty.	100Pcs

Strip Dimmer- Touch Remote Control



3 single color channels, <6A/channel
DC 12V:<216W/DC 24V:<432W

Model:	VT-5115
SKU:	2590
Input Voltage:	DC:12/24V
EAN:	3800157649445
Box Qty.	50 Pcs

Modules-3 SMD-IP67

0.72w VT-50503



Voltage/Frequency:	DC:12V
Luminous Flux:	66lm
LED Type:	SMD
CRI:	>75
Beam Angle:	160°
Dimension:	67x15x8.5mm
IP Rating:	IP67
Box Qty.	2000 Pcs

SKU: 5116 - 6000K White	3800157610209
SKU: 5117 - Red	3800157610216
SKU: 5118 - Blue	3800157610223
SKU: 5119 - Green	3800157610230



Modules-3 SMD-IP67

1w **VT-28353**



Voltage/Frequency:	DC:12V
Luminous Flux:	100lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	53x12x4.6mm
IP Rating:	IP67
Box Qty.	200 Pcs

SKU: 5120 - 6000K White	3800157610247
SKU: 5121 -Red	3800157610254
SKU: 5123 - Green	3800157610261
	3800157610278

Modules-3 SMD-IP67

1.5w **VT-28356**



Voltage/Frequency:	DC:12V
Luminous Flux:	120-150lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	87x15x10mm
IP Rating:	IP67
Box Qty.	2000 Pcs

SKU: 5124 - 3000K Warm White	3800157621687
SKU: 5127 - Blue	3800157621694
SKU: 5128 - Green	3800157621700
	3800157621717
	3800157621724

Modules-4 SMD-IP68

1.44w **VT-28358**



Voltage/Frequency:	DC:12V
Luminous Flux:	120-135lm
LED Type:	SMD
CRI:	>75
Beam Angle:	160°
Dimension:	37x37x6.8mm
IP Rating:	IP68
Box Qty.	100Pcs

SKU: 5129 - 3000K Warm White	3800157621731
SKU: 5130 - 6000K White	3800157621748
SKU: 5131 -Red	3800157621755
SKU: 5132 - Blue	3800157621762
SKU: 5133 - Green	3800157621779

Modules-3 SMD-IP67

0.72w **VT-50506**



Voltage/Frequency:	DC:12V
Luminous Flux:	20lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	68x19.5x5.7mm
IP Rating:	IP67
Box Qty.	100 Pcs

SKU: 5134 - RGB	3800157621786
-----------------	---------------

Modules-SMD-IP68

0.24w VT-50501



Voltage/Frequency:	DC:12V
Luminous Flux:	20lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	12x22mm
IP Rating:	IP68
Box Qty.	320 Pcs

SKU: 5135 - 3000K Warm white	3800157621793
SKU: 5136 - 6000K White	3800157621809
SKU: 5141 - 4000K Day white	3800157653336
SKU: 5137 - Red	3800157621816
SKU: 5139 - Blue	3800157621830
SKU: 5140 - Green	3800157621847
SKU: 5138 - Yellow	3800157621823

Power Supply

For LED Strip Lights

NEW

Metal Power Supply
VT-20030

SKU :	3255	Output:	DC:12V
Watts:	30W	Unit Size:	130x50x31mm
Current Capacity:	2.5A	EAN:	3800157635318
Input Power:	AC:220-240V,50Hz	Box Qty.	36 Pcs

Slim Power Supply
VT-20062

SKU :	3246	Output:	DC:12V
Watts:	60w	Unit Size:	130x50x31mm
Current Capacity:	5A	EAN:	3800157628549
Input Power:	AC:85-265V,50/60Hz	Box Qty.	36 Pcs

24V

Slim Power Supply
VT-24061

SKU :	3261	Output:	DC:24V
Watts:	60w	Unit Size:	130x50x31mm
Current Capacity:	2.5A	EAN:	3800157640367
Input Power:	AC:85-265V,50/60Hz	Box Qty.	36 Pcs

Slim Power Supply
VT-20077

With short circuit protection, over load protection, stable output voltage

SKU :	3247	Output:	DC:12V
Watts:	75w	Unit Size:	130x50x31mm
Current Capacity:	6A	EAN:	3800157628556
Input Power:	AC:85-265V,50/60Hz	Box Qty.	60 Pcs



**Slim Power Supply
VT-20122**

SKU : **3243**

Watts: **120w**

Current Capacity: **10A**

Input Power: **AC:85-265V,50/60Hz**

Built in EMI Filter

Output: **DC:12V**

Unit Size: **190x50x31mm**

EAN: **3800157628525**

Box Qty. **80 Pcs**



24V

**Slim Power Supply
VT-24120**

SKU : **3262**

Watts: **120w**

Current Capacity: **5A**

Input Power: **AC:85-265V,50/60Hz**

Built in EMI Filter

Output: **DC:24V**

Unit Size: **190x50x31mm**

EAN: **3800157640374**

Box Qty. **80 Pcs**



**Slim Power Supply
VT-20152**

SKU : **3244**

Watts: **150w**

Current Capacity: **12.5A**

Input Power: **AC:85-265V,50/60Hz**

High efficiency, low temperature


Output: **DC:12V**

Unit Size: **200x62x31mm**

EAN: **3800157628532**

Box Qty. **60 Pcs**

NEW



24V

**Metal Power Supply
VT-22250**

SKU : **3273**

Watts: **250W**

Current Capacity: **10A**


Input Power: **AC:200-265V, 50Hz**

Output: **DC:24V**

Unit Size: **208x82x32mm**

EAN: **3800157654432**

Box Qty. **30 Pcs**



**Slim Power Supply
VT-20352**

SKU : **3259**

Watts: **350w**

Current Capacity: **30A**

Input Power: **AC:200-240V,50/60 Hz**

Output: **DC:12V**

Unit Size: **208x82x32mm**

EAN: **3800157636766**

Box Qty. **30 Pcs**



24V

**Slim Power Supply
VT-24350**

SKU : **3263**

Watts: **350w**

Current Capacity: **15A**

Input Power: **AC:200-240V,50/60 Hz**


Output: **DC:24V**

Unit Size: **208x82x32mm**

EAN: **3800157640381**

Box Qty. **30 Pcs**

NEW



24V

5 YEAR WARRANTY

NOISE WITHOUT FAN

**Metal Power Supply
VT-21361**

SKU : **3275**

Watts: **360W**

Current Capacity: **15A**

Input Power: **AC:200-240V,50Hz**

Output: **DC:24V**

Unit Size: **208x82x32mm**

EAN: **3800157654456**

Box Qty. **24 Pcs**

NEW



24V

5 YEAR WARRANTY

NOISE WITHOUT FAN

**Metal Power Supply
VT-21360**

SKU : **3274**

Watts: **360W**

Current Capacity: **30A**

Input Power: **AC:200-240V,50Hz**

Output: **DC:12V**

Unit Size: **208x82x32mm**

EAN: **3800157654449**

Box Qty. **24 Pcs**



**Power Supply-Metal
VT-20026**

100% load tested

SKU :	3228
Watts:	25w
Current Capacity:	2.1A
Input Power:	AC:85-265V,50/60Hz


Output:	DC:12V
Unit Size:	140x33x27mm
EAN:	3800157622929
Box Qty.	100 Pcs



**Power Supply-Metal
VT-20350**

SKU :	3057
Watts:	350w
Current Capacity:	30A
Input Power:	AC:110-220V,50/60Hz

Output:	DC:12V
Unit Size:	215x115x50mm
EAN:	3800230621795
Box Qty.	20 Pcs



**Power Supply-Metal
VT-20153**

SKU :	3253
Watts:	150w
Current Capacity:	6.5A
Input Power:	AC:85-265V,50/60Hz

Output:	DC:24V
Unit Size:	253x72x45mm
EAN:	3800157635233
Box Qty.	50 Pcs



**LED Power Supply-TRIAC Dimmable
VT-20101D**

SKU :	3256
Watts:	100w
Current Capacity:	8.5A
Input Power:	AC:200-240V,50/60 Hz

Output:	DC:12V
Unit Size:	199x98x42mm
EAN:	3800157635523
Box Qty.	50 Pcs



**LED Power Supply-TRIAC Dimmable
VT-20154D**

SKU :	3257
Watts:	150w
Current Capacity:	12.5A
Input Power:	AC:200-240V,50/60 Hz

Output:	DC:12V
Unit Size:	199x98x42mm
EAN:	3800157635530
Box Qty.	50 Pcs



**LED Power Supply-TRIAC Dimmable
VT-20155D**

SKU :	3258
Watts:	150w
Current Capacity:	6.25A
Input Power:	AC:200-240V,50/60 Hz

Output:	DC:24V
Unit Size:	199x98x42mm
EAN:	3800157635547
Box Qty.	50 Pcs



**LED Power Supply-Rainproof-IP45
VT-21060**

SKU :	3070
Watts:	60w
Current Capacity:	5A
Input Power:	AC:200-240V,50Hz

Output:	DC:12V
Unit Size:	155x105x50mm
EAN:	3800230621801
Box Qty.	30 Pcs



**LED Power Supply-Rainproof-IP45
VT-21151**

SKU :	3231
Watts:	150w
Current Capacity:	12.5A
Input Power:	AC: 100-264V,50/60Hz

Output:	DC:12V
Unit Size:	207x74x42mm
EAN:	3800157627979
Box Qty.	40 Pcs



IP45 RATING

**LED Power Supply-Rainproof-IP45
VT-21251**

SKU :	3232	Output:	DC:12V
Watts:	250w	Unit Size:	218x95x50mm
Current Capacity:	20A	EAN:	3800157627986
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	25 Pcs



IP45 RATING

**LED Power Supply-Rainproof-IP45
VT-21401**

SKU :	3233	Output:	DC:12V
Watts:	400w	Unit Size:	223x118x50mm
Current Capacity:	33A	EAN:	3800157627993
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	20 Pcs




IP45 RATING

24V

**LED Power Supply-Rainproof-IP45
VT-26400**


SKU :	3265	Output:	DC:24V
Watts:	400w	Unit Size:	223x118x50mm
Current Capacity:	16.6A	EAN:	3800157640404
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	20 Pcs



IP65 RATING

**Power Supply-Waterproof-IP65
VT-22101**

SKU :	3236	Output:	DC:12V
Watts:	100w	Unit Size:	201x30.5x20mm
Current Capacity:	8.0A	EAN:	3800157605991
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	20 Pcs



IP65 RATING

24V

**Power Supply-Waterproof-IP65
VT-22101-24**


SKU :	3101	Output:	DC:24V
Watts:	100w	Unit Size:	201x30.5x20mm
Current Capacity:	4.2A	EAN:	3800157605991
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	20 Pcs



IP67 RATING

**Power Supply-Waterproof-IP67
VT-21030**

SKU :	3271	Output:	DC:12V
Watts:	30w	Unit Size:	150x40x30mm
Current Capacity:	2.5A	EAN:	3800157649186
Input Power:	AC:100-240V,50/60Hz	Box Qty.	60 Pcs



IP67 RATING

**Power Supply-Waterproof-IP67
VT-22061**

SKU :	3234	Output:	DC:12V
Watts:	60w	Unit Size:	166x43x33mm
Current Capacity:	5A	EAN:	3800157628006
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	40 Pcs



IP67 RATING

**Power Supply-Waterproof-IP67
VT-22075**

SKU :	3235	Output:	DC:12V
Watts:	75w	Unit Size:	166x43x33mm
Current Capacity:	6A	EAN:	3800157628013
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	40 Pcs





IP67 RATING

**Power Supply-Waterproof-IP67
VT-22153**

SKU :	3248	Output:	DC:12V
Watts:	150w	Unit Size:	192x52x37mm
Current Capacity:	12.5A	EAN:	3800157629362
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	15 Pcs






IP67 RATING




5 YEAR WARRANTY


**Power Supply-Waterproof-IP67
VT-22155**

SKU :	3250	Output:	DC:12V
Watts:	150w	Unit Size:	192x52x37mm
Current Capacity:	12.5A	EAN:	3800157630436
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	20 Pcs





IP67 RATING



5 YEAR WARRANTY


**Power Supply-Waterproof-IP67
VT-22105**

SKU :	3251	Output:	DC:12V
Watts:	100w	Unit Size:	192x52x37mm
Current Capacity:	8.3A	EAN:	3800157630443
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	25 Pcs





IP67 RATING



5 YEAR WARRANTY

**Power Supply-Waterproof-IP67
VT-22065**

SKU :	3252	Output:	DC:12V
Watts:	60w	Unit Size:	166x43x33mm
Current Capacity:	5A	EAN:	3800157630450
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	40 Pcs



**Power Supply-Plastic-IP44
VT-23019**

SKU :	3237	Output:	DC:12V
Watts:	18w	Unit Size:	73x27x43mm
Current Capacity:	1.5A	EAN:	3800157628037
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	120 Pcs



**Power Supply-Plastic-IP44
VT-23031**

SKU :	3238	Output:	DC:12V
Watts:	30w	Unit Size:	119x52x32mm
Current Capacity:	2.5A	EAN:	3800157628044
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	50 Pcs




**Power Supply-Plastic-IP44
VT-23061**

SKU :	3239	Output:	DC:12V
Watts:	60w	Unit Size:	119x52x32mm
Current Capacity:	5A	EAN:	3800157628051
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	50 Pcs




**Power Supply-Plastic-IP44
VT-23043**

SKU :	3249	Output:	DC:12V
Watts:	42w	Unit Size:	119x52x32mm
Current Capacity:	3.5A	EAN:	3800157629379
Input Power:	AC:100-265V 50/60 Hz	Box Qty.	50 Pcs




**Power Supply-Plastic-IP44
VT-25060**

SKU :	3264	Output:	DC:24V
Watts:	60w	Unit Size:	119x52x32mm
Current Capacity:	2.5A	EAN:	3800157640398
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	50 Pcs



**Power Supply-Plastic
VT-23060**

SKU :	3035	Output:	DC:12V
Watts:	60w	Unit Size:	130x90x45mm
Current Capacity:	5A	EAN:	3800157601085
Input Power:	AC:100-265V 50/60 Hz	Box Qty.	50 Pcs



**Power Supply-Plastic-IP44
VT-23060-W**

SKU :	3269	Output:	DC:12V
Watts:	60w	Unit Size:	119x52x32mm
Current Capacity:	5A	EAN:	3800157642668
Input Power:	AC:100-264V	Box Qty.	50 Pcs



**Power Supply-Plastic-IP44
VT-23061-W**

SKU :	3270	Output:	DC:12V
Watts:	60w	Unit Size:	119x52x32mm
Current Capacity:	5A	EAN:	3800157642675
Input Power:	AC:100-264V	Box Qty.	50 Pcs



**Plastic Power Supply
VT-22078**

SKU :	3272	Output:	DC:24V
Watts:	78W	Unit Size:	119x52x32mm
Current Capacity:	3.25A	EAN:	3800157654425
Input Power:	AC:100-264V	Box Qty.	50 Pcs



**Power Supply-Plastic-IP44
VT-23079**

SKU :	3240	Output:	DC:12V
Watts:	78w	Unit Size:	119x52x32mm
Current Capacity:	6.5A	EAN:	3800157628068
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	50 Pcs



LED Track Lights

V-TAC's extensive range of modern LED track lights are the perfect ecological alternative to old, inefficient Halogen lights. Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.

Product Features

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, compact & adjustable design
- No Lead or mercury content hence environment-friendly
- Provides uniform radiance & enhances appeal of retail environment
- Enhances measurable levels of performance as compared to older versions of high wattage Halogen & HID light sources in retail & commercial lighting applications

Applications

Perfect choice for exhibition stands, hotels, bars, commercial & residential lighting.



Tracklights-Smart Color Changing


15w VT-7715-W

SKU: 1456 - 3 IN 1 3800157637909

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	650
LED Type:	COB
CRI:	>80
PF:	>0.5

CCT and Dimming VIA SMART PHONE APP

CCT Adjustable
2800K/4000K/6000K



Tracklights-Smart Color Changing


15w VT-7715-B

SKU: 1457 - 3 IN 1 3800157637916

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	500
LED Type:	COB
CRI:	>80
PF:	>0.5

CCT and Dimming VIA SMART PHONE APP

CCT Adjustable
2800K/4000K/6000K



Tracklights-Smart Color Changing


35w VT-7735-W

SKU: 1458 - 3 IN 1 3800157637923

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2350
LED Type:	COB
CRI:	>80
PF:	>0.9

CCT and Dimming VIA SMART PHONE APP

CCT Adjustable
2800K/4000K/6000K



Tracklights-Smart Color Changing


35w VT-7735-B

SKU: 1459 - 3 IN 1 3800157637930

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1950
LED Type:	COB
CRI:	>80
PF:	>0.9

CCT and Dimming VIA SMART PHONE APP

CCT Adjustable
2800K/4000K/6000K





Tracklights-Color Changing

18w VT-4718-W


SKU: 1410 - 3 IN 1 3800157629324

CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°~60°

Triac Dimmable

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjustable)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1450lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	Ø93x93.5x230mm
PF:	>0.9	Box Qty:	20 Pcs



5 YEAR
WARRANTY*



Tracklights-Color Changing

18w VT-4718-B


SKU: 1411 - 3 IN 1 3800157629331

CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°~60°

Triac Dimmable

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjustable)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1450lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	Ø93x93.5x230mm
PF:	>0.9	Box Qty:	20 Pcs



5 YEAR
WARRANTY*



Tracklights-Color Changing

35w VT-4745-W


SKU: 1412 - 3 IN 1 3800157629348

CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°~60°

Triac Dimmable

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjustable)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	3000lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	Ø100x196x262mm
PF:	>0.9	Box Qty:	8 Pcs



5 YEAR
WARRANTY*



Tracklights-Color Changing

35w VT-4745-B


SKU: 1413 - 3 IN 1 3800157629355

CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°~60°

Triac Dimmable

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjustable)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	3000lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	Ø100x196x262mm
PF:	>0.9	Box Qty:	8 Pcs



5 YEAR
WARRANTY*




Tracklights-Black-White Body
10w VT-4512

SKU: 1332 - 3000K Warm White 3800157620604
SKU: 1333 - 4000K Day White 3800157620611
SKU: 1334 - 6000K White 3800157620628

5 YEAR WARRANTY

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	800lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	209x65x163mm
PF:	>0.9	Box Qty:	40 Pcs




Tracklights-Black-White Body
25w VT-4528

SKU: 1335 - 3000K Warm White 3800157620635
SKU: 1336 - 4000K Day White 3800157620642
SKU: 1337 - 6000K White 3800157620659

5 YEAR WARRANTY

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	2100lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	209x85x187mm
PF:	>0.9	Box Qty:	20 Pcs




Tracklights-Black-White Body
35w VT-4537

SKU: 1338 - 3000K Warm White 3800157620666
SKU: 1339 - 4000K Day White 3800157620673
SKU: 1340 - 6000K White 3800157620680

5 YEAR WARRANTY

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	2850lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	224x100x215mm
PF:	>0.9	Box Qty:	10 Pcs




Tracklights-White Body
15w VT-4615W

SKU: 1300 - 6400K White 3800157619875



5 YEAR WARRANTY

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1350lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	Ø180x97x155mm
PF:	>0.9	Box Qty:	20 Pcs







Tracklights-Black Body 15w VT-4615B

SKU: 1303 - 6400K White

3800157619905

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1350lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x97x155mm
PF:	>0.9	Box Qty:	20 Pcs




5 YEAR
WARRANTY*


Tracklights-White Body 30w VT-4635W

SKU: 1294 - 6400K White

3800157619813

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x140x215mm
PF:	>0.9	Box Qty:	20 Pcs




5 YEAR
WARRANTY*


Tracklights-Black Body 30w VT-4635B

SKU: 1297 - 6400K White

3800157619844

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x140x215mm
PF:	>0.9	Box Qty:	20 Pcs


5 YEAR
WARRANTY*


Tracklights-Black Body 33w VT-4535

SKU: 1233 - 3000K Warm White

3800157603720



SKU: 1234 - 4000K Day White

3800157603737

SKU: 1235 - 5000K White

3800157603744

Sensor Compatible:	Yes	Beam Angle:	25°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1800lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>95	Dimension:	112x165x205mm
PF:	>0.9	Box Qty:	8 Pcs





Tracklights-Black Body
45W VT-4545

SKU: 1236 - 3000K Warm White 3800157603751
SKU: 1237 - 4000K Day White 3800157603768
SKU: 1238 - 5000K White 3800157603775



Sensor Compatible:	Yes	Beam Angle:	25°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2300lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>95	Dimension:	123x165x218mm
PF:	>0.9	Box Qty:	8 Pcs





Tracklights-Black Body
40W VT-4540T

SKU: 1192 - 5000K Day White 3800230629555



Sensor Compatible:	Yes	Beam Angle:	22°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2600lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>70	Dimension:	225x185x138mm
PF:	>0.9	Box Qty:	8 Pcs





Tracklights-Black Body
33W VT-4534B

SKU: 1232 - 5000K White 3800157602532



Sensor Compatible:	Yes	Beam Angle:	22°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2300lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	106x208x206mm
PF:	>0.9	Box Qty:	8 Pcs





Tracklights-White Body
35W VT-4536W

SKU: 1255 - 3000K Warm White 3800157607551
SKU: 1256 - 4500K Day White 3800157607568
SKU: 1257 - 6000K White 3800157607575



Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	3500lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	92x165x192mm
PF:	>0.9	Box Qty:	20 Pcs





Tracklights-Black Body 35w VT-4536B

SKU: 1285 - 3000K Warm White
SKU: 1286 - 4000K Day White
SKU: 1287 - 6000K White

3800157618694
3800157618700
3800157618717




Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	3500lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	92x165x192mm
PF:	>0.9	Box Qty:	20 Pcs



TRACK LIGHT ACCESSORIES

<p>Track-Connectors-4I SKU : 3522 EAN : 3800230623232 Box Qty: 50 Pcs</p>	<p>Track-Connectors-4I SKU : 3523 EAN : 3800230623195 Box Qty: 50 Pcs</p>	<p>Track-Connectors-4T SKU : 3524 EAN : 3800230623201 Box Qty: 25 Pcs</p>	<p>Track-Connectors-4T SKU : 3525 EAN : 3800230623249 Box Qty: 25 Pcs</p>	<p>Track-Connectors-4X SKU : 3526 EAN : 3800230623218 Box Qty: 10 Pcs</p>	<p>4 Wired Y Series-Connectors SKU : 3655 EAN : 3800157619103 Box Qty: 100 Pcs</p>
<p>4 Wired Y Series-Connectors SKU : 3656 EAN : 3800157619110 Box Qty: 100 Pcs</p>	<p>End Cap-White SKU : 3657 EAN : 3800157619127 Box Qty: 200 Pcs</p>	<p>End Cap-Black SKU : 3658 EAN : 3800157619134 Box Qty: 200 Pcs</p>	<p>4 Wired Y Series-Adaptor SKU : 3659 EAN : 3800157619141 Box Qty: 50 Pcs</p>	<p>4 Wired Y Series-Adaptor SKU : 3660 EAN : 3800157619158 Box Qty: 50 Pcs</p>	<p>Track-Connectors-4X SKU : 3527 EAN : 3800230623256 Box Qty: 10 Pcs</p>
<p>Track-Connectors-4L SKU : 3528 EAN : 3800230623225 Box Qty: 25 Pcs</p>	<p>Track-Connectors-4L SKU : 3529 EAN : 3800230623263 Box Qty: 25 Pcs</p>	<p>Flexible Joint-4 Line SKU : 3559 EAN : 3800230628442 Box Qty: 20 Pcs</p>	<p>Flexible Joint-4 Line SKU : 3560 EAN : 3800230628459 Box Qty: 20 Pcs</p>	<p>Hanging Trackline Kit-1 Meter SKU : 3565 EAN : 3800157600019 Box Qty: 100 Pcs</p>	<p>Hanging Trackline Kit-1 Meter SKU : 3566 EAN : 3800157600026 Box Qty: 100 Pcs</p>
<p>4 Core Track-1 Meter SKU : 9944 EAN : 3800230623133 Box Qty: 10 Pcs</p>	<p>4 Core Track-1 Meter SKU : 9945 EAN : 3800230623164 Box Qty: 10 Pcs</p>	<p>4 Core Track-1.5 Meter SKU : 9952 EAN : 3800230623140 Box Qty: 10 Pcs</p>	<p>4 Core Track-1.5 Meter SKU : 9953 EAN : 3800230623171 Box Qty: 10 Pcs</p>	<p>4 Core Track-2 Meter SKU : 9954 EAN : 3800230623157 Box Qty: 10 Pcs</p>	<p>4 Core Track-2 Meter SKU : 9955 EAN : 3800230623188 Box Qty: 10 Pcs</p>



LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long lasting and energy efficient lighting. Choose from a wide range of 3w to 4w variations.

Product Features

- Innumerable styles & elegant appearance
- Non - Flickering
- Premium quality power driver with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast aluminium body
- Low maintenance
- All down lights come with premium quality power

Applications

Residences, showrooms, hotels & boutiques etc.



UGR < 19




Adjustable Angle
0-27°



Hotel Downlight-COB

6w VT-2907

SKU: 1479 - 3000K Warm White 3800157644242
SKU: 1480 - 4000K Day White 3800157644259



Cutting Size
Ø55mm


Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	COB-CREE
CRI:	>95
PF	>0.6

Beam Angle:	0-27°
Body Type:	Aluminium
Dimension:	Ø65x82mm
Cutting Size:	Ø55mm
Box Qty:	24 Pcs

Hotel Downlight-COB

10w VT-2911

SKU: 1481 - 3000K Warm White 3800157644068
SKU: 1482 - 4000K Day White 3800157644075



Cutting Size
Ø75mm


Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	650lm
LED Type:	COB-CREE
CRI:	>95
PF	>0.6

Beam Angle:	0-27°
Body Type:	Aluminium
Dimension:	Ø85x96mm
Cutting Size:	Ø75mm
Box Qty:	16 Pcs

Hotel Downlight-COB

15w VT-2916

SKU: 1483 - 3000K Warm White 3800157644082
SKU: 1484 - 4000K Day White 3800157644099



Cutting Size
Ø95mm


Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1000lm
LED Type:	COB-CREE
CRI:	>95
PF	>0.6

Beam Angle:	0-27°
Body Type:	Aluminium
Dimension:	Ø105x113mm
Cutting Size:	Ø95mm
Box Qty:	12 Pcs

Hotel Downlight-COB

35w VT-2936

SKU: 1477 - 3000K Warm White 3800157644105
SKU: 1478 - 4000K Day White 3800157644112



Cutting Size
Ø150mm

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2300lm
LED Type:	COB-CREE
CRI:	>95
PF	>0.6

Beam Angle:	0-27°
Body Type:	Aluminium
Dimension:	Ø160x176mm
Cutting Size:	Ø150mm
Box Qty:	8 Pcs



Side Light

SKU: 1485 - 3000K Warm White 3800157642675

3W VT-2903

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180lm
LED Type:	COB-CREE
CRI:	>80
PF	>0.6

Beam Angle:	30°
Body Type:	Die Cast Aluminium
Color of Fixture:	Black
Dimension:	80x80x25mm
Cutting Size:	N/A
Box Qty:	40 Pcs



Side Light

SKU: 1486 - 3000K Warm White 3800157644327

3W VT-2913

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180lm
LED Type:	COB-CREE
CRI:	>80
PF	>0.6

Beam Angle:	30°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	90x60x30mm
Cutting Size:	N/A
Box Qty:	40 Pcs



Side Light

SKU: 1487 - 3000K Warm White 3800157644334

3W VT-2943

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180lm
LED Type:	COB-CREE
CRI:	>80
PF	>0.6

Beam Angle:	30°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	120x120x45mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Side Light

SKU: 1488 - 3000K Warm White 3800157644341

3+6W VT-2953

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180+500lm
LED Type:	CREE Chip
CRI:	>80
PF	>0.6

Beam Angle:	120°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	300x50x35mm
Cutting Size:	N/A
Box Qty:	30 Pcs



Side Light

SKU: 1489 - 3000K Warm White 3800157644358

3+6W VT-2963

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180+500lm
LED Type:	COB-CREE
CRI:	>80
PF	>0.6

Beam Angle:	120°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	140x30mm
Cutting Size:	N/A
Box Qty:	30 Pcs


Reflector Series - High Lumen

10W VT-26101

SKU: 1270 - 3000K Warm White 3800157611923
 SKU: 1271 - 4000K Day White 3800157611930
 SKU: 1272 - 6400K White 3800157611947



120
Lumen/W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	1200lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø135x71mm
Cutting Size:	Ø120mm
Box Qty:	27 Pcs


Reflector Series - High Lumen

20W VT-26201

SKU: 1273 - 3000K Warm White 3800157611954
 SKU: 1274 - 4000K Day White 3800157611961
 SKU: 1275 - 6400K White 3800157611978



120
Lumen/W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	2400lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø180x83mm
Cutting Size:	Ø167mm
Box Qty:	18 Pcs


Reflector Series - High Lumen

30W VT-26301

SKU: 1276 - 3000K Warm White 3800157611985
 SKU: 1277 - 4000K Day White 3800157611992
 SKU: 1278 - 6400K White 3800157612005



120
Lumen/W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	3600lm
LED Type:	COB
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø220x103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs


Reflector Series - High Lumen

40W VT-26451

SKU: 1453 - 3000K Warm White 3800157635561
 SKU: 1279 - 4500K Day White 3800157612012
 SKU: 1280 - 6400K White 3800157612029



120
Lumen/W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-270V,50/60Hz
Luminous Flux:	4800lm
LED Type:	COB
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø220x103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs


Reflector Series

10W VT-2610

SKU: 1100 - 6000K White 3800230622372



120
Lumen/W




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	730lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø135x71mm
Cutting Size:	Ø105mm
Box Qty:	27 Pcs



Zoom Series - Round
33W VT-2933

SKU: 1304 - 3000K Warm White 3800157619912
SKU: 1305 - 4500K Day White 3800157619929




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2650lm
LED Type:	COB
CRI:	>80
PF	>0.9

Beam Angle:	24°
Body Type:	Die Cast Aluminum
Color of Fixture:	White
Shape:	Round
Dimension:	Ø165x140mm
Cutting Size:	Ø115mm
Box Qty:	20 Pcs



Step Light With Sensor
3W VT-8035

SKU: 5570 - 4000K Day White 3800157617291




Sensor Compatible:	Sensor Included
Voltage/Frequency:	AC:100-240V, 50/60Hz
Luminous Flux:	100lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	45°
Body Type:	Die cast Aluminum
Color of Fixture:	White
Shape:	Square
Dimension:	85x85x42mm
Cutting Size:	85x85mm
Box Qty:	100 Pcs



Steplight-Square
3W VT-1143

SKU: 1284 - 4000K Day White 3800157617307




Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	100lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	83°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	84x84x43mm
Cutting Size:	72x72mm
Box Qty:	100 Pcs



Steplight-Square
3W VT-1109

SKU: 1209 - 3000K Warm White 3800157600255
SKU: 1210 - 4200K Day White 3800157600262




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	120lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	15°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	80x80x51mm
Cutting Size:	Ø62mm
Box Qty:	100 Pcs



Steplight-Round
3W VT-1109RD

SKU: 1207 - 3000K Warm White 3800157600231
SKU: 1208 - 4200K Day White 3800157600248



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	120lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	15°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Round
Dimension:	Ø80x51mm
Cutting Size:	Ø62mm
Box Qty:	100 Pcs

Steplight-Rectangle
6W VT-856-B

SKU: 8348 - 3000K Warm White 3800157633383
SKU: 8349 - 4000K Day White 3800157633390



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	Black
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF:	>0.6	Cutting Size:	195x46mm
		Box Qty:	50 Pcs

Steplight-Rectangle
6W VT-856-G

SKU: 8350 - 3000K Warm White 3800157633406
SKU: 8351 - 4000K Day White 3800157633413



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	Grey
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF:	>0.6	Cutting Size:	195x46mm
		Box Qty:	50 Pcs

Steplight-Rectangle
6W VT-856-W


SKU: 8352 - 3000K Warm White 3800157633420
SKU: 8353 - 4000K Day White 3800157633437



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF:	>0.6	Cutting Size:	195x46mm
		Box Qty:	50 Pcs

Step Light-Rectangle-IP65
3W VT-1162-W

SKU: 1327 - 3000K Warm White 3800157620550
SKU: 1326 - 4000K Day White 3800157620543




Sensor Compatible:	Yes	Beam Angle:	55°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	110lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Rectangle
CRI:	>80	Dimension:	230x80x28mm
PF:	>0.5	Cutting Size:	N/A
		Box Qty:	50 Pcs

Step Light-Rectangle-IP65
3W VT-1162-B

SKU: 1329 - 3000K Warm White 3800157620574
SKU: 1328 - 4000K Day White 3800157620567



Sensor Compatible:	Yes	Beam Angle:	55°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	110lm	Color of Fixture:	Black
LED Type:	SMD	Shape:	Rectangle
CRI:	>80	Dimension:	230x80x28mm
PF:	>0.5	Cutting Size:	N/A
		Box Qty:	50 Pcs



Step Light-Rectangle-IP65
3W VT-1162-G

SKU: 1331 - 3000K Warm White 3800157620598
SKU: 1330 - 4000K Day White 3800157620581



IP65
RATING

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **110lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **55°**

Body Type: **PC**

Color of Fixture: **Grey**

Shape: **Rectangle**

Dimension: **230x80x28mm**

Cutting Size: **N/A**

Box Qty: **50 Pcs**



Step Light-Round-IP65
2W VT-1142-W

SKU: 1315 - 3000K Warm White 3800157620437
SKU: 1314 - 4000K Day White 3800157620420



IP65
RATING

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **60lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **55°**

Body Type: **PC**


Color of Fixture: **White**

Shape: **Round**

Dimension: **150x27mm**

Cutting Size: **N/A**

Box Qty: **50 Pcs**



Step Light-Round-IP65
2W VT-1142-B

SKU: 1317 - 3000K Warm White 3800157620451
SKU: 1316 - 4000K Day White 3800157620444



IP65
RATING

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **60lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **55°**

Body Type: **PC**


Color of Fixture: **Black**

Shape: **Round**

Dimension: **150x27mm**

Cutting Size: **N/A**

Box Qty: **50 Pcs**



Step Light-Round-IP65
2W VT-1142-G

SKU: 1319 - 3000K Warm White 3800157620475
SKU: 1318 - 4000K Day White 3800157620468



IP65
RATING

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **60lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **55°**

Body Type: **PC**


Color of Fixture: **Grey**

Shape: **Round**

Dimension: **150x27mm**

Cutting Size: **N/A**

Box Qty: **50 Pcs**



Step Light-Square-IP65
2W VT-1152-W

SKU: 1321 - 3000K Warm White 3800157620499
SKU: 1320 - 4000K Day White 3800157620482



IP65
RATING

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **60lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **55°**

Body Type: **PC**


Color of Fixture: **White**

Shape: **Square**

Dimension: **124x124x27mm**

Cutting Size: **N/A**


Box Qty: **50 Pcs**






Step Light-Square-IP65
2W VT-1152-B

SKU: 1323 - 3000K Warm White 3800157620512
SKU: 1322 - 4000K Day White 3800157620505




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65
2W VT-1152-G

SKU: 1325 - 3000K Warm White 3800157620536
SKU: 1324 - 4000K Day White 3800157620529



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs




Step Light - IP65
3W VT-1172-B

SKU: 1398 - 3000K Warm White 3800157628310
SKU: 1399 - 4000K Day White 3800157628327



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Black
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light - IP65
3W VT-1172-G

SKU: 1400 - 3000K Warm White 3800157628334
SKU: 1401 - 4000K Day White 3800157628341



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light - IP65
3W VT-1172-W

SKU: 1402 - 3000K Warm White 3800157628358
SKU: 1403 - 4000K Day White 3800157628365



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	White
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65
3W VT-1182-B

SKU: 1404 - 3000K Warm White 3800157628372
SKU: 1405 - 4000K Day White 3800157628389



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Black
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65
3W VT-1182-G

SKU: 1406 - 3000K Warm White 3800157628396
SKU: 1407 - 4000K Day White 3800157628402



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65
3W VT-1182-W

SKU: 1408 - 3000K Warm White 3800157628419
SKU: 1409 - 4000K Day White 3800157628426



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs





LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These compact and easy to install lights make a perfect replacement for traditional dome lights.

Product Features

- Non - flickering
- No uv radiation
- Easy installation
- Premium quality LED chip
- Premium quality power driver
- Instant start 0-100% in 0.01 seconds
- Extreme weather toleration (-20 to + 45 degrees centigrade)

Applications

Mostly used in parking lots, passage's in big areas, exterior walls of prestigious buildings for ambience, airports, ports and malls.

NEW

STARY COVER

EASY TOGGLE SWITCH




3000K 4000K 6400K

EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON

Smart Domelight-CCT Changeable by Switch

12w VT-8412-S

SKU: 7602 - 3IN1 3800157652179




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	720lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø255x55mm
Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by Switch

18w VT-8418-S

SKU: 7604 - 3IN1 3800157652193




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	1080lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø310x55mm
Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by Switch

24w VT-8424-S

SKU: 7606 - 3IN1 3800157652216




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	1440lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø350x55mm
Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by Switch

36w VT-8436-S

SKU: 7608 - 3IN1 3800157652230



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2160lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø480x65mm
Box Qty:	5 Pcs

NEW

MILKY COVER



EASY TOGGLE SWITCH



3000K 4000K 6400K


EASY ACCESS FOR COLOR CHANGING WITH BUTTON

31 COLOR CHANGING

Smart Domelight-CCT Changeable by Switch

12w VT-8412-M

SKU: 7603 - 3IN1 3800157652186




Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:175-265V,50/60Hz**
 Luminous Flux: **720lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Plastic**
 Shape: **Round**
 Dimension: **Ø255x55mm**
 Box Qty: **5 Pcs**

Smart Domelight-CCT Changeable by Switch

18w VT-8418-M

SKU: 7605 - 3IN1 3800157652209




Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:175-265V,50/60Hz**
 Luminous Flux: **1080lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Plastic**
 Shape: **Round**
 Dimension: **Ø310x55mm**
 Box Qty: **5 Pcs**

Smart Domelight-CCT Changeable by Switch

24w VT-8424-M

SKU: 7607 - 3IN1 3800157652223




Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:175-265V,50/60Hz**
 Luminous Flux: **1440lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Plastic**
 Shape: **Round**
 Dimension: **Ø350x55mm**
 Box Qty: **5 Pcs**

Smart Domelight-CCT Changeable by Switch

36w VT-8436-M

SKU: 7609 - 3IN1 3800157652247



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:175-265V,50/60Hz**
 Luminous Flux: **2160lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Plastic**
 Shape: **Round**
 Dimension: **Ø480x65mm**
 Box Qty: **5 Pcs**

NEW

HUGE SIZE Ø83 CM




Domelight-Remote Control-CCT Changeable

72w VT-8472

SKU: 1495 - 3IN1

3800157648783



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	5040lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø670x75mm
Box Qty:	5 Pcs


DIMMABLE
WITH REMOTECCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

80w VT-8480

SKU: 1496 - 3IN1

3800157648790



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	5600lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø830x85mm
Box Qty:	2 Pcs

DIMMABLE
WITH REMOTECCT CHANGING
With Remote Control

NEW


DIAMOND COVER



Domelight-Remote Control-CCT Changeable

40w VT-8404

SKU: 1493 - 3IN1 3800157648769



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2800lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Shape:	Diamond Cover
CRI:	>80	Dimension:	Ø388.5x70mm
PF:	>0.9	Box Qty:	5 Pcs




CCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

60w VT-8557

SKU: 1492 - 3IN1 3800157648752



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
Luminous Flux:	4200lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Shape:	Diamond Cover
CRI:	>80	Dimension:	Ø496.6x70mm
PF:	>0.9	Box Qty:	5 Pcs



CCT CHANGING
With Remote Control

NEW

STARY COVER




Domelight-Remote Control-CCT Changeable

40w VT-8405

SKU: 1494 - 3IN1

3800157648776



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø393x70mm
Box Qty:	5 Pcs


DIMMABLE
WITH REMOTECCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

60w VT-8556

SKU: 1491 - 3IN1

3800157648745



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	4200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø493.9x70mm
Box Qty:	5 Pcs

DIMMABLE
WITH REMOTECCT CHANGING
With Remote Control




Domelight-Remote Control-CCT Changeable

48w VT-8448

SKU: 7600 - 3IN1

3800157649490



Sensor Compatible:	Yes	Beam Angle:	150°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2400lm	Body Type:	PMMA+Metal
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø492x100mm
PF:	>0.9	Box Qty:	6 Pcs




Domelight-Remote Control-CCT Changeable

65w VT-8473

SKU: 7601 - 3IN1

3800157649506

Sensor Compatible:	Yes	Beam Angle:	150°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	3500lm	Body Type:	PMMA+Metal
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø480x75mm
PF:	>0.9	Box Qty:	6 Pcs



Smart Domelight-Speaker-CCT Changeable

36w VT-5500

SKU:1490- RGB+3IN1

3800157645386



Sensor Compatible:	N/A
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3400lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø500x65mm
Box Qty:	8 Pcs



Domelight-Remote Control-CCT Changeable

60w VT-8555

SKU:1455- 3IN1

3800157637701




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	4200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø572.5x70mm
Box Qty:	6 Pcs



CCT CHANGING
With Remote Control




Domelight-Remote Control-CCT Changeable

40w VT-8401

SKU:1474-3IN1

3800157643559



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	120°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:467x70mm
Box Qty:	10 Pcs




Domelight-Remote Control-CCT Changeable

65w VT-8501

SKU:1473-3IN1


3800157643542



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:500mm
Box Qty:	8 Pcs






Domelight-Remote Control-CCT Changeable

40w VT-8402

SKU:1476-3IN1

3800157643573



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	2200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:400x60mm
Box Qty:	10 Pcs


DIMMABLE
WITH REMOTECCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

65w VT-8502

SKU:1475-3IN1

3800157643566



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:500x70mm
Box Qty:	6 Pcs

DIMMABLE
WITH REMOTECCT CHANGING
With Remote Control




Domelight-Remote Control-CCT Changeable

40w VT-8403

SKU:1460-3IN1

3800157643580



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:400x60mm
Box Qty:	10 Pcs



**DIMMABLE
WITH REMOTE**




**CCT CHANGING
With Remote Control**

Domelight-Remote Control-CCT Changeable

65w VT-8503

SKU:1461-3IN1

3800157643597



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:500x65mm
Box Qty:	10 Pcs




**DIMMABLE
WITH REMOTE**



**CCT CHANGING
With Remote Control**



CCT CHANGING
With Remote Control



Domelight-Remote Control-CCT Changeable

65w VT-8504

SKU:1462- 3IN1

3800157643603

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:510x90mm
Box Qty:	6 Pcs

Ceiling Lights - Square

15w VT-8033SQ


SKU: 1390 - 3000K Warm White 3800157626477
SKU: 5567 - 4000K Day White 3800157610360
SKU: 1391 - 6400K White 3800157626484



TRIMLESS
Luxurious Finish
SURFACE MOUNTED

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1250lm
IP Rating:	IP44
CRI:	>80
PF:	>0.6

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Square
Dimension:	200x200x47.5
Box Qty:	20 Pcs



Ceiling Lights - Round

15w VT-8033RD


SKU: 1388 - 3000K Warm White 3800157626453
SKU: 5566 - 4000K Day White 3800157610353
SKU: 1389 - 6400K White 3800157626460



TRIMLESS
Luxurious Finish
SURFACE MOUNTED

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1250lm
IP Rating:	IP44
CRI:	>80
PF:	>0.6

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø200x47.5mm
Box Qty:	20 Pcs



Ceiling Lights - Square

25W VT-8066SQ


SKU: 1395 - 3000K Warm White 3800157628280
 SKU: 1396 - 4200K Day White 3800157628297
 SKU: 1397 - 6500K White 3800157628303

TRIMLESS
 Luxurious Finish
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	2000lm
IP Rating:	IP44
CRI:	>80
PF:	>0.9

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Square
Dimension:	300x300x50mm
Box Qty:	10 Pcs



Ceiling Lights - Round

25W VT-8066RD


SKU: 1392 - 3000K Warm White 3800157628259
 SKU: 1393 - 4200K Day White 3800157628266
 SKU: 1394 - 6500K White 3800157628273

TRIMLESS
 Luxurious Finish
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	2000lm
IP Rating:	IP44
CRI:	>80
PF:	>0.9

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø300x50mm
Box Qty:	10 Pcs



Dome Series - Rectangle Oval

8W VT-8038-B


SKU: 1308 - 3000K Warm White 3800157620260
 SKU: 1309 - 4500K Day White 3800157620277
 SKU: 1310 - 6000K White 3800157620284

IP54 RATING



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	PC
Shape:	Rectangle
Dimension:	190x100x55mm
Box Qty:	20 Pcs



Dome Series - Rectangle Oval

8W VT-8038-W


SKU: 1311 - 3000K Warm White 3800157620291
 SKU: 1312 - 4000K Day White 3800157620307
 SKU: 1313 - 6000K White 3800157620314

IP54 RATING




Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	PC
Shape:	Rectangle
Dimension:	190x100x55mm
Box Qty:	20 Pcs



Bling Star

12W VT-8062




SKU: 1375 - 6400K White

3800157626316

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	840lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø260x92mm
Box Qty:	10 Pcs



Dome Series - Oval

8W VT-8014-OV-B




SKU: 1267 - 3000K Warm White
 SKU: 1266 - 4000K Day White
 SKU: 1268 - 6400K White

3800157611893
 3800157611886
 3800157611909



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø126x76mm
Box Qty:	10 Pcs



Dome Series - Oval

8W VT-8014-OV-W




SKU: 1264 - 3000K Warm White
 SKU: 1263 - 4000K Day White
 SKU: 1265 - 6400K White

3800157611862
 3800157611855
 3800157611879



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø126x76mm
Box Qty:	10 Pcs



Dome Series - Oval

12W VT-8016-B




SKU: 5056 - 4500K Day White

3800157603980



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø245x96mm
Box Qty:	10 Pcs



Dome Series - Oval

12W VT-8016-W




SKU: 5053 - 6400K White

3800157603324



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø245x96mm
Box Qty:	10 Pcs



Dome Series - Round

8W VT-8014-RD-W




SKU: 4999 - 3000K Warm White
SKU: 1259 - 4000K Day White
SKU: 4997 - 6400K White

3800157602556
3800157611817
3800157602259



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Round
Dimension:	Ø180x82mm
Box Qty:	10 Pcs



Dome Series - Round

8W VT-8014-RD-B




SKU: 1261 - 3000K Warm White
SKU: 1260 - 4000K Day White
SKU: 1262 - 6400K White

3800157611831
3800157611824
3800157611848



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Round
Dimension:	Ø180x82mm
Box Qty:	10 Pcs



Dome Series - Round

12W VT-8015-B




SKU: 1349 - 3000K Warm White
SKU: 5052 - 4000K Day White
SKU: 5051 - 6400K White

3800157624046
3800157603317
3800157603300



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Round
Dimension:	Ø220x105mm
Box Qty:	10 Pcs





Dome Series - Round


12W VT-8015-W

SKU: 4998 - 3000K Warm White 3800157602549
SKU: 5050 - 4000K Day White 3800157603294



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Round
Dimension:	Ø220x105mm
Box Qty:	10 Pcs



Dome Series - Oval


12W VT-8010-B

SKU: 1350 - 3000K Warm White 3800157624053
SKU: 4973 - 4000K Day White 3800230629050
SKU: 1269 - 6400K White 3800157611916



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø242x96mm
Box Qty:	10 Pcs



Dome Series - Oval


12W VT-8010-W

SKU: 1351 - 3000K Warm White 3800157624060
SKU: 1352 - 4000K Day White 3800157624077
SKU: 1353 - 6000K White 3800157624084



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>80
PF:	>0.9


Beam Angle:	110°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø242x96mm
Box Qty:	10 Pcs



Dome Sensor Series

VT-8002C

SKU: 4966 3800230625816



Sensor Type:	Microwave
Color:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max. 60W(E27)

Detection Distance:	1-8m(radius) adjustable
Body Type:	PC
IP Rating:	IP44
Dimension:	Ø296x96mm
Time Delay:	Min. 10sec±3sec,Max. 12min±1min
Box Qty:	5 Pcs



Changeable bezel options:



CCT and Dimming VIA SMART PHONE APP



30-60-90 MIN Fire Rated

IP65 RATING


QUICK CONNECTOR

DIMMABLE

Fire Rated Downlight With White Bezel
10w VT-7710

SKU: 1424 - 3 IN 1 3800157633109

Voltage/Frequency:	AC:220-240V,50Hz
Lumens:	850lm
LED Type:	COB
Body Type:	Aluminium
Beam Angle:	38°
Life Span:	30,000 Hours
Unit Size:	Ø83x57mm
IP Rating:	IP65
Box Qty:	40 Pcs



30-60-90 MIN Fire Rated



Fire Rated Fitting-GU10

SKU: 8916 EAN: 3800157654944



Model:	VT-703-WH
Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	White
IP Rating:	IP20
Dimension:	Ø90x106mm
Cutting Size:	Ø75mm
Box Qty:	60 Pcs

Twist & Lock

30-60-90 MIN Fire Rated



Fire Rated Fitting-GU10

SKU: 8917 EAN: 3800157654951



Model:	VT-703-N
Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Satin Nickle
IP Rating:	IP20
Dimension:	Ø90x106mm
Cutting Size:	Ø75mm
Box Qty:	60 Pcs

Twist & Lock



**30-60-90 MIN
Fire Rated**



Fire Rated Fitting-GU10

SKU: 8918 EAN: 3800157654968

Model:	VT-703-C
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Chrome
IP Rating:	IP20
Dimension:	Ø90x106mm
Cutting Size:	Ø75mm
Box Qty:	60 Pcs



**Twist
& Lock**



**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3131 EAN: 3800157634793

Model:	VT-7011-W
Base:	GU10
Material:	Steel+Die Cast Aluminum
Shape:	Round
Color of Fxture:	White
IP Rating:	IP20
Dimension:	Ø80x105mm
Cutting Size:	Ø65mm
Box Qty:	50 Pcs



**Twist
& Lock**



**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3132 EAN: 3800157634809

Model:	VT-7011-SN
Base:	GU10
Material:	Steel+Die Cast Aluminum
Shape:	Round
Color of Fxture:	Satin Nickel
IP Rating:	IP20
Dimension:	Ø80x105mm
Cutting Size:	Ø65mm
Box Qty:	50 Pcs



**Twist
& Lock**



**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3133 EAN: 3800157634816

Model:	VT-7011
Base:	GU10
Material:	Steel+Die Cast Aluminum
Shape:	Round
Color of Fxture:	Chrome
IP Rating:	IP20
Dimension:	Ø80x105mm
Cutting Size:	Ø65mm
Box Qty:	50 Pcs



**Twist
& Lock**




**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3680 EAN: 3800157626859

Model:	VT-701-SN
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Satin Nickel
IP Rating:	IP20
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
Box Qty:	50 Pcs




**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3681 EAN: 3800157626866

Model:	VT-701-W
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	White
IP Rating:	IP20
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
Box Qty:	50 Pcs






**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3682 EAN: 3800157626873

Model:	VT-701-CH
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Chrome
IP Rating:	IP20
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
Box Qty:	50 Pcs




**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3683 EAN: 3800157626880

Model:	VT-702-SN
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Satin Nickel
IP Rating:	IP65
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
Box Qty:	40 Pcs



**IP65
RATING**



**30-60-90 MIN
Fire Rated**


Fire Rated Fitting-GU10

SKU: 3684 EAN: 3800157626897

Model:	VT-702-W
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	White
IP Rating:	IP65
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
Box Qty:	40 Pcs



**IP65
RATING**



**30-60-90 MIN
Fire Rated**


Fire Rated Fitting-GU10

SKU: 3685 EAN: 3800157626903

Model:	VT-702-CH
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Chrome
IP Rating:	IP65
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
Box Qty:	40 Pcs



**IP65
RATING**




**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3687 EAN: 3800157626927

Model:	VT-703-W
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	White
IP Rating:	IP20
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
Box Qty:	40 Pcs




**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3688 EAN: 3800157626934

Model:	VT-703-CH
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Chrome
IP Rating:	IP20
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
Box Qty:	40 Pcs





Motion Sensors

Many areas like lobbies, parking garages, staircases remain unused for long hours, but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.

Product Features

- Power saving
- Available for indoor and outdoor purposes
- Compatible with most of our models
- Proven quality from reliable suppliers
- Wide range of models to choose from

Applications

- Outdoor Areas like parking garages, gardens compounds and yards
- Indoor areas like walkways, lobbies and staircases.

NEW

Infrared Sensor
Max.200W(AC:220-240V)/100W(AC:110-130V) LED

VT-8091-W
SKU: 6606 3800157655194



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX (adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:110-240V,50/60Hz	Dimension:	Ø76x20.2mm
Detection Distance:	Max.8m (<24°C)	Time Delay:	10sec±3sec to 7min±2min(adjustable)
Rated Load:	Max.200W(AC:220-240V)/100W(AC:110-130V) LED	Box Qty:	100 Pcs




NEW

Infrared Sensor
Max.200W(AC:220-240V)/100W(AC:110-130V) LED

VT-8091-B
SKU: 6607 3800157655200



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX (adjustable)
Colour:	Black	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:110-240V,50/60Hz	Dimension:	Ø76x20.2mm
Detection Distance:	Max.8m (<24°C)	Time Delay:	10sec±3sec to 7min±2min(adjustable)
Rated Load:	Max.200W(AC:220-240V)/100W(AC:110-130V)	Box Qty:	100 Pcs




NEW

Infrared Sensor
Max. 400W (LED)

VT-8092-W
SKU: 6608 3800157655217



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX (adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	Ø50x62mm
Detection Distance:	Max.8m (<24°C)	Time Delay:	10sec±3sec to 15min±2min(adjustable)
Rated Load:	Max. 400W (LED)	Box Qty:	100 Pcs




NEW

Infrared Sensor
Max. 400W (LED)

VT-8092-B
SKU: 6609 3800157655224



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX (adjustable)
Colour:	Black	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	Ø50x62mm
Detection Distance:	Max.8m (<24°C)	Time Delay:	10sec±3sec to 15min±2min(adjustable)
Rated Load:	Max. 400W (LED)	Box Qty:	100 Pcs



NEW


Infrared Sensor Max. 600W (LED)

VT-8093-W

SKU: 6611 3800157655248



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX (adjustable)
Colour:	White	Body Type:	PC
Detection Range:	180°/360°	IP Rating:	IP65
Voltage:	AC:220-240V,50/60Hz	Dimension:	76x92x62.5mm
Detection Distance:	Max.12m (<24°C)	Time Delay:	10sec±3sec to 15min±2min(adjustable)
Rated Load:	Max. 600W (LED)	Box Qty:	



NEW


Infrared Sensor Max. 600W (LED)

VT-8093-B

SKU: 6610 3800157655231



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX (adjustable)
Colour:	Black	Body Type:	PC
Detection Range:	180°/360°	IP Rating:	IP65
Voltage:	AC:220-240V,50/60Hz	Dimension:	76x92x62.5mm
Detection Distance:	Max.12m (<24°C)	Time Delay:	10sec±3sec to 15min±2min(adjustable)
Rated Load:	Max. 600W (LED)	Box Qty:	



NEW


Infrared Sensor Max. 600W (LED)

VT-8094-W

SKU: 6613 3800157655262



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX (adjustable)
Colour:	White	Body Type:	PC
Detection Range:	240°	IP Rating:	IP65
Voltage:	AC:220-240V,50/60Hz	Dimension:	125.2x71.4x72.7mm
Detection Distance:	Max.10m (<24°C)	Time Delay:	10sec±3sec to 15min±2min(adjustable)
Rated Load:	Max. 600W (LED)	Box Qty:	50 Pcs



NEW


Infrared Sensor Max. 600W (LED)

VT-8094-B

SKU: 6612 3800157655255



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX (adjustable)
Colour:	Black	Body Type:	PC
Detection Range:	240°	IP Rating:	IP65
Voltage:	AC:220-240V,50/60Hz	Dimension:	125.2x71.4x72.7mm
Detection Distance:	Max.10m (<24°C)	Time Delay:	10sec±3sec to 15min±2min(adjustable)
Rated Load:	Max. 600W (LED)	Box Qty:	50 Pcs



SPECIAL DESIGN

Adjustable For Corner




Infrared Sensor
Max 1000W(LED)

VT-8027-W
SKU: 5086 3800157609173

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 1000W(LED)
Detection Distance:	Max. 8m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	115x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs




Infrared Sensor
Max 1000W(LED)

VT-8027-B
SKU: 5087 3800157609180

Sensor Type:	Infrared
Colour:	Black
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 1000W(LED)
Detection Distance:	Max. 8m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	115x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs



Infrared Sensor-Moving Head-IP44
Max 400W(LED)

VT-8028-W
SKU: 5088 3800157609197

Sensor Type:	Infrared
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 400W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	445X345X19mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs



Infrared Sensor-Moving Head-IP44
Max 400W(LED)

VT-8028-B
SKU: 5089 3800157609203

Sensor Type:	Infrared
Colour:	Black
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 400W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	445X345X19mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs




Infrared Sensor
Max 300W(LED)

VT-8029
SKU: 5090 3800157609210

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 6m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	76x75.6mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs






Infrared Sensor-Moving Head Max 400W(LED)

VT-8030

SKU: 5091 3800157609227

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 400W(LED)
Detection Distance:	Max. 8m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	98x73x82mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs



Infrared Sensor-IP44 Max 300W(LED)

VT-8003-W

SKU: 4967 3800230625823

Sensor Type:	Infrared
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	86.4x60.4x98mm
Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Box Qty:	50 Pcs



Infrared Sensor-IP44 Max 300W(LED)

VT-8003-B

SKU: 5077 3800157606875

Sensor Type:	Infrared
Colour:	Black
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	86.4x60.4x98mm
Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Box Qty:	50 Pcs




Infrared Sensor Max 300W(LED)

VT-8004

SKU: 4968 3800230625830

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø88x55mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs




Infrared Sensor-E27 Max 60W

VT-8005

SKU: 4982 3800157600071

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:110-240V,50/60Hz
Rated Load:	Max 60W
Detection Distance:	Max. 6m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	55.5x116.5mm
Time Delay:	Min. 10sec±3sec, Max. 5min±1min
Box Qty:	50 Pcs



Infrared Sensor-IP44
Max 300W(LED)X20
VT-8048
 SKU: 1354 3800157624794



Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	180°	IP Rating:	IP44
Voltage:	AC:220-240V,50/60Hz	Dimension:	86.4x86.4x60.4mm
Detection Distance:	Max. 12m(<24°C)	Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Rated Load:	Max 300W(LED)X20	Box Qty:	50 Pcs




Infrared Sensor
Max 300W(LED)
VT-8049
 SKU: 1355 3800157624800



Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	88x55mm
Detection Distance:	Max. 12m(<24°C)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 300W(LED)	Box Qty:	50 Pcs




Infrared Sensor
Max 300W(LED)
VT-8051
 SKU: 1356 3800157624817



Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	76x75.6mm
Detection Distance:	Max. 6m(<24°C)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 300W(LED)	Box Qty:	50 Pcs



Day Light Sensor - 1-10V

VT-8059
 SKU: 1369 3800157625982



Colour:	White
Detection Range:	360°
Dimming Range:	1% - 100%
Voltage:	DC:1-10V
Body Type:	PC
IP Rating:	IP20
Box Qty:	100 Pcs

Daylight sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1-10V Power source and using with LED dimmable driver.

The illuminations level of lamps will get darker when ambient light gets brighter.

When daylight is insufficient, the lamp will be in 100% Illumination level, and turns to 1% Level when daylight is sufficient enough, then gradually back to 100% level when it is getting darker.

Infrared Sensor 1000w(LED)

VT-8083-B

SKU: 15011 3800157641265



Sensor Type:	Infrared
Colour:	Black
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	1000w(LED)
Detection Distance:	Max.20m(<24°C)



Ambient Light: <3-2000LUX (adjustable)


Body Type: PC

IP Rating: IP65

Dimension: 86.5x172.5x56mm

Time Delay: Min.10sec±3sec, Max. 30min±2min

Box Qty: 50 Pcs



Infrared Sensor 1000w(LED)

VT-8083-W

SKU: 1500 3800157641258



Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	1000w(LED)
Detection Distance:	Max.20m(<24°C)



Ambient Light: <3-2000LUX (adjustable)


Body Type: PC

IP Rating: IP65

Dimension: 86.5x172.5x56mm

Time Delay: Min.10sec±3sec, Max. 30min±2min

Box Qty: 50 Pcs



Microwave Sensor 300w(LED)

VT-8084-B

SKU: 15031 3800157641289



Sensor Type:	Microwave
Colour:	Black
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	300w(LED)
Detection Distance:	5-15m



Ambient Light: <3-2000LUX (adjustable)


Body Type: PC+Glass

IP Rating: IP65

Dimension: 95x50x95mm

Time Delay: Min.10sec±3sec, Max. 12min±1min

Box Qty: 50 Pcs



Microwave Sensor 300w(LED)

VT-8084-W

SKU: 15021 3800157641272



Sensor Type:	Microwave
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	300w(LED)
Detection Distance:	5-15m



Ambient Light: <3-2000LUX (adjustable)


Body Type: PC+Glass

IP Rating: IP65

Dimension: 95x50x95mm

Time Delay: Min.10sec±3sec, Max. 12min±1min

Box Qty: 50 Pcs



Infrared-Hand Gesture Detection
Max 200W(LED)

VT-8025
SKU: 5084 3800157608046




On/Off via Moving Hand



Sensor Type:	Infrared
Colour:	White
Detection Range:	30°
Voltage:	AC:110-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	5cm/6cm(<24°C)

Ambient Light:	
Body Type:	Plastic
IP Rating:	IP20
Dimension:	35.5x78.2x20.6mm
Box Qty:	100 Pcs



Infrared-Door Detection
Max 200W(LED)

VT-8026
SKU: 5085 3800157608053




On/Off via the opening and closing of the door



Sensor Type:	Infrared
Colour:	White
Detection Range:	30°
Voltage:	AC:110-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	5cm/6cm(<24°C)

Ambient Light:	
Body Type:	Plastic
IP Rating:	IP20
Dimension:	35.5x78.2x18.7mm
Box Qty:	100 Pcs



Microwave Sensor-IP65
Max 200W(LED)

VT-8036-W
SKU: 5571 3800157620246



Sensor Type:	Microwave
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	5m/10m

Ambient Light:	<25-2000LUX
Body Type:	Plastic
IP Rating:	IP65
Dimension:	115x35x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	100 Pcs



Microwave Sensor-IP65
Max 200W(LED)

VT-8036-B
SKU: 5572 3800157620253



Sensor Type:	Microwave
Colour:	Black
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	5m/10m

Ambient Light:	<25-2000LUX
Body Type:	Plastic
IP Rating:	IP65
Dimension:	115x35x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	100 Pcs




Microwave Sensor
Max 300W(LED)

VT-8018
SKU: 5078 3800157606882



Sensor Type:	Microwave
Colour:	White
Detection Range:	180° / 360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	1-8m(radius) adjustable

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	37x25x61.5mm
Time Delay:	Min. 10sec±3sec, Max. 12min±1min
Box Qty:	100 Pcs






Photocell Sensor-IP44

VT-8019

SKU: 5081 3800157608015

Sensor Type:	Photocell
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50Hz
Rated Load:	
Detection Distance:	

Ambient Light:	<5-15LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP44
Dimension:	35.5x46x44.1mm
Time Delay:	5 sec to 8 min (adjustable)
Box Qty:	100 Pcs



Infrared Sensor


Max 200W(LED)

VT-8022

SKU: 5082 3800157608022

Sensor Type:	Infrared
Colour:	White
Detection Range:	120°/360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	3/6m(<24°C)

Ambient Light:	10LUX/2000LUX(choice)
Body Type:	Plastic
IP Rating:	IP65
Dimension:	36.8x25.5x55.4mm
Time Delay:	5s,30s,1min,3min,5min,8min(choice)
Box Qty:	100 Pcs



Microwave Sensor


Max 300W(LED)

VT-8077

SKU: 1446 3800157634755

Sensor Type:	Microwave
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	1-8m(radius) Adjustable

Ambient Light:	0<3-2000LUX(Adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	80.7x42.1x43.8mm
Time Delay:	Min. 10sec±3sec, Max.12min±1min
Box Qty:	100 Pcs



Microwave Sensor


Max 300W(LED)

VT-8023

SKU: 5083 3800157608039

Sensor Type:	Microwave
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	5m-15m(adjustable)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	80x80x32mm
Time Delay:	10 sec to 12 min (adjustable)
Box Qty:	100 Pcs





LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.

Product Features

- Thermoplastic PC housing, Rectangular type plastic with different signs
- Single or double face configuration
- ✓ Universal (wall, side or ceiling) mounting
- ⚡ Low energy consumption only 2.0 watts at 120V
- ⊕ LED indicator light and push button test switch
- LED LEDs mounted on print circuit board
- ⌚ 24 hours recharge after more than 3 Hours discharge
- 🔧 Efficient thermal management technology
- 🔩 Corrosion free mounting clamps
- 🔋 High performance Ni-Cd batteries made for Longevity & low maintenance
- ✅ Reliable Emergency backup of 3 hours




Exit Light - Surface

2W VT-519-12

SKU: 8312 - 6000K White 3800157630764

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

12Hrs
CHARGING TIME



Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs




Exit Light-Surface Hanging

2W VT-520-12

SKU: 8313 - 6000K White 3800157630771

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

12Hrs
CHARGING TIME



Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs




Exit Light-Hanging

2W VT-521-12

SKU: 8314 - 6000K White 3800157630788

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Hanging
Viewing Distance:	22 Meters From Both Sides

12Hrs
CHARGING TIME



Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs




Exit Light-Recessed

2W VT-522-12

SKU: 8315 - 6000K White 3800157630795

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Fixed
Viewing Distance:	22 Meters From Both Sides

12Hrs
CHARGING TIME



Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs

Emergency -Bulkhead

3.8W VT-511

SKU: 8249 - 6000K White 3800157635554



12Hrs
CHARGING TIME



Lamp Type:	20 SMD LEDs
Lumens:	110lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	ABS+PC
Exit Lamp Type:	Bulkhead
Viewing Distance:	22 Meters

Emergency Operation Time:	>3 Hours
Battery:	4V2.0AH Lead Acid battery
Recharging Time:	12 hours
Mode Of Operation:	Maintained/Non Maintained
Box Qty:	10 Pcs

Exit Light - Bulkhead


3W VT-523-12

SKU: 8311 - 6000K White 3800157630757



12Hrs
CHARGING TIME

IP65
RATING



Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC Cover

Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1500mAh
Recharging Time:	12 Hours

Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	12 Pcs

Emergency -Bulkhead

3W VT-533

SKU:8437 - 6400K White 3800157641296



24Hrs
CHARGING TIME

IP65
RATING



Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC

Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 3.6V, 1200mAh
Recharging Time:	24 Hours

Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs

NEW

Exit Light - Bulkhead

3W VT-543

SKU: 83111 - 6400K White 3800157650137



12Hrs
CHARGING TIME

IP65
RATING



Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC Cover

Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1200mAh
Recharging Time:	12 Hours


Test Button:	Green Light Indicator Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	12 Pcs



Exit Light - Bulkhead

4w VT-524-12

SKU: 8382 - 6000K White 3800157635493



Lamp Type:	30 SMD LEDs	Exit Lamp Type:	Wall - Bulkhead	Test Button:	Green Light Indicator Test Button
Lumens:	190lm	Viewing Distance:	22 Meters From One side	Stickers:	4 Stickers
Input Voltage:	AC:220-240V,50/60Hz	Emergency Operation Time:	>3 Hours	Legends:	4 Ways Legend Available
Protection Rating:	IP65	Battery:	Ni-Cd 4.8V,900mAh	Mode Of Operation:	Maintained
Material :	PC	Recharging Time:	12 hours	Box Qty:	12 Pcs


Emergency-Downlight

3w VT-503

SKU: 8274 - 5500K White 3800157627269



Material:	Poly Carbonate & Aluminium
Moured:	Ceiling Recessed
Life Time Of Battery:	2 Years
Light Output (Emergency):	140lm
Lamp Protection:	Over Charge And Discharge Protection
Led Indicator:	Green Light Indicator Test Button
Charging Current:	90mA
Convert Voltage:	AC:155V
Discharging Current:	300mA
Discharge Duration:	3 Hours
Spec Of Battery:	3.6V 1800mAh Ni-cd Battery
Packing:	38.5x22x25mm
IP Rating:	IP20
Mode Of Operation:	Non Maintained
Box Qty:	20 Pcs



Emergency-Twin Spotlight

6w VT-526-IP65

SKU: 80981 - 6000K White 3800157623148



Lamp Type:	2x6 SMD LEDs	Emergency Operation Time:	>3 Hours
Lumens:	300lm	Battery:	Ni-Cd 3.6V,300mAh
Input Voltage:	AC:220-240V,50/60Hz	Recharging Time:	24 Hours(intial charge 36 hours)
Protection Rating:	IP65	Test Button:	Green Light Indicator Test Button
Material :	PC	Stickers:	4 Stickers
Exit Lamp Type:	Wall Mounted	Legends:	2 Ways Legend Available
Viewing Distance:	22 Meters From One side	Mode Of Operation:	Non Maintained
		Box Qty:	5 Pcs



LED Floor & Table Lamps

Most cozy & favorite corners always deserve comfortable lighting conditions. To cater to this need, we bring to you an exclusive range of LED table lamps. Designed with a touch of class, these lamps deliver sufficient and smooth lighting, with unique and suitable functions for both task and ambient lighting.

Product Features

- Energy efficient lighting
- Easily adjustable for your convenience
- Multiple functions like dimming, color changing, and more
- With USB charging functionality
- Sleek and modern design

Applications

Table lamps can be used in any space, though they are most often found in bedrooms, living rooms at home next to sofas, chairs or beds. Also a good accessory to be a part of the office decor.




Floor Lamp-Touch Dimming
80w

Silver	VT-8400D-S
SKU: 8521 4000K Day White	3800157638104
White	VT-8400D-W
SKU: 8522 4000K Day White	3800157638111

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	UP:4200/Down:3800
CRI:	>80
PF:	>0.9
Beam Angle:	110°
Color:	Silver
Body Type:	Aluminium Alloy+PC
Dimension:	310x52x1950mm
Box Qty:	1 Pc



UP-DOWN
LIGHTS






Floor Lamp-Knob Dimming-Round corner
80w

Silver	VT-8500D-S
SKU: 8523 4000K Day White	3800157638128
White	VT-8500D-W
SKU: 8524 4000K Day White	3800157638135

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	UP:5200/Down:3600
CRI:	>80
PF:	>0.9
Beam Angle:	110°/90°
Color:	Silver
Body Type:	Aluminium Alloy+PC
Dimension:	280x35x1950mm
Box Qty:	1 Pc



UP-DOWN
LIGHTS





Floor Lamp-Knob Dimming-Square corner
80w

Silver **VT-8600D-S**

SKU: 8526 4000K Day White 3800157638142

White **VT-8600D-W**

SKU: 8526 4000K Day White 3800157638159

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **UP:5200/Down:3600**

CRI: **>80**

PF: **>0.9**

Beam Angle: **110°/90°**

Color: **Silver**

Body Type: **Aluminium Alloy+PC**


Dimension: **280x35x1950mm**

Box Qty: **1 Pc**



KNOB
DIMMING

UP-DOWN
LIGHTS





WIRELESS CHARGING

ANDROID & IPHONE

BRIGHTNESS ADJUSTABLE

ENERGY CONSERVATION

EYE PROTECTION

TIMER POWER OFF

USB OUTPUT

LIGHTING ADJUSTMENT

3.0A 18W
Fast Charger
Included

Table Lamps

5W VT-7705-B

Black: SKU: 8604 - 3IN1 3800157650571
White: SKU: 8605 - 3IN1 3800157650588

- Rating input 5V/3A
- 3 Levels of Brightness Dimming
- Lamp Power 5V, 0.8A(4W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Touch Dimming
- Fast charger included 3.0A 18W

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 800 Lux

CRI: >80

Body Type: ABS+Aluminium

Dimension: 142x124x476mm

Box Qty: 10 Pcs



WIRELESS CHARGING

ANDROID & IPHONE

BRIGHTNESS ADJUSTABLE

ENERGY CONSERVATION

EYE PROTECTION

TIMER POWER OFF

USB OUTPUT

LIGHTING ADJUSTMENT

3.0A 18W
Fast Charger
Included

Table Lamps

5W VT-7505-B

Black: SKU: 8602 - 3IN1 3800157650557
White: SKU: 8603 - 3IN1 3800157650564

- Rating input 5V/3A
- 3 Levels of Brightness Dimming
- Lamp Power 5V, 1A(5W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Fast charger included 3.0A 18W

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 800 Lux

CRI: >80

Body Type: ABS+Aluminium

Dimension: 440x120x40mm

Box Qty: 10 Pcs



WIRELESS CHARGING



ANDROID & IPHONE



BRIGHTNESS ADJUSTABLE



ENERGY CONSERVATION



EYE PROTECTION



TIMER POWER OFF



USB OUTPUT



LIGHTING ADJUSTMENT

3.0A 18W
Fast Charger
Included

Table Lamps

5W VT-7405-B

Black: SKU: 8600 - 3IN1 3800157650533
White: SKU: 8601 - 3IN1 3800157650540

- Rating input 5V/3A
- 4 Levels of Brightness Dimming
- Lamp Power 5W, 1A(5W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Fast charger included 3.0A 18W

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 800 Lux

CRI: >80

Body Type: ABS+Aluminium

Dimension: 440x120x40mm

Box Qty: 10 Pcs



Table Lamps

17W VT-7312-B

Black: SKU: 40311 - 3000K Warm White 3800157648455
White: SKU: 40321 - 3000K Warm White 3800157648462

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 1300lm

CRI: >80

Body Type: Silicone+Aluminium

Dimension: 210x350mm

Box Qty: 20 Pcs



Desk Lamps

7W VT-7507

White: SKU: 8673 - 3000K Warm White 3800157652612



Voltage/Frequency:	AC:220-240V, 50Hz	Body Type:	ABS+Metal
Luminous Flux:	400lm	Dimension:	150x150x580mm
CRI:	>80	Box Qty:	6 Pcs



Clip Lamps

7W VT-7407

White: SKU: 8672 - 3000K Warm White 3800157652605



Voltage/Frequency:	AC:220-240V, 50Hz	Body Type:	ABS+Metal
Luminous Flux:	400lm	Dimension:	64x300x300mm
CRI:	>80	Box Qty:	8 Pcs



Desk Lamps

3.6w VT-7403

White: SKU: 8671 - 3000K Warm White 3800157652599



Voltage/Frequency:	AC:220-240V, 50Hz	Body Type:	ABS+Metal
Luminous Flux:	260lm	Dimension:	280x100x350mm
CRI:	>80	Box Qty:	8 Pcs



Mirror Lamps

5W VT-7905

White: SKU: 8670 - 3000K Warm White 3800157652582



RECHARGEABLE



Voltage/Frequency:	AC:220-240V, 50Hz	Body Type:	ABS+Glass
Luminous Flux:	200lm	Dimension:	Ø196x310mm
CRI:	>80	Box Qty:	10 Pcs




Table Lamps-Slim

6.5w VT-1037

SKU: 8520 3 IN 1
3800157637718TOUCH
DIMMING

RECHARGEABLE

Voltage/Frequency:	DC:12V,1A
Luminous Flux:	110lm
CRI:	>80
PF:	>0.5
Beam Angle:	120°

Color:	White
Body Type:	PC-Rubber Finish
Dimension:	562x65x21mm
Box Qty:	10 Pcs

- Flexible LED Table Lamp bends 0-180 degrees on both sides.
- Touch power switch and dimmer
- Color temperature Switch



Table Lamps-Wireless Charging

16w VT-1027 SKU: 8519 - 3 IN 1
3800157637527

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1000lux
CRI:	>80
PF:	>0.5
Beam Angle:	120°

Color:	White
Body Type:	ABS+Aluminium
Dimension:	240x396x180mm
Box Qty:	12 Pcs

- Wireless Charging.
- 5 Levels of Brightness Dimming
- Watts as per led 0.2W.
- Rating Input DC:1.2V/1.5A
- 2s to reach full brightness Head



DIMMABLE

• 270 Degree Rotatable



Table Lamps-White+Silver

4w VT-1014-S

SKU: 7098 - 3 IN 1 3800157616980

Voltage/Frequency:	DC:5V,1A
Luminous Flux:	120lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	White+Silver
Body Type:	ABS+PC+Aluminium
Dimension:	200x50x263mm
Box Qty:	25 Pcs



Rechargeable




Table Lamps-White+Gold

4w VT-1014-G

SKU: 7099 - 3 IN 1 3800157616997

Voltage/Frequency:	DC:5V,1A
Luminous Flux:	120lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	White+Gold
Body Type:	ABS+PC+Aluminium
Dimension:	200x50x263mm
Box Qty:	25 Pcs



Rechargeable




Table Lamps-Black

4w VT-1014-B


SKU: 8500 - 3 IN 1 3800157617215

Voltage/Frequency:	DC:5V,1A
Luminous Flux:	120lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	Black
Body Type:	ABS+PC+Aluminium
Dimension:	200x50x263mm
Box Qty:	25 Pcs



Rechargeable



NEW

Table Lamps-Rechargeable

4w VT-7515

SKU: 8930 - 3000K Warm White
3800157655309

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	210lm
CRI:	>80
Beam Angle:	90°
Color:	White
Body Type:	Plastic+Metal
Dimension:	150x150x241mm
Box Qty:	6 Pcs



- Adapter Input: 5V,1A
- Cable Length: 1.2M
- Charging Time: 5-6 Hours
- Working Time: 3-4 Hours
- Touch Dimming Level: 100%-60%-10%



Table Lamps-Bakelite-E27

VT-7151-GR

SKU: 3912 3800157626071

Body Type:	Glass+Metal
Holder:	E27
Color:	Green
Dimension:	260x180x360mm
Box Qty:	6 Pcs

5 YEAR WARRANTY*




Table Lamps-Bakelite-E27

VT-7151-B

SKU: 3913 3800157626088

Body Type:	Glass+Metal
Holder:	E27
Color:	Blue
Dimension:	260x180x360mm
Box Qty:	6 Pcs

5 YEAR WARRANTY*




Table Lamps-Bakelite-E27

VT-7151-GD

SKU: 3914 3800157626095

Body Type:	Glass+Metal
Holder:	E27
Color:	Yellow
Dimension:	260x180x360mm
Box Qty:	6 Pcs

5 YEAR WARRANTY*





Table Lamps+Speaker

2*3W VT-6211

Voltage/Frequency:	DC:5V
Working Time:	2-3 Hours
Battery Type:	Lithium 1800mAh
Charging Time:	3 Hours
Dimension:	Ø92x218mm
Box Qty:	12 Pcs

- LED wireless speaker with Bluetooth technology
- Output of 2x3W
- Dancing RGB colorful lights
- Soft rubber finish with touch buttons
- USB & TF card slot
- Bluit in 3.5mm Aux input
- Rechargeable Lithium battery
- Battery capacity 1800 mAh



SKU: 8571 | Red Body
3800157645140



SKU: 8569 | Blue Body
3800157645157



SKU: 8570 | Black Body
3800157645164

Hanging Lamp

7W VT-1036

- SKU Purple: 8504 - 4000K Day White 3800157620376
 SKU White: 8505 - 4000K Day White 3800157620383
 SKU Blue: 8506 - 4000K Day White 3800157620390

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	360lm
CRI:	>80
PF:	>0.45
Beam Angle:	90°
Body Type:	PC+Metal
Dimension:	Ø150x151x1241mm
Box Qty:	9 Pcs




Floor Lamp-E27

60W VT-7451

SKU: 8564 Black 3800157644167
SKU: 8565 Ivory 3800157644174





Voltage/Frequency:	AC: 220-240V,50/60Hz
Body Type:	Marble+Metal
Dimension:	1920x1960mm
Box Qty:	1 Pc



Floor Lamp-E27

60W VT-7500

SKU Black: 7055 3800157610698









Voltage/Frequency:	AC:220-240V,50/60Hz
Body Type:	ABS+Metal
Dimension:	250x250x1800mm
Box Qty:	4 Pcs



LED Innovative Lights

An innovative and sustainable way of lighting up your outdoors. V-TAC's LED Solar Outdoor lights can function for up to 24 hours, with just 6-7 hours charging during the day. Inbuilt sensors allow these outdoor lamps to light up upon detection of movement.

Product Features

-  ZERO Electricity Cost
-  Solar Powered
-  PIR Detective
-  Outdoor
-  Light on/off automatically
-  Cordless


Applications

Suitable for Outdoor and Indoor Lighting



Solar Wall Light-IP65
1.5W VT-767-2-W

SKU: 8276 - 4000K Day White 3800157627931




Battery:	3.7V Lithium Battery 1200mAh
Lumens:	220lm
No. of LED:	14pcs (Front 12pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	144.5x96x79mm
Working Time:	Min 8 hrs and Max 24 hrs
Box Qty:	20Pcs



Solar Wall Light-IP65
1.5W VT-767-2-B

SKU: 8277 - 4000K Day White 3800157627948




Battery:	3.7V Lithium Battery 1200mAh
Lumens:	220lm
No. of LED:	14pcs (Front 12pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	144.5x96x79mm
Working Time:	Min 8 hrs and Max 24 hrs
Box Qty:	20Pcs



Solar Wall Light-IP65
3W VT-768

SKU: 7523 - Day+Warm White 3800157619363




Battery:	3.7V Lithium Battery 2000mAh
Lumens:	400lm
No. of LED:	30pcs (Front 28pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	140x212x109.2mm
Working Time:	Min 5-8 hrs and Max 24 hrs
Box Qty:	12Pcs



Solar Wall Light-IP65
7W VT-767-7-W

SKU: 8278 - 4000K Day White 3800157627955




Battery:	3.7V Lithium Battery 4000mAh
Lumens:	800lm
No. of LED:	60pcs (Front 56pcs, Back 4 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	270x221x109.2mm
Working Time:	Mode A: 5 hours, Mode B: 2-3 nights Mode C: 3-4 nights
Box Qty:	20Pcs

Solar Wall Light-IP65

7W VT-767-7-B

SKU: 8279 - 4000K Day White 3800157627962

Solar
LightsPIR
MOTION
SENSORUV
PROTECTIONIP65
RATING

Battery: 3.7V Lithium Battery 4000mAh

Lumens: 800lm

No. of LED: 60pcs (Front 56pcs, Back 4 pcs)

Detecting Angle: 120°

Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging

IP Rating: IP65

Material: ABS+PC

Dimension: 270x221x109.2mm

Working Time: Mode A: 5 hours, Mode B: 2-3 nights Mode C: 3-4 nights

Box Qty: 20Pcs

Wireless Smart Lights Switches



Introducing the next generation self powered wireless switches, functions using RF receiver making it a hassle free experience. Offering a push-touch button and remote features.



NEW



Switch-One Gang
VT-5131 White
 SKU: 8460 3800157644914

Input Power:	2-3V(CR2032 Button Battery)
Switch Lifetime:	30,000 times
Body Type:	PC
Dimensions:	86x86x11mm
Box Qty:	144
Remote Distance	Outdoor >600m Indoor >40m

NEW



Switch-Two Gang
VT-5132 White
 SKU: 8461 3800157644921

Input Power:	2-3V(CR2032 Button Battery)
Switch Lifetime:	30,000 times
Body Type:	PC
Dimensions:	86x86x11mm
Box Qty:	144
Remote Distance	Outdoor >600m Indoor >40m

NEW



Switch-Three Gang
VT-5133 White
 SKU: 8462 3800157644938

Input Power:	2-3V(CR2032 Button Battery)
Switch Lifetime:	30,000 times
Body Type:	PC
Dimensions:	86x86x11mm
Box Qty:	144
Remote Distance	Outdoor >600m Indoor >40m

NEW



Remote Three Gang
VT-5143
 SKU: 8463 3800157644945

Input Power:	2-3V(CR2032 Button Battery)
Switch Lifetime:	30,000 times
Body Type:	ABS
Dimensions:	62x30x12mm
Box Qty:	364
Remote Distance	Outdoor >160m Indoor >20m

NEW



Receiver
VT-5129
 SKU: 8458 3800157644891

Input Power:	AC:180-240V
Load Power:	1000W(Max)
Body Type:	PC
Dimensions:	39x23x22 mm
Box Qty:	364
Remote Distance	Outdoor >600m Indoor >40m

NEW



works with

works with the


Wifi Receiver
VT-5130
 SKU: 8459 3800157644907

Input Power:	AC:85-265V
Load Power:	1000W(Max)
Body Type:	PC
Dimensions:	75x28x28.5 mm
Box Qty:	196
Remote Distance	Outdoor >500m Indoor >40m



VT-5111-B Black

SKU: 8385 3800157635714



VT-5111-W White

SKU: 8354 3800157634953


Touch Switch 1Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10-60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%-93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x34x86mm
Box Qty:	100



VT-5112-B Black

SKU: 8387 3800157635738



VT-5112-W White

SKU: 8357 3800157634984


Touch Switch 2Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10-60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%-93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x34x86mm
Box Qty:	100



VT-5121-B Black

SKU: 8389 3800157635752



VT-5121-W White

SKU: 8360 3800157635011

Touch Switch 1Gang-2Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10-60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%-93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x34x86mm
Box Qty:	100



VT-5311-B Black
SKU: 8395 3800157635813




VT-5311-W White
SKU: 8369 3800157635103

Remote Dimmer 1Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



VT-5411-B Black
SKU: 8397 3800157635837



VT-5411-W White
SKU: 8372 3800157635134

Doorbell-Switch 1Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x34x86mm
Box Qty:	100



VT-5811-B Black
SKU: 8401 3800157635875



VT-5811-W White
SKU: 8402 3800157635882

Socket EU-2 Way

Input Power:	AC:200-250V,50Hz
Body Type:	PC+Glass Finish
Box Qty:	60



VT-5711 Black
SKU: 8399 3800157635851



VT-5711-W White
SKU: 8379 3800157635202

Socket EU-Glass Panel

Input Power:	AC:200-250V,50Hz
Body Type:	PC+Glass Finish
Box Qty:	80



LED Light Control

Curtain Control


TV Control

Vacuum Control

Sockets Control

Smart Home

V-TAC meets the growing IoT demand for home lighting with the new SMART Light series — a collection of WiFi-supported LED lighting solutions that can be fully controlled via Amazon Alexa or Google Home.

works with
 amazon alexa

 works with the
Google Assistant



LED Smart Bulb-E14

5W VT-5114

SKU: 2754 RGB+2700k-6400K EAN: 3800157646659



- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with
 amazon alexa

works with the
 Google Assistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	470lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E14
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	37x100mm
Box Qty:	200 pcs

LED Smart Bulb-E27

5W VT-5124

SKU: 2755 RGB+2700k-6400K EAN: 3800157646666



- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with
 amazon alexa

works with the
 Google Assistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	470lm
CRI:	>80
Beam Angle:	180°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø45x81mm
Box Qty:	200 pcs

LED Smart Bulb-E14

5W VT-5154

SKU: 2756 RGB+2700k-6400K EAN: 3800157646673



- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with
 amazon alexa

works with the
 Google Assistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	470lm
CRI:	>80
Beam Angle:	180°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E14
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø45x81mm
Box Qty:	200 pcs

LED Smart Bulb-B22

10w VT-5110

SKU: 2791 RGB+2700K-6400K EAN: 3800157649544



- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with
 amazon alexa

works with the
 Google Assistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	806lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	B22
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø60x120mm
Box Qty:	100 pcs



LED Smart Bulb-E27

10W VT-5119

SKU: 2751 RGB+2700k-6400K EAN: 3800157646628

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	806lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø60x120mm
Box Qty:	100 pcs



LED Smart Bulb-E27

11W VT-5113

SKU: 2752 RGB+2700k-6400K EAN: 3800157646635

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	1055lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø60x120mm
Box Qty:	100 pcs



LED Smart Bulb-E27

15W VT-5117

SKU: 2753 RGB+2700k-6400K EAN: 3800157646642

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	1300lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø65x135mm
Box Qty:	100 pcs



LED Smart Bulb-E27

20W VT-5021

SKU: 7470 RGB+WW+W EAN: 3800157639361

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant



Voltage/Frequency:	AC:170-265v, 50/60Hz
Luminous Flux:	1400lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø95x164mm
Box Qty:	50 pcs

LED Smart Spotlight

4.5W VT-5174

SKU: 2750 3000K-6400K EAN: 3800157646550



- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

works with amazon alexa

works with the GoogleAssistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	300lm
CRI:	>80
Beam Angle:	110°
Wireless Frequency:	2.4Ghz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	GU10
Body Type:	Plastic
Life Span:	30,000 Hours
Dimension:	50x57mm
Box Qty:	200 pcs

LED Smart Spotlight

5W VT-5164

SKU: 2757 RGB+2700K-6400K EAN: 3800157646680



- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa

works with the GoogleAssistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	400lm
CRI:	>80
Beam Angle:	110°
Wireless Frequency:	2.4Ghz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	GU10
Body Type:	Plastic
Life Span:	30,000 Hours
Dimension:	50x57mm
Box Qty:	200 pcs

LED Smart Spotlight

4.5w VT-5015

SKU: 8436 - 3 in 1 EAN: 3800157641326




- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

works with amazon alexa

works with the GoogleAssistant



Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	360lm
CRI:	>80
Beam Angle:	100°
Wireless Frequency:	2.4GHZ
Wireless Standard:	IEEE 802.11 b/g/n
Base:	GU10
Body Type:	PBT Aluminium
Life Span:	30,000 Hours
Dimension:	70x50mm
Box Qty:	100 pcs





Wifi-Controller Included

LED Smart Striplight Kit

LED Type:	SMD
Watt/M:	10w
Current/M:	1.5A
Voltage:	DC:12V
lm/M:	1000
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	20 pcs

works with amazon alexa

works with the Google Assistant

10w

VT-5050 60

SKU: 2583 RGB
SKU: 2584 RGB+W

EU PLUG



EAN: 3800157642682
EAN: 3800157642699

10w

VT-5050 60

SKU: 2585 RGB
SKU: 2586 RGB+W

BS PLUG



EAN: 3800157643795
EAN: 3800157643801




NEW

IP65 RATING

5 METER

RGB 3000K-6400K
16 Million COLORS, Various Lighting Modes, Dimmable.

21 IN




App Remote Control



Voice Control. Alexa/Google Home Compatible



Remote Controller



In-line Controller



works with amazon alexa

works with the Google Assistant

9w

VT-5050 54

SKU: 2628 RGB+3IN1 EAN: 3800157655040

EU PLUG



9w

VT-5050 54

SKU: 2629 RGB+3IN1 EAN: 3800157655057

BS PLUG



LED Smart Striplight Kit-IP65

LED Type:	SMD
Watt/M:	9w
Current/M:	0.75A
Voltage:	DC:12V
lm/M:	350
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	20 pcs

Smart Light

40w VT-5141

SKU: 1497 3IN1

EAN: 3800157648806



Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2800lm
Beam Angle:	120°
Wireless Frequency:	2.4Ghz
PF:	>0.9
CRI:	>80
Life Span:	20,000 Hours
Body Type:	Plastic+Metal
Dimension:	Ø:467x70mm
Box Qty:	5 pcs

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming



works with
 amazon alexa

works with the
 Google Assistant

Smart Light

60w VT-5161

SKU: 1498 3IN1

EAN: 3800157648813



Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	4200lm
Beam Angle:	120°
Wireless Frequency:	2.4Ghz
PF:	>0.9
CRI:	>80
Life Span:	20,000 Hours
Body Type:	Plastic+Metal
Dimension:	Ø572.5x70mm
Box Qty:	5 pcs

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming



works with
 amazon alexa

works with the
 Google Assistant

LED Smart Panel

40w **VT-5140**

SKU:8080 3IN1

EAN: 3800157646215



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	4800lm
Beam Angle:	120°
Wireless Frequency:	2.4GHz
PF:	>0.9
CRI:	>80
Life Span:	20,000 Hours
Body Type:	Aluminium
Dimension:	595x595mm
Box Qty:	5 pcs

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming



works with
 amazon alexa

works with the
 Google Assistant

NEW

Smart Tower Fan

55W
VT-5566

SKU: 7927

EAN: 3800157655644

EU PLUG55W
VT-5566

SKU:7928

BS PLUG







EAN: 3800157655651

- Power(Watts): 55
- Input Voltage: AC:220-240V,50Hz
- Size(Inches): 46
- Material: ABS
- Speed: 3(Low-Med-High)
- Wind Mode: 3(Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Wireless Frequency: 2.4Ghz
- IP Rating: IP20

works with
 amazon alexa

works with the
 Google Assistant



- 
Real-Time Control
- 
Multi-Brand
- 
Set Timer
- 
Cloud Panel
- 
Power Save
- 
Smart Scene



Easy To Set-Up: Just point your remote to this device, name function on the app, and start managing all IR controls in your home.

IR Remote Control

VT-5151

SKU: 8651 EAN: 3800157650021

Box Qty: 100 pcs

- Input: DC:5V/1A
- Wi-Fi Frequency: 2.4Ghz
- Infrared Frequency: 38Khz
- Infrared Range: ≤ 8meters





- Input: AC100- 240V,50/60 Hz
- Rated current: 2A
- Rated torque: 1.5N.m- 2Nm
- Rated speed: 116rpm
- Working time: S3 50% (No heat protection)
- Degree of protection: IP41
- Receiving frequency: 433.92MHz, 75KHz
- Receive bandwidth: 150KHz
- Receive modulation: OOK/ASK
- Sensitivity: - 107dBm
- Receiving channel: 10

- Quiet, DC motor
- Full automatic setting of the limits
- V-TAC app control
- Works with Amazon Alexa, Google Assistant, IFTTT
- Overload shutdown
- Operating the curtain manually in case of power failure
- Touch control function can be switched on and off.
- Remote control
- Dry contact function



Super Quiet



Smooth Running

WIFI RF Curtain Motor

VT-5666

SKU: 7903 EAN: 3800157651530

Box Qty: 20 pcs

works with
 amazon alexa

works with the
 Google Assistant

Automatic Return to Dock Base for Self-Charging

SMART CLEAN
Smart, Self-Programmed Cleaning Path Navigation

MOTOR SUCTION POWER
1800 PA

MULTI CLEANER
Hardwood, Tile, Marble & Hard Carpet Floors

SMART CONNECT
Wireless WIFI App Remote Control

- Smart Robot Vacuum
- Charging Dock Base
- Digital Remote Control
- Removable Dust Bin
- (2) Sweep Brushes
- (2) HEPA Filters
- (2) 'AAA' Batteries
- Cleaning Brush
- Power Adapter

SMART NAVIGATION GYROSCOPE
Robot learns the layout of your home and cleans in S path to more efficiently cover large areas on a single charge.

SMART GYRO ROBOT VACUUM
DIGITAL ROBOT CLEANING VACUUM WITH WIFI APP AND WIRELESS REMOTE CONTROL

- Automatic Robot Vacuum Cleaner
- Keep it Clean: Sweep, Dust & Vacuum
- Versatile & Convenient Floor Clean Ability
- Smart, Self-Programmed Cleaning Path Navigation
- WiFi Wireless Network for Hassle-Free Device Pairing
- Take Control of the Vacuum via Remote Control or App
- Preset Multi-Clean Modes: Auto, Single Room, Edge
- Automatic Return to Dock Base for Self-Charging
- One Button Operation & Auto-Start Activation
- 'Bag-less' Waste Bin Integrated HEPA Filter
- Anti-Fall / Anti-Collision Sensors
- Built-in Rechargeable Battery
- Dual Spinning Side Brushes Captures Dirt & Lifts Debris
- Works on Hardwood, Tile, Marble & Hard Carpet Floors
- Slim Low-Profile Housing Slides Underneath Furniture
- Perfect for the Home or Office


Gyro Robot Vacuum Cleaner-EU Plug

VT-5555-W

SKU: 8649 White EU-Plug
SKU: 7911 White BS-Plug
SKU: 8650 Black EU-Plug
SKU: 7912 Black BS-Plug

Box Qty: 4 pcs


EAN: 3800157649780
EAN: 3800157653770
EAN: 3800157649797
EAN: 3800157653787



NEW

WiFi Thermostat
VT-5888


SKU: 7908 EAN: 3800157651622

 works with
amazon alexa

 works with the
Google Assistant

- Power Supply: 95-240 VAC, 50/60Hz
- Fan Relay Amps Resistance: 5A; Inductive: 3A
- Valve Relay Amps Resistance: 3A; Inductive: 1A
- Sensor: NTC 3950, 10K
- Accuracy: +0.5°C
- Set Temp. Range: 5-35°C
- Display Temp. Range: 5-99°C
- Ambient Temp.: 0-45°C
- Ambient Humidity: 5-95%
- RH (Non Condensing)
- Storage Temp.: -5- 45°C
- Power Consumption: <1.5W
- Timing Error: <1%
- Shell Material: PC + ABS(Fireproof)
- Wire Terminals: Wire 2 × 1.5mm² or 1 × 2.5mm²
- Protection Class: IP20





works with
amazon alexa


works with the
Google Assistant

Touch Switch-Wifi

VT-5003

SKU: 8417 EAN: 3800157637305

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with
amazon alexa


works with the
Google Assistant

Touch Switch-Wifi

VT-5004

SKU: 8418 EAN: 3800157637312

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with
amazon alexa

works with the
Google Assistant

Touch Switch-Wifi

VT-5005

SKU: 8419 EAN: 3800157637329

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with
amazon alexa

works with the
Google Assistant

Touch Switch-Wifi

VT-5003-B

SKU: 8423 EAN: 3800157637411

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with
amazon alexa

works with the
Google Assistant

Touch Switch-Wifi

VT-5004-B

SKU: 8424 EAN: 3800157637428

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with
amazon alexa

works with the
Google Assistant

Touch Switch-Wifi

VT-5005-B

SKU: 8425 EAN: 3800157637510

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



Wifi Dimmer Switch-EU

VT-5013-Black

SKU: 8432 EAN: 3800157640954

works with
amazon alexa

works with the
Google Assistant

VT-5013-White

SKU: 8433 EAN: 3800157640961

Voltage/Frequency:	AC:90-250V
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	100 pcs



Wall Socket-Wifi(EU)

VT-5134-Black

SKU: 8797 EAN: 3800157645393

works with
amazon alexa

works with the
Google Assistant

VT-5134-White

SKU: 8798 EAN: 3800157645409

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	3500w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	86x86x45mm
Box Qty:	60 pcs



works with
amazon alexa

works with the
Google Assistant

2 5V/2.1A
USB Port

Wall Socket-Wifi(BS)

VT-5017

SKU: 8446 EAN: 3800157644648

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4Ghz
Max Watts:	2900w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	146x86x32mm
Box Qty:	100 pcs



works with
amazon alexa

works with the
Google Assistant

Online Switch-Wifi

VT-5008

SKU: 8422 EAN: 3800157637350

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	90x40x25mm
Box Qty:	100 pcs



works with
amazon alexa

works with the
Google Assistant

Waterproof Socket

VT-5000

SKU: 8414 EAN: 3800157637275

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP54
Dimension:	86x71x68mm
Box Qty:	50 pcs



BS Plug SKU: 8427

BS PLUG
AVAILABLE

works with
amazon alexa

works with the
Google Assistant

Plug-Wifi

VT-5001

SKU: 8415 EAN: 3800157637282

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	110x62x36mm
Box Qty:	50 pcs



works with
 amazon alexa

works with the
 Google Assistant

Plug-Wifi-Italian

VT-5148

SKU: 8470 EAN: 3800157645133

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	110x62x36mm
Box Qty:	50 pcs



BS Plug SKU: 8428



works with
 amazon alexa

works with the
 Google Assistant

Mini Plug-Wifi

VT-5002

SKU: 8416 EAN: 3800157637299

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	63x45x30mm
Box Qty:	100 pcs



4 5V/5A
USB Port
 1.8M Cable Length

works with
 amazon alexa

works with the
 Google Assistant

Power Strip-Wifi(EU)

VT-5018

SKU: 8447 EAN: 3800157644631

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	3500w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	305x58x43mm
Box Qty:	25 pcs



works with
 amazon alexa

works with the
 Google Assistant

E27 Lamp Holder-Wifi

VT-5007

SKU: 8421 EAN: 3800157637343

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	20w(LED Bulb)
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	D:67x02mm
Box Qty:	50 pcs



works with
amazon alexa

works with the
Google Assistant

RF433 Gateway

VT-5144

SKU: 8466 EAN: 3800157645096

- Input Voltage: 90-250V
- Max Current: 13A
- Wireless Standard Wi-Fi 2.4Ghz
- Material: PC
- Power supply: Micro USB 5V/1A
- RF: 433MHz
- Control Mode: VTAC Smartphone App
- Size: 110x25mm
- Box Qty: 100 pcs

RF Gateway is a bridge converting any device operated with RF functionality into a smart device. One RF Bridge supports a maximum of 4 RF Remotes.



works with
amazon alexa

works with the
Google Assistant

Temperature Humidity Scheduler

VT-5145

SKU: 8467 EAN: 3800157645102

- Max. Current: 16A
- Material: PC
- Input: AC: 90-250V, 50/60Hz
- 2.4Ghz Wi-Fi
- Smart Link technology
- Remote control connected appliance
- Remotely monitor Temperature & Humidity
- DIY your favorite scenes
- Box Qty: 100 pcs
- Size: 137x45x28mm



works with
amazon alexa

works with the
Google Assistant

Temperature & Humidity Sensor

VT-5146

SKU: 8468 EAN: 3800157645119

- Material: ABS
- Temperature Humidity: 0~99.9%RH
- Measuring Range: -40~+80°C
- Wire Length: 0.5 Meter
- Compatible with V-TAC Temperature Humidity scheduler (Not included)"
- Box Qty: 200 pcs
- Size: 61x26mm(50cm Wire Length)



works with
amazon alexa

works with the
Google Assistant

Waterproof Temperature Probe

VT-5147

SKU: 8469 EAN: 3800157645126

- Material: ABS
- Measuring Range: -50~+125°C
- Wire Length: 1 Meter
- Waterproof - IP66 Rated
- Compatible with V-TAC Temperature Humidity scheduler (Not included)
- Box Qty: 200 pcs
- Size: 70x70x1000mm



Smart Cameras

V-TAC introduces its all-new extensive range of smart cameras - fully compatible with any smart device (mobile phones, tablets, or PCs) through WiFi integration. These cameras offer detection alerts via email -- all available in standard UK & EU plugs for compatibility.

Product Features

- Standard wireless frequencies for WiFi transmission
- Equipped with premium quality image sensors - high definition, high resolution videos at standard frames per second,
- Supports iOS & Android devices
- Real-time alerts sent straight to your mobile for motion detected
- Night Vision
- Two-Way Audio
- Video storage: Micro SD storage or cloud transmission

Applications

Designed to add an extra layer of security in houses, condominiums, restaurants, retail shops, office spaces, and more high-definition video feed in real-time, including two-way audio, full security camera sets, motion



Surveillance Camera

VT-5125

SKU: 8474

EAN: 3800157647878

Box Qty: 80 pcs

- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Lens - 2.8mm @F1.8
- Material - ABS
- Audio - No
- Sensor Type - 2.0MP1/2.7" CMOS
- Signal System - AHD/CVI/TVI/CVBS @1080P
- Minimum illumination - Color:0.01Lux @(F1.2,AGC ON); 0 Lux (IRs on)
- Black & White - 0.001 Lux @ (F1.2,AGC ON),0 Lux (IRs on)
- Shutter - 1/50(1/60) second~ 1/10,000 second
- Lens - High-definition board lens 2.8mm @F1.8
- Lens type M12
- Day and Night IR-Cut
- Video Output - 1Vp-p Composite Output(75Ω /BNC)
- IR Distance - 20 to 30 meters



Night Vision



Surveillance Camera

VT-5126

SKU: 8475

EAN: 3800157647885

Box Qty: 50 pcs

- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Image Sensor - 2.0MP 1/2.7" Low illumination CMOS Sensor
- Lens - 2.8mm@F1.8
- Audio - No
- IP Rating - IP65
- Built with Aluminium
- Signal System - AHD/CVI/TVI/CVBS @1080P
- Minimum illumination - Color:0.01Lux @(F1.2,AGC ON); 0 Lux (IRs on)
- Black & White - 0.001 Lux @ (F1.2,AGC ON),0 Lux (IRs on)
- Shutter - 1/50(1/60) second~ 1/10,000 second
- Lens - High-definition board lens 2.8mm @F1.8
- Lens type M12
- Day and Night IR-Cut
- Video Output - 1Vp-p Composite Output(75Ω /BNC)
- IR Distance - 20 to 30 meters



Night Vision



IP65 RATING

**4CH DVR****VT-5127**

SKU: 8476

EAN: 3800157647892

Box Qty: 10 pcs

- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Image Sensor - 2.0MP 1/2.7" Low illumination CMOS Sensor
- Lens - 2.8mm@F1.8
- Audio - No
- IP Rating - IP65
- Built with Aluminium
- Signal System - AHD/CVI/TVI/CVBS @1080P
- Minimum illumination - Color:0.01Lux @(F1.2,AGC ON); 0 Lux (IRs on)
- Black & White - 0.001 Lux @ (F1.2,AGC ON), 0 Lux (IRs on)
- Shutter - 1/50(1/60) second~ 1/10,000 second
- Lens - High-definition board lens 2.8mm @F1.8
- Lens type M12
- Day and Night IR-Cut
- Video Output - 1Vp-p Composite Output (75Ω/BNC)
- IR Distance - 20 to 30 meters



Night Vision

1080P
FULLHDIP65
RATING18 Meter Wire
SKU: 8477**Security Camera****VT-5135**

SKU: 8478

EAN: 3800157647915

Box Qty: 50 pcs

- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Image Sensor - 1/2.8" Low illumination CMOS Sensor
- Lens - 3.6mm@F1.8
- Minimum illumination - Color-0.01Lux @(F1.2,AGC ON); 0 Lux with IR
- Black and White - 0.001 Lux @ (F1.2, AGC ON), 0 Lux with IR
- Shutter - 1/50 (1/60) seconds to 1/10,000 seconds
- Designed with Lens Type M12
- Day and night conversion mode - Supports IR-CUT
- Frame rate 1080P@20fps
- Supports Protocols - TCP/IP, HTTP, DHCP, DNS, DDNS, PPPoE, SMTP, NTP
- Communication interface - 1 10/100Mbps adaptive Ethernet port, RJ45 interface
- Infrared distance of 20-30 meters
- Audio - No
- IP Rating - IP65



Night Vision

1080P
FULLHDIP65
RATING



Security Camera

VT-5136

SKU: 8479

EAN: 3800157647922

Box Qty: 20 pcs

- Input Power - DC:12V
- Resolution - 1920x1080
- Image Sensor - 1/2.7" CMOS 0.001LUX/F1.2(Colorful)
- Video Compression - 32kbps-8mbps
- 2.0 Mega pixel
- Electronic Shutter - 1/25---1/10000 Second
- Day and night conversion mode - Full Color
- 3D DNR (Digital noise reduction)
- H.265 encoding type - Profile_Baseline
- Intelligent Alarm - Motion detection, occlusion alarm, video loss, network cable disconnection, IP address conflict
- Support Protocols - TCP/IP, DHCP, HTTP, DNS, RTP RTSP
- Docking Protocols - ONVIF, Hikvision, Dahua
- Universal feature - One-click recovery, dual stream, heartbeat, mirroring, video masking, anonymous access
- Communication interface - 1 RJ45 10M / 100M adaptive Ethernet port

OTHER CAMERAS

FULL COLOR CAMERA



Wireless NVR Camera-EU

VT-5188

SKU: 8400

EAN: 3800157643757

Box Qty: 4 pcs

EU PLUG



VT-5188-BS

SKU: 8465

EAN: 3800157644969

Box Qty: 4 pcs

BS PLUG



- Transmission distance more than 800 meters in open space with no obstacles
- Built-in security wireless WIFI module with stable signal transmission and strong anti-interference ability
- No need setting WIFI, plug and play
- P2P remote viewing in seconds with high-definition video quality
- Support motion detection alarm
- Support buzzer/Email alarm
- Support Android/IOS devices





Indoor Camera-EU

VT-5122

SKU: 8439 EAN: 3800157644136

Box Qty: 50 pcs

EU PLUG



VT-5122-BS

SKU: 8438 EAN: 3800157644129

Box Qty: 50 pcs

BS PLUG



- DC:5V±5% Input Power
- Auto tracking
- Motion Detection
- 2.4~2.4835 Ghz Wireless Frequency
- 355°/85° Pan/Tilt
- 1920×1080P Resolution
- 2.0M pixel HD cmos Image Sensor
- 3.6mm Lens
- H.264/Mjpeg Video Compression
- 10 meters Night Vision
- 25-30fps Frame Rate
- Two way Audio
- WEP/WPA-PSK/WPA2-PSK encryption Wireless Security
- SD up to 64gb Storage
- Indoor Use only - IP20
- Supports Android & IOS devices



Night Vision



Two Way Audio



Motion Detection



Outdoor Camera-EU

VT-5123

SKU: 8441 EAN: 3800157644150

Box Qty: 30 pcs

EU PLUG



VT-5123-BS

SKU: 8440 EAN: 3800157644143

Box Qty: 30 pcs

BS PLUG



- DC:12V±5% Input Power
- Motion detection
- 2.4~2.4835 Ghz Wireless Frequency
- Alarm motion detection
- Lan port RJ-45
- 1920×1080P Resolution
- 2.0M pixel HD cmos
- 3.6mm Lens
- H.264/Mjpeg Video Compression
- 10 meters Night Vision
- 25-30fps Frame Rate
- Two way Audio
- WEP/WPA-PSK/WPA2-PSK encryption Wireless Security
- SD up to 64gb Storage
- IP65(Indoor & Outdoor use)
- Supports Android & IOS devices



Night Vision



Two Way Audio



Motion Detection





Doorbell
VT-5412

SKU: 8355 EAN: 3800157634960

Box Qty: 50 pcs

Box Qty: 50 pcs

- Two-way audio
- IR Distance: dual IR cut filter with auto switch, max 5 meters
- Motion detection: alerts users with a push notification
- Remote operation-system settings, account management, stream code setting
- ABS+PC Body Type
- 75×40×143mm
- -10°C ~+50°C Working Temperature
- 1280×720P Resolution
- Rechargeable 18650 Battery 3350mAh or AC 8~24V Power
- HD720P@25FPS Frame Rate
- 166 Degree Field View
- Max 64GB TF Card Storage



Chimes-EU
VT-5415

SKU: 8445 EAN: 3800157644594

Box Qty: 100 pcs



VT-5413

SKU: 8359 EAN: 3800157635004

Box Qty: 100 pcs



- 5 levels of volume
- 55 ringtones
- Voltage: AC100~265V
- Protection Rating: IP54
- Wireless range up to 250 mtrs
- Directly plug into an electrical outlet
- Compatible with V-TAC Doorbell (VT-5412)



55 melodious
Ringtones



Italian & European Sockets and Adapters

Extensive variety of electrical accessories to power your devices with Italian & European socket and adapters made from high-quality, modern components from V-TAC. Includes cable reels and sockets of different types and lengths, extension cords, travel adapters/converters, grounded counterparts, and more.

- 3/4/5/6/8-way sockets - sockets with switches and/or USB ports also available
- Includes sockets for different socket types compatible in Italy and more European countries
- 2/3/4 Outlet, Universal Travel Adapters available for flexibility of use
- Earthing variants available for select socket types



POWER ADAPTORS



USB TRAVEL ADAPTOR

VT-1024-W

SKU: 8791
EAN: 3800157644266

Input Power:	AC:100-230V,50/60Hz
Body Type:	ABS
Dimension:	27×47×70mm
Input Current:	0.25A

Output Current:	2A
Rated Load:	10W
Box Qty:	48 pcs



USB TRAVEL ADAPTOR

VT-1024-B

SKU: 8792
EAN: 3800157644273

Input Power:	AC:100-230V,50/60Hz
Body Type:	ABS
Dimension:	27×47×70mm
Input Current:	0.25A

Output Current:	2A
Rated Load:	10W
Box Qty:	48 pcs




USB QC3.0 TRAVEL ADAPTOR

VT-1026-W

SKU: 8793
EAN: 3800157644280

Input Power:	AC:100-240V,50/60Hz
Body Type:	PC
Dimension:	42×57×24mm
Input Current:	0.2A

Output Current:	3.0A
Rated Load:	18W
Box Qty:	48 pcs



USB QC3.0 TRAVEL ADAPTOR

VT-1026-B

SKU: 8794
EAN: 3800157644297

Input Power:	AC:100-240V,50/60Hz
Body Type:	PC
Dimension:	42×57×24mm
Input Current:	0.2A

Output Current:	3.0A
Rated Load:	18W
Box Qty:	48 pcs



UNIVERSAL ADAPTOR WITH OVERLOAD PROTECTION WITH 2USB 2A

SKU: 8704
EAN: 3800157642163

Input Power:	AC:110-250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95×50×40mm
Input Current:	10A

Output Current:	10A
Rated Load:	2500W
Box Qty:	48 pcs



UNIVERSAL ADAPTOR WITH OVERLOAD PROTECTION

 SKU: 8705
 EAN: 3800157642170

Input Power:	AC:110-250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	2500W
Dimension:	70x50x40mm	Box Qty:	100 pcs
Input Current:	10A		



CABLE REEL WITH 4 SOCKET
VT-6002

 SKU: 8781
 EAN: 3800157643528

Wire Length:	10M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	Black
Dimension:	20X27X6.5mm	Box Qty:	5 pcs



CABLE REEL WITH 4 SOCKET
VT-6003

 SKU: 8782
 EAN: 3800157643535

Wire Length:	25M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	Black
Dimension:	24X13X33mm	Box Qty:	1 pcs



Extension Cord
VT-3001-3

 SKU: 8778
 EAN: 3800157643498

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	250x200x150mm	Box Qty:	30 pcs



Extension Cord
VT-3001-5

 SKU: 8779
 EAN: 3800157643504

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	200X160X90mm	Box Qty:	30 pcs



Extension Cord
VT-3001-10

 SKU: 8780
 EAN: 3800157643511

Wire Length:	10M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	200x110x40mm	Box Qty:	15 pcs

1.4M Wire



3WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

VT-1153-2
SKU: 8799
EAN: 3800157645669

Wire Length:	1.4M	Input Current:	16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PC	Color:	White
Dimension:	130X138.30X42mm	Box Qty:	40 pcs

1.4M Wire



4WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

VT-1154-2
SKU: 8800
EAN: 3800157645676

Wire Length:	1.4M	Input Current:	16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PC	Color:	White
Dimension:	77X77X82.8mm	Box Qty:	40 pcs

1.5M Wire

LIGHTED SWITCH



4 HOLES SOCKET WITH SWITCH

VT-1117-4
SKU: 8770
EAN: 3800157643412

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174x45x40mm	Box Qty:	40 pcs

1.5M Wire

LIGHTED SWITCH



4 HOLES SOCKET WITH SWITCH

VT-1117-2
SKU: 8771
EAN: 3800157643429

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	Black
Dimension:	174x45x40mm	Box Qty:	40 pcs

1.5M Wire

LIGHTED SWITCH



8 HOLES SOCKET WITH SWITCH

VT-1118-8
SKU: 8772
EAN: 3800157643436

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	186x45x40mm	Box Qty:	40 pcs

1.5M Wire

LIGHTED SWITCH



8 HOLES SOCKET WITH SWITCH

VT-1118-2
SKU: 8773
EAN: 3800157643443

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	Black
Dimension:	186x45x40mm	Box Qty:	40 pcs

1.5M
Wire

2
USB PORT



3WAYS SOCKET WITH 2USB

VT-1124-2

SKU: 8774
EAN: 3800157643450

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178x45x40mm	Box Qty:	40 pcs

5M
Wire

2
USB PORT



3WAYS SOCKET WITH 2USB

VT-1124-5

SKU: 8775
EAN: 3800157643467

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178x45x40mm	Box Qty:	20 pcs

1.5M
Wire

2
USB PORT



3WAYS SOCKET WITH 2USB

VT-1125-2

SKU: 8776
EAN: 3800157643474

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	Black
Dimension:	178x45x40mm	Box Qty:	40 pcs

5M
Wire

2
USB PORT



3WAYS SOCKET WITH 2USB

VT-1125-5

SKU: 8777
EAN: 3800157643481

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	Black
Dimension:	178x45x40mm	Box Qty:	20 pcs

1.5M
Wire



3 WAYS SOCKET

VT-1103-2

SKU: 8754
EAN: 3800157643252

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	170x45x40mm	Box Qty:	40 pcs

3M
Wire



3 WAYS SOCKET

VT-1103-3

SKU: 8755
EAN: 3800157643269

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	170x45x40mm	Box Qty:	30 pcs

1.5M Wire



4 WAYS SOCKET

VT-1104-2

SKU: 8756
EAN: 3800157643276

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174x45x40mm	Box Qty:	40 pcs

3M Wire



4 WAYS SOCKET

VT-1104-3

SKU: 8757
EAN: 3800157643283

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174x45x40mm	Box Qty:	30 pcs

1.5M Wire



5 WAYS SOCKET

VT-1105-2

SKU: 8758
EAN: 3800157643290

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178x45x40mm	Box Qty:	40 pcs

3M Wire



5 WAYS SOCKET

VT-1105-3

SKU: 8759
EAN: 3800157643306

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178x45x40mm	Box Qty:	30 pcs

1.5M Wire



6 WAYS SOCKET

VT-1106-2

SKU: 8760
EAN: 3800157643313

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	182x45x40mm	Box Qty:	40 pcs

3M Wire



6 WAYS SOCKET

VT-1106-3

SKU: 8761
EAN: 3800157643320

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	182x45x40mm	Box Qty:	30 pcs

1.5M
Wire

LIGHTED
SWITCH



3WAYS SOCKET WITH SWITCH

VT-1113-2

SKU: 8762

EAN: 3800157643337

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174×45×40mm	Box Qty:	40 pcs

5M
Wire

LIGHTED
SWITCH



3WAYS SOCKET WITH SWITCH

VT-1113-5

SKU: 8763

EAN: 3800157643344

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174×45×40mm	Box Qty:	20 pcs

1.5M
Wire

LIGHTED
SWITCH



4WAYS SOCKET WITH SWITCH

VT-1114-2

SKU: 8764

EAN: 3800157643351

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178×45×40mm	Box Qty:	40 pcs

5M
Wire

LIGHTED
SWITCH



4WAYS SOCKET WITH SWITCH

VT-1114-5

SKU: 8765

EAN: 3800157643368

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178×45×40mm	Box Qty:	20 pcs

1.5M
Wire

LIGHTED
SWITCH



5WAYS SOCKET WITH SWITCH

VT-1115-2

SKU: 8766

EAN: 3800157643375

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	182×45×40mm	Box Qty:	40 pcs

5M
Wire

LIGHTED
SWITCH



5WAYS SOCKET WITH SWITCH

VT-1115-5

SKU: 8767

EAN: 3800157643382

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	182×45×40mm	Box Qty:	20 pcs

1.5M Wire

LIGHTED SWITCH



6WAYS SOCKET WITH SWITCH

VT-1116-2

SKU: 8768
EAN: 3800157643399

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	186x45x40mm	Box Qty:	40 pcs

5M Wire

LIGHTED SWITCH



6WAYS SOCKET WITH SWITCH

VT-1116-5

SKU: 8769
EAN: 3800157643405

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	186x45x40mm	Box Qty:	20 pcs

1.4M Wire

LIGHTED SWITCH

2 USB PORT



SURGE PROTECTION



3 WAYS DESK SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

VT-1133-2

SKU: 8817
EAN: 3800157648981

Wire Length:	1.4M	Input Current:	3x16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PC,PVC, COPPER	Color:	Black
Dimension:	225x65x73mm	Box Qty:	20 pcs

1.4M Wire

LIGHTED SWITCH

2 USB PORT



4 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

VT-1144-2

SKU: 8808
EAN: 3800157648882

Wire Length:	1.4M	Input Current:	4x16A
Input Power:	AC:200-240V,50Hz	Rated Load:	3680W
Body Type:	PC,PVC, COPPER	Color:	White
Dimension:	307x46x42mm	Box Qty:	20 pcs

3M Wire

LIGHTED SWITCH

2 USB PORT



5 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

VT-1115-3

SKU: 8807
EAN: 3800157648875

Wire Length:	3M	Input Current:	5x16A
Input Power:	AC:200-240V,50Hz	Rated Load:	3680W
Body Type:	PP,PVC, COPPER	Color:	White
Dimension:	365x53x44mm	Box Qty:	20 pcs

1.4M Wire

LIGHTED SWITCH



SURGE PROTECTION



OVERLOAD PROTECTION



5 WAYS SAFE SOCKET WITH LIGHTED SWITCH

VT-1135-2

SKU: 8818
EAN: 3800157648998

Wire Length:	1.4M	Input Current:	5x16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PP,PVC, COPPER	Color:	White
Dimension:	330x55x41mm	Box Qty:	20 pcs



2 WAYS ADAPTER WITH EARTHING CONTACT

VT-1006-2

SKU: 8783
EAN: 3800157643986

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	98×46×74.6mm
Input Current:	16A

Output Current:	2×16A
Rated Load:	2300W
Box Qty:	100 pcs



ADAPTER WITH 3 EURO-SOCKET

VT-1005-2

SKU: 8784
EAN: 3800157643993

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	93.1×48×75.3mm
Input Current:	16A

Output Current:	16A+2×2.5A
Rated Load:	3680W
Box Qty:	100 pcs



4 WAYS ADAPTER WITH EARTHING CONTACT

VT-1004-4

SKU: 8785
EAN: 3800157644006

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	91.2×49×78.1mm
Input Current:	16A

Output Current:	4×2.5A
Rated Load:	3680W
Box Qty:	100 pcs



2 WAYS ADAPTER WITH EARTHING CONTACT

VT-1008-2

SKU: 8786
EAN: 3800157644013

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	87.5×45.8×99.5mm
Input Current:	16A

Output Current:	3×16A
Rated Load:	3680W
Box Qty:	100 pcs



3 WAYS ADAPTER WITH EARTHING CONTACT

VT-1009-3

SKU: 8787
EAN: 3800157644020

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	92.8×72.4×86.1mm
Input Current:	16A

Output Current:	3×16A
Rated Load:	3680W
Box Qty:	100 pcs



3 OUTLET POWER ADAPTER WITH EARTH CONTACT AND SWITCH

VT-1010-3

SKU: 8788
EAN: 3800157644037

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	93.1×69.7×76.5mm
Input Current:	16A

Output Current:	16A+2×2.5A
Rated Load:	3680W
Box Qty:	100 pcs



3 OUTLET POWER ADAPTER WITH EARTH CONTACT VT-1011-3
 SKU: 8789
 EAN: 3800157644044

Input Power:	AC:250V, 16A	Output Current:	3x16A
Body Type:	PP Plastic+ Copper	Rated Load:	3680W
Dimension:	133.6x49.5x76.9mm	Box Qty:	100 pcs
Input Current:	16A		



3 OUTLET POWER ADAPTER VT-1012-3
 SKU: 8790
 EAN: 3800157644051

Input Power:	AC:250V, 16A	Output Current:	3x16A
Body Type:	PP Plastic+ Copper	Rated Load:	3680W
Dimension:	87.5x84.98x59.4mm	Box Qty:	100 pcs
Input Current:	16A		



2 OUTLET ADAPTER 2.5A VT-1022
 SKU: 8801
 EAN: 3800157645683

Input Power:	AC:230V	Output Current:	5A
Body Type:	PP	Rated Load:	1100W
Dimension:	44X39X61mm	Box Qty:	200 pcs
Input Current:	16A		



3 OUTLET ADAPTER 2.5A VT-1023
 SKU: 8802
 EAN: 3800157645690

Input Power:	AC:230V	Output Current:	7.5A
Body Type:	PP	Rated Load:	1700W
Dimension:	65x47x72mm	Box Qty:	200 pcs
Input Current:	16A		



ADAPTER WITH 2 SOCKET 2.5A,1 SOCKET 16A WITH EARTHING CONTACT 16A VT-1053
 SKU: 8804
 EAN: 3800157645713

Input Power:	AC:230V	Output Current:	16A
Body Type:	PP	Rated Load:	3500W
Dimension:	92x47.5x75mm	Box Qty:	200 pcs
Input Current:	16A		



2 OUTLET ADAPTER 16A WITH EARTHING CONTACT 16A VT-1042
 SKU: 8805
 EAN: 3800157645720

Input Power:	AC:230V	Output Current:	16A
Body Type:	PP	Rated Load:	3680W
Dimension:	92x50x75mm	Box Qty:	200 pcs
Input Current:	16A		



4 OUTLET ADAPTER 2.5A

VT-1054SKU: 8803
EAN: 3800157645706

Input Power:	AC:230V
Body Type:	PP
Dimension:	83×47×72mm
Input Current:	16A

Output Current:	10A
Rated Load:	2300W
Box Qty:	200 pcs

ADAPTER WITH 2 SOCKET 2.5A,1
SOCKET 16A WITH SWITCH & EARTHING
CONTACT 16A**VT-1063**SKU: 8806
EAN: 3800157645737

Input Power:	AC:230V
Body Type:	PP
Dimension:	95×70×74mm
Input Current:	16A

Output Current:	16A
Rated Load:	3500W
Box Qty:	200 pcs

ADAPTER WITH EARTHING CONTACT &
CHARGING**VT-1044-W**SKU: 8795
EAN: 3800157644303

Input Power:	AC:110-230V,50/60Hz
Body Type:	ABS
Dimension:	107×54.2×74.2mm
Input Current:	16A

Output Current:	16A+2.1A
Rated Load:	3680W
Box Qty:	60 pcs

ADAPTER WITH EARTHING CONTACT &
CHARGING**VT-1044-B**SKU: 8796
EAN: 3800157644310

Input Power:	AC:110-230V,50/60Hz
Body Type:	ABS
Dimension:	107×54.2×74.2mm
Input Current:	16A

Output Current:	16A+2.1A
Rated Load:	3680W
Box Qty:	60 pcs



1 WAY ADAPTER-16A

VT-1101-1SKU: 8809
EAN: 3800157648899

Input Power:	AC:200-240V,50Hz
Body Type:	PP COPPER
Dimension:	80×55×72mm
Input Current:	16A

Output Current:	16A
Rated Load:	3680W
Box Qty:	100 pcs



ADAPTER WITH 2 POLE SWITCH

VT-1064SKU: 8841
EAN: 3800157655279

Input Power:	AC:250V
Body Type:	PP Body
Dimension:	
Input Current:	16A

Output Current:	16A
Rated Load:	3500W
Box Qty:	100 pcs



OUTDOOR SOCKETS



2 WAYS ADAPTER-16A-IP44

VT-1102-2

SKU: 8812

EAN: 3800157648929

Wire Length:	NA	Input Current:	2×16A
Input Power:	AC:200-240V,50Hz	Rated Load:	3680W
Body Type:	PP COPPER	Color:	Green
Dimension:	105×66×106mm	Box Qty:	100 pcs

3M Wire



2 WAYS GARDEN SPIKE SOCKET WITH MECHANICAL TIMER

VT-1112-3

SKU: 8811

EAN: 3800157648912

Wire Length:	3M	Input Current:	2×16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PP,RUBBER, COPPER	Color:	Green
Dimension:	403×145×113mm	Box Qty:	8 pcs

3M Wire



4 WAYS GARDEN SPIKE SOCKET-IP44

VT-1114-3

SKU: 8810

EAN: 3800157648905

Wire Length:	3M	Input Current:	4×16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PP,RUBBER, COPPER	Color:	Green
Dimension:	403×145×113mm	Box Qty:	8 pcs



WATERPROOF SAFE BOX-IP44

SKU: 8819

EAN: 3800157648950

Input Power:	AC:230V	Output Current:	NA
Body Type:	PP	Rated Load:	NA
Dimension:	212×82×72mm	Box Qty:	40 pcs
Input Current:	16A		

3M Wire



4 WAYS SOCKET-IP44

VT-1124-3

SKU: 8814

EAN: 3800157648943

Wire Length:	3M	Input Current:	4×16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PP,RUBBER, COPPER	Color:	Black+Yellow
Dimension:	230×71×94mm	Box Qty:	10 pcs

3M
Wire

LIGHTED
SWITCH



5 WAYS SOCKET WITH LIGHTED SWITCH-
IP44

VT-1125-3

SKU: 8813
EAN: 3800157648936

Wire Length:	3M	Input Current:	5x16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PP,RUBBER, COPPER	Color:	Black+Yellow
Dimension:	403x73x49.5mm	Box Qty:	10 pcs

15M
Wire



EXTENSION CORD-1 WAY-16A-IP44

VT-3002-15

SKU: 8816
EAN: 3800157648974

Wire Length:	15M	Input Current:	16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PVC, COPPER,PP	Color:	Orange+Black
Dimension:	357x130x130mm	Box Qty:	8 pcs

30M
Wire



EXTENSION CORD-1 WAY-16A-IP44

VT-3002-30

SKU: 8815
EAN: 3800157648967

Wire Length:	30M	Input Current:	16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PVC, COPPER,PP	Color:	Orange+Black
Dimension:	473x128x150mm	Box Qty:	4 pcs

NA
Socket



2 WAYS GARDEN SOCKET IP44

VT-1155-2

SKU: 8820
EAN: 3800157652452

Wire Length:	NA	Input Current:	16A
Input Power:	AC:220-240V,50Hz	Rated Load:	3680W
Body Type:	Stainless Steel	Color:	Dark Grey
Dimension:	127x300mm	Box Qty:	6 pcs

NA
Socket




2 WAYS GARDEN SOCKET WITH LAMP
IP44

VT-1156-2

SKU: 8822
EAN: 3800157652476

Wire Length:	NA	Input Current:	16A
Input Power:	AC:220-240V,50Hz	Rated Load:	3680W
Body Type:	Stainless Steel+PC	Color:	Dark Grey
Dimension:	127x455mm	Box Qty:	4 pcs

NA
Socket



4 WAYS GARDEN SOCKET IP44

VT-1155-4

SKU: 8821
EAN: 3800157652469

Wire Length:	NA	Input Current:	16A
Input Power:	AC:220-240V,50Hz	Rated Load:	3680W
Body Type:	Stainless Steel	Color:	Dark Grey
Dimension:	157x395mm	Box Qty:	4 pcs



ITALIAN SOCKETS

1.5M Wire



Multipresa, 3 pos. 10/16A prese Bipasso
Con attacco a parete

SKU: 8706
EAN: 3800157642187

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	115x47x22mm	Box Qty:	50 pcs

1.5M Wire



Multipresa, 4 pos. 10/16A prese Bipasso
Con attacco a parete

SKU: 8707
EAN: 3800157642194

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	135x47x22mm	Box Qty:	50 pcs

1.5M Wire



Multipresa, 5 pos. 10/16A prese Bipasso
Con attacco a parete

SKU: 8708
EAN: 3800157642200

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	155x47x22mm	Box Qty:	40 pcs

1.5M Wire



Multipresa, 6 pos. 10/16A prese Bipasso
Con attacco a parete

SKU: 8709
EAN: 3800157642217

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	170x47x22mm	Box Qty:	40 pcs

1.5M
Wire

LIGHTED
SWITCH



3 pos. con interruttore luminoso
10/16A Bipasso/schuko

SKU: 8710
EAN: 3800157642224

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	200×55×45mm	Box Qty:	50 pcs

1.5M
Wire

LIGHTED
SWITCH



4 POS. CON INTERRUETTORE LUMINOSO
10/16A BIPASSO/SCHUKO

SKU: 8711
EAN: 3800157642231

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	245×55×45mm	Box Qty:	40 pcs

1.5M
Wire

LIGHTED
SWITCH



5 pos. con interruttore luminoso
10/16A Bipasso/schuko

SKU: 8712
EAN: 3800157642248

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	280×55×45mm	Box Qty:	30 pcs

1.5M
Wire

LIGHTED
SWITCH



6 pos. con interruttore luminoso
10/16A Bipasso/schuko

SKU: 8713
EAN: 3800157642255

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	325×55×45mm	Box Qty:	30 pcs

1.5M
Wire

LIGHTED
SWITCH



7 pos. con interruttore luminoso
10/16A Bipasso/schuko

SKU: 8714
EAN: 3800157642262

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	370×55×45mm	Box Qty:	30 pcs

1.5M
Wire

LIGHTED
SWITCH

2
USB PORT



5pos. con interruttore luminoso
10/16A Bipasso/schuko + con 2
connessioni USB

SKU: 8715
EAN: 3800157642279

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	335×55×45mm	Box Qty:	30 pcs

1.5M Wire

LIGHTED SWITCH



4 pos.10/16A Bipasso/schuko con protezione sovratensionni e interruttori luminoso

SKU: 8748
EAN: 3800157642606

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2500W
Body Type:	PP+COPPER	Color:	White
Dimension:	160x100x45mm	Box Qty:	40 pcs

1.5M Wire

LIGHTED SWITCH



6 pos.10/16A Bipasso/schuko con protezione sovratensionni e interruttori luminoso

SKU: 8749
EAN: 3800157642613

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2500W
Body Type:	PP+COPPER	Color:	White
Dimension:	200x100x45mm	Box Qty:	30 pcs

3M Wire



2 prese 2p+t 10/16A Bipasso
1 prese Bipasso/Schuko

SKU: 8733
EAN: 3800157642453

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2500W
Body Type:	PP+COPPER	Color:	White
Dimension:	100x47x52mm	Box Qty:	50 pcs

1.5M Wire

LIGHTED SWITCH



4 prese 2p+t 10/16A Bipasso
2 prese 10/16A Bipasso/Schuko

SKU: 8734
EAN: 3800157642460

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	150x47x45mm	Box Qty:	25 pcs

1.5M Wire

LIGHTED SWITCH



6 prese 2p+t 10/16A Bipasso
3 prese 10/16A Bipasso/Schuko

SKU: 8735
EAN: 3800157642477

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	195x47x45mm	Box Qty:	25 pcs

1.5M Wire

LIGHTED SWITCH



8 prese 2p+T10/16A Bipasso
4 prese Bipasso/Schuko

SKU: 8736
EAN: 3800157642484

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	240x47x45mm	Box Qty:	30 pcs

1.5M
Wire

LIGHTED
SWITCH



4 pos. 10/16A Bipasso/Schuko
Con protezione sovratensionni e
interruttore generale luminoso e
4 interruttori indipendenti

SKU: 8737
EAN: 3800157642491

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	225*72*40mm	Box Qty:	30 pcs

1.5M
Wire

LIGHTED
SWITCH



5 pos. 10/16A Bipasso/Schuko
Con protezione sovratensionni e
interruttore generale luminoso e
5 interruttori indipendenti

SKU: 8738
EAN: 3800157642507

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	260*72*40mm	Box Qty:	30 pcs

1.5M
Wire

LIGHTED
SWITCH



6 pos. 10/16A Bipasso/Schuko
Con protezione sovratensionni e
interruttori generale luminoso e
6 interruttore indipendenti

SKU: 8739
EAN: 3800157642514

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	305*70*35mm	Box Qty:	30 pcs

1.5M
Wire

LIGHTED
SWITCH

2
USB PORT



2 presa 2p+T10/16A Bipasso + 1 presa
Bipasso/schuko
con protezione sovraccaro / con 2USB

SKU: 8745
EAN: 3800157642576

Wire Length:	1.5M	Input Current:	10A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	145*50*40mm	Box Qty:	40 pcs

1.5M
Wire

LIGHTED
SWITCH



4 pos. Con interruttore
luminoso 10/16A Bipasso
Con attacco a parete

SKU: 8740
EAN: 3800157642521

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	160*50*30mm	Box Qty:	30 pcs

1.5M
Wire

LIGHTED
SWITCH



5 pos. Con interruttore
luminoso 10/16A Bipasso
Con attacco a parete

SKU: 8741
EAN: 3800157642538

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	180*47*30mm	Box Qty:	30 pcs

1.5M Wire

LIGHTED SWITCH



6 pos. Con interruttore luminoso 10/16A Bipasso
Con attacco a parete

SKU: 8742
EAN: 3800157642545

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	200×50×30mm	Box Qty:	30 pcs



5M Wire



2 prese 2P+T 10/16A Bipasso
Con protezione termica ripristinabile

SKU: 8700
EAN: 3800157642125

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2200W
Body Type:	ABS+PC+COPPER	Color:	Black
Dimension:	200×160×90mm	Box Qty:	10 pcs

10M Wire



4 prese Bipasso/Schuko
Con protezione termica ripristinabile

SKU: 8701
EAN: 3800157642132

Wire Length:	10M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2200W
Body Type:	ABS+PC+COPPER	Color:	Black
Dimension:	250×200×150mm	Box Qty:	6 pcs

15M Wire



4 prese Bipasso/Schuko
Con protezione termica ripristinabile

SKU: 8702
EAN: 3800157642149

Wire Length:	15M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2200W
Body Type:	ABS+PC+COPPER	Color:	Black
Dimension:	240×190×160mm	Box Qty:	6 pcs

25M Wire



4 prese Bipasso/Schuko
Con protezione termica ripristinabile

SKU: 8703
EAN: 3800157642156

Wire Length:	25M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2200W
Body Type:	ABS+PC+COPPER	Color:	Black
Dimension:	300×240×190mm	Box Qty:	4 pcs

15M
Wire



Prolunga, 1 via 10/16A presa italiana/
Schuko con cavo VDE H05VV-F
3G1.5mm² 15m, con spina italiana 16A,
con telaio portacavi

SKU: 8834
EAN: 3800157648868

Input Power:	AC:230V	Output Current:	
Body Type:	PVC, COPPER,PP	Rated Load:	2500W
Dimension:	357×130×130mm	Box Qty:	8 pcs
Input Current:	10/16A		

30M
Wire



Prolunga, 1 via 10/16A presa italiana/
Schuko con cavo VDE H05VV-F
3G1.5mm² 30m, con spina italiana 16A,
con telaio portacavi

SKU: 8833
EAN: 3800157648851

Input Power:	AC:230V	Output Current:	2500W
Body Type:	PVC, COPPER,PP	Rated Load:	4 pcs
Dimension:	473×128×150mm	Box Qty:	
Input Current:	10/16A		

3M
Wire



Prolunga lineare
spina 10A,2p+T prese 10A

SKU: 8729
EAN: 3800157642415

Wire Length:	3M	Input Current:	10A
Input Power:	AC:250V,50/60Hz	Rated Load:	2300W
Body Type:	PC+COPPER	Color:	White
Dimension:	200×110×40mm	Box Qty:	30 pcs

5M
Wire



Prolunga lineare
spina 10A,2p+T prese 10A

SKU: 8730
EAN: 3800157642422

Wire Length:	5M	Input Current:	10A
Input Power:	AC:250V,50/60Hz	Rated Load:	2300W
Body Type:	PC+COPPER	Color:	White
Dimension:	230×110×60mm	Box Qty:	30 pcs

3M
Wire



Prolunga lineare
spina 16A,2p+T prese 10/16Aa

SKU: 8731
EAN: 3800157642439

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PC+COPPER	Color:	White
Dimension:	200×110×40mm	Box Qty:	50 pcs

5M
Wire



Prolunga lineare
spina 16A,2p+T prese 10/16Aa

SKU: 8732
EAN: 3800157642446

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PC+COPPER	Color:	White
Dimension:	230×110×60mm	Box Qty:	30 pcs



LIGHTED SWITCH



Adattatore spina 16A 2 prese 2P+T 10/16A + 1 presa/Schuko con interruttore

SKU: 8716
EAN: 3800157642286

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	85x75x50mm	Box Qty:	200 pcs
Input Current:	16A		



Adattatore rotante, Spina 10A 2 prese 2P+T 10/16A Bipasso+ 1 presa Bipasso/Schuko Con protezione de sovraccarico

SKU: 8744
EAN: 3800157642569

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	80x75x48mm	Box Qty:	60 pcs
Input Current:	10A		



Adattatore Spina 10A 4 prese 10/16A Bipasso Con protezione de sovraccarico

SKU: 8746
EAN: 3800157642583

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	95x70x70mm	Box Qty:	200 pcs
Input Current:	10A		



Adattatore Spina 10A 2 prese 2P+T 10/16A Bipasso+ 1 presa Bipasso/Schuko Con protezione de sovraccarico

SKU: 8743
EAN: 3800157642552

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	95x50x40mm	Box Qty:	200 pcs
Input Current:	10A		

Universal Adapter



UNIVERSAL ADAPTOR 10A 250V~

SKU: 8747
EAN: 3800157642590

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	70x55x50mm	Box Qty:	200 pcs
Input Current:	10A		



Adattatore
2 vie 10 / 16A presa Italiana e
1 via 10 / 16A presa Italiano / Schuko
con
interruttore due porte di ricarica USB
2.1A

SKU: 8830
EAN: 3800157648820

Input Power:	AC:200-240V,50Hz	Output Current:	
Body Type:	PC COPPER	Rated Load:	1500W
Dimension:	120×84×54mm	Box Qty:	100 pcs
Input Current:	10/16A		



Adattatore 3 vie 10 / 16A presa Italiana
con interruttore, con spina Italiana 16A

SKU: 8831
EAN: 3800157648837

Input Power:	AC:200-240V,50Hz	Output Current:	
Body Type:	PC COPPER	Rated Load:	1500W
Dimension:	70×64×54mm	Box Qty:	100 pcs
Input Current:	10/16A		



Adattatore presa Italiana 1 via 10 / 16A,
con protezione contro le sovratensioni,
con spina Italiana da 16A

SKU: 8832
EAN: 3800157648844

Input Power:	AC:200-240V,50Hz	Output Current:	
Body Type:	PC PP COPPER	Rated Load:	3680W
Dimension:	80×55×72mm	Box Qty:	100 pcs
Input Current:	10/16A		



Spina 2p+t 10A

SKU: 8717
EAN: 3800157642293

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	65×32×15mm	Box Qty:	200 pcs
Input Current:	10A		



Spina 2p+t 16A

SKU: 8718
EAN: 3800157642309

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	70×43×20mm	Box Qty:	200 pcs
Input Current:	16A		



Spina 2p+t 10A

SKU: 8719
EAN: 3800157642316

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	70x40x40mm	Box Qty:	200 pcs
Input Current:	10A		



Adattatore spina 16A
presa 2p+T 10A schuko

SKU: 8720
EAN: 3800157642323

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	75x40x40mm	Box Qty:	200 pcs
Input Current:	16A		



10A adattatore spina 10 A
3 prese 10 A

SKU: 8721
EAN: 3800157642330

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	60x50x48mm	Box Qty:	200 pcs
Input Current:	10A		



Adattatore spina 16A
3 presa 10A /16A Bipasso

SKU: 8722
EAN: 3800157642347

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	60x47x40mm	Box Qty:	200 pcs
Input Current:	16A		



Adattatore spina 10A
2presa 10/ 10A schuko

SKU: 8723
EAN: 3800157642354

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	75x50x40mm	Box Qty:	200 pcs
Input Current:	10A		



Adattatore spina 16A
2presa 10/ 16A Bipasso + 1 Bipasso /
schuko

SKU: 8724
EAN: 3800157642361

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	75x50x40mm	Box Qty:	200 pcs
Input Current:	16A		



Adattatore spina 10A
4 prese 10A

SKU: 8725
EAN: 3800157642378

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	95×60×45mm	Box Qty:	200 pcs
Input Current:	10A		



Spina 2p+t 16A

SKU: 8726
EAN: 3800157642385

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	95×60×45mm	Box Qty:	200 pcs
Input Current:	16A		



Spina 2p+t 10A

SKU: 8727
EAN: 3800157642392

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	65×35×25mm	Box Qty:	200 pcs
Input Current:	10A		



Prese 10A /16A Bipasso
2p+T

SKU: 8728
EAN: 3800157642408

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	65×43×25mm	Box Qty:	200 pcs
Input Current:	16A		





LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these wall lamps.

Product Features

- Modern wall lights available in sleek and stylish designs.
- Adjustable beam angle.
- Available in black, grey & white colors
- Easy installation
- Perfect for halls, pathways, bedroom, kitchen & terrace

Applications


Suitable for residential lighting, hotels, restaurants, resorts, residential lighting and similar environment

NEW
Black

SKU: 8684 - 4000K Day White 3800157654890

White

SKU: 8683 - 4000K Day White 3800157654883



Up-Down Lights

10W VT-815-B



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
IP Rating:	IP54
CRI:	>80

PF:	>0.45
Beam Angle:	120°
Body Type:	Aluminum
Dimension:	200x130x100mm
Box Qty:	20 Pcs


Black

 SKU: 8615 - 3000K Warm White 3800157652278
 SKU: 8616 - 4000K Day White 3800157652285

White

 SKU: 8613 - 3000K Warm White 3800157652254
 SKU: 8614 - 4000K Day White 3800157652261


Up-Down Lights

6W VT-846-B

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	540lm
IP Rating:	IP54
CRI:	>80

PF:	>0.6
Beam Angle:	Up150° / Down150°
Body Type:	Aluminium
Dimension:	170x40x80mm
Box Qty:	20 Pcs






Black

SKU: 8619 - 3000K Warm White 3800157652315
 SKU: 8620 - 4000K Day White 3800157652322

White

SKU: 8617 - 3000K Warm White 3800157652292
 SKU: 8618 - 4000K Day White 3800157652308



Up-Down Lights

8W VT-848-B

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
IP Rating:	IP54
CRI:	>80

PF:	>0.6
Beam Angle:	Up150° / Down150°
Body Type:	Aluminium
Dimension:	220x48x90mm
Box Qty:	20 Pcs




Black

SKU: 8563 - 3000K White 3800157643740
 SKU: 8561 - 6400K White 3800157643726

White

SKU: 8562 - 3000K Warm White 3800157643733
 SKU: 8560 - 6400K White 3800157643719




LED Wall Lights

4W VT-844-B

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	150lm
IP Rating:	IP65
CRI:	>80

PF:	>0.4
Beam Angle:	41°
Body Type:	Nylon
Dimension:	83x123x30mm
Box Qty:	10 Pcs






LED Wall Lights

7W VT-831-CRD

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	400lm
IP Rating:	IP65
CRI:	>80

PF:	>0.6
Beam Angle:	128°
Body Type:	PC
Dimension:	133x133mx67m
Box Qty:	20 Pcs



LED Wall Lights

12W VT-827-RD

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	650lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	128°
Body Type:	PC
Dimension:	169x100mm
Box Qty:	20 Pcs





Round

SKU: 8609 - 3000K Warm White 3800157652063

Square

SKU: 8610 - 3000K Warm White 3800157652070



Round



SKU: 8537 - 3000K Warm White 3800157638869


SKU: 8538 - 4000K Day White 3800157638876

Square

SKU: 8539 - 3000K Warm White 3800157638883

SKU: 8540 - 4000K Day White 3800157638890







LED Wall Lights
7W VT-831-RD

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	550lm
IP Rating:	IP65
CRI:	>80


PF:	>0.6
Beam Angle:	128°
Body Type:	PC
Dimension:	133x133mx67m
Box Qty:	20 Pcs



LED Wall Lights
12W VT-828-RD

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	900lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	158°
Body Type:	PC
Dimension:	169x100mm
Box Qty:	20 Pcs




NEW
Dark Grey

SKU: 8698 - 3000K Warm White 3800157655392

Light Grey

SKU: 8699 - 3000K Warm White 3800157655408

Bollard Lights

12W VT-898-D

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	720lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	24°
Body Type:	Concrete
Dimension:	495x180x120mm
Box Qty:	1 Pc


NEW
Black

SKU: 8682 - 4000K Day White 3800157654876

Grey

SKU: 8681 - 4000K Day White 3800157654869

Bollard Lights

7W VT-896-B

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	750lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	180°
Body Type:	Aluminium
Dimension:	150x95x805mm
Box Qty:	20 Pcs





White


SKU: 8316 - 3000K Warm White 3800157632270
 SKU: 8317 - 4000K Day White 3800157632287
 SKU: 8318 - 6400K White 3800157632294

Black

SKU: 8322 - 3000K Warm White 3800157632331
 SKU: 8323 - 4000K Day White 3800157632348
 SKU: 8324 - 6400K White 3800157632355

Grey

SKU: 8319 - 3000K Warm White 3800157632300
 SKU: 8320 - 4000K Day White 3800157632317
 SKU: 8321 - 6400K White 3800157632324



Bollard Lights

10w VT-830

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	72°
Luminous Flux:	450lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	108x250mm
CRI:	>80	Box Qty:	8 Pcs



White


SKU: 8325 - 3000K Warm White 3800157632362
 SKU: 8326 - 4000K Day White 3800157632379
 SKU: 8327 - 6400K White 3800157632386

Black

SKU: 8331 - 3000K Warm White 3800157632423
 SKU: 8332 - 4000K Day White 3800157632430
 SKU: 8333 - 6400K White 3800157632447

Grey

SKU: 8328 - 3000K Warm White 3800157632393
 SKU: 8329 - 4000K Day White 3800157632409
 SKU: 8330 - 6400K White 3800157632416



Bollard Lights

10w VT-820

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	72°
Luminous Flux:	450lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	108x800mm
CRI:	>80	Box Qty:	4 Pcs





White


SKU: 8334 - 3000K Warm White	3800157632454
SKU: 8335 - 4000K Day White	3800157632461
SKU: 8336 - 6400K White	3800157632478

Black

SKU: 8340 - 3000K Warm White	3800157632515
SKU: 8341 - 4000K Day White	3800157632522
SKU: 8342 - 6400K White	3800157632539

Grey

SKU: 8337 - 3000K Warm White	3800157632485
SKU: 8338 - 4000K Day White	3800157632492
SKU: 8339 - 6400K White	3800157632508




Wall Lights

12w VT-822

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	750lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	140°
Body Type:	PC
Dimension:	130x160mm
Box Qty:	20 Pcs




White

SKU: 8209 - 3000K Warm White	3800157623261
SKU: 8210 - 4000K Day White	3800157623278

Black

SKU: 8211 - 3000K Warm White	3800157623285
SKU: 8212 - 4000K Day White	3800157623292




Square-IP65

4w VT-704

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	440lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	4*60°
Body Type:	Aluminium+Acrylic
Dimension:	150x150x50mm
Box Qty:	20 Pcs






White

SKU: 8213 - 3000K Warm White 3800157623308
 SKU: 8214 - 4000K Day White 3800157623315

Black


SKU: 8215 - 3000K Warm White 3800157623322
 SKU: 8216 - 4000K Day White 3800157623339



Round-IP65
4W VT-706

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	440lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	4*60°
Body Type:	Aluminium+Acrylic
Dimension:	150x50mm
Box Qty:	20 Pcs




White

SKU: 8551 - 3000K Warm White 3800157640459
 SKU: 8552 - 4000K Day White 3800157640466

Black

SKU: 8553 - 3000K Warm White 3800157640473
 SKU: 8554 - 4000K Day White 3800157640480



Round-IP65
4W VT-834-W

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	440lm
IP Rating:	IP65
CRI:	>80

PF:	>0.45
Beam Angle:	4*90°
Body Type:	Aluminum
Dimension:	Ø112mm
Box Qty:	20 Pcs





White


SKU: 8280 - 3000K Warm White 3800157629744
SKU: 8281 - 4000K Day White 3800157629751

Black

SKU: 8282 - 3000K Warm White 3800157629768
SKU: 8283 - 4000K Day White 3800157629775

Grey

SKU: 8284 - 3000K Warm White 3800157629782
SKU: 8285 - 4000K Day White 3800157629799



Modern Wall Lights

5w VT-825

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	550lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	170x170x75mm
Box Qty:	20 Pcs



White


SKU: 8295 - 3000K Warm White 3800157629898
SKU: 8296 - 4000K Day White 3800157629904

Black

SKU: 8297 - 3000K Warm White 3800157629911
SKU: 8298 - 4000K Day White 3800157629928

Grey

SKU: 8299 - 3000K Warm White 3800157629935
SKU: 8300 - 4000K Day White 3800157629942



Triangle Light

6w VT-826

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	660lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	Up15°-Down120°
Body Type:	Aluminium
Dimension:	90x200x90mm
Box Qty:	20 Pcs





White


SKU: 8286 - 3000K Warm White 3800157629805
 SKU: 8287 - 4000K Day White 3800157629812

Black

SKU: 8288 - 3000K Warm White 3800157629829
 SKU: 8289 - 4000K Day White 3800157629836

Grey

SKU: 8290 - 3000K Warm White 3800157629843
 SKU: 8291 - 4000K Day White 3800157629850



Single Head-Rotatable
6w VT-816

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	660lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	350°
Body Type:	Aluminium
Dimension:	110x54x97mm
Box Qty:	20 Pcs



White


SKU: 8292 - 3000K Warm White 3800157629867

Black

SKU: 8293 - 3000K Warm White 3800157629874

Grey

SKU: 8294 - 3000K Warm White 3800157629881



Double Head-Rotatable
12w VT-814

Sensor Compatible:	Yes
Voltage/Frequency:	AC:110-240V,50/60Hz
Luminous Flux:	1320lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	350°
Body Type:	Aluminium
Dimension:	230x54x97mm
Box Qty:	20 Pcs






Square-Bridgelux
6w VT-759

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	660lm
IP Rating:	IP65
CRI:	>80


PF:	>0.45
Beam Angle:	Adjustable 5°-120°
Body Type:	Aluminium
Dimension:	100x100x100mm
Box Qty:	20 Pcs



Square-Bridgelux
12w VT-759-12

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1100lm
IP Rating:	IP65
CRI:	>80

PF:	>0.45
Beam Angle:	Adjustable 5°-120°
Body Type:	Aluminium
Dimension:	100x100x100mm
Box Qty:	20 Pcs



White

SKU: 7079 - 3000K Warm White	3800157616386
SKU: 7088 - 4000K Day White	3800157616881

Black

SKU: 7078 - 3000K Warm White	3800157616379
SKU: 7087 - 4000K Day White	3800157616874

Grey

SKU: 7080 - 3000K Warm White	3800157616393
SKU: 7089 - 4000K Day White	3800157616898

White

SKU: 8527 - 3000K Warm White	3800157638616
SKU: 8528 - 4000K Day White	3800157638623

Black

SKU: 8529 - 3000K Warm White	3800157638630
SKU: 8530 - 4000K Day White	3800157638647

Grey

SKU: 8531 - 3000K Warm White	3800157638654
SKU: 8532 - 4000K Day White	3800157638661



White


SKU: 7082 - 3000K Warm White 3800157616416
 SKU: 7091 - 4000K Day White 3800157616911

Black

SKU: 7081 - 3000K Warm White 3800157616409
 SKU: 7090 - 4000K Day White 3800157616904

Grey


SKU: 7083 - 3000K Warm White 3800157616423
 SKU: 7092 - 4000K Day White 3800157616928



Round-Bridgelux
6W VT-756

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	660lm
IP Rating:	IP65
CRI:	>80

PF:	>0.45
Beam Angle:	Adjustable 5°-120°
Body Type:	Aluminium
Dimension:	140x115x100mm
Box Qty:	20 Pcs



White


SKU: 8305 - 3000K Warm White 3800157629997
 SKU: 8306 - 4000K Day White 3800157630009

Black

SKU: 8303 - 3000K Warm White 3800157629973
 SKU: 8304 - 4000K Day White 3800157629980

Grey

SKU: 8301 - 3000K Warm White 3800157629959
 SKU: 8302 - 4000K Day White 3800157629966



Round Light
6W VT-836

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	660lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	Up-Down 90°
Body Type:	Aluminium
Dimension:	112x112x93mm
Box Qty:	20 Pcs




White

SKU: 8217 - 3000K Warm White 3800157623346
SKU: 8218 - 4000K Day White 3800157623353

Black

SKU: 8219 - 3000K Warm White 3800157623360
SKU: 8220 - 4000K Day White 3800157623377



Ceiling-Blade Lights

7W VT-707

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **770lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **110x120x170mm**
Box Qty: **20 Pcs**




Round-Bridgelux

6W VT-741

SKU: 7524 - 3000K Warm White 3800157620017
SKU: 7525 - 4000K Day White 3800157620024

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **660lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.55**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **Ø135mm**
Box Qty: **20 Pcs**




Round-Bridgelux

9W VT-743

SKU: 7526 - 3000K Warm White 3800157620031
SKU: 7527 - 4000K Day White 3800157620048

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **990lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.55**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **Ø180mm**
Box Qty: **20 Pcs**





Up-Down Light-Medium


9w VT-8056

SKU: 8239 - 3000K Warm White
SKU: 8240 - 4000K Day White
SKU: 8241 - 6400K White

3800157625791
3800157625807
3800157625814

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	400lm
IP Rating:	IP65
CRI:	>80

PF:	>0.9
Beam Angle:	90°
Body Type:	PC
Dimension:	173x81x46mm
Box Qty:	20 Pcs



Up-Down Light-Large


12w VT-8057

SKU: 8242 - 3000K Warm White
SKU: 8243 - 4000K Day White
SKU: 8244 - 6400K White

3800157625821
3800157625838
3800157625845

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	600lm
IP Rating:	IP65
CRI:	>80

PF:	>0.9
Beam Angle:	92°
Body Type:	PC
Dimension:	230x100x90mm
Box Qty:	20 Pcs



Softlight-Bulkhead


12w VT-8058

SKU: 8245 - 3000K Warm White
SKU: 8246 - 4000K Day White
SKU: 8247 - 6400K White

3800157625852
3800157625869
3800157625876

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	500lm
IP Rating:	IP65
CRI:	>80

PF:	>0.9
Beam Angle:	130°
Body Type:	PC
Dimension:	230x110x76mm
Box Qty:	20 Pcs



Landscape-Soft Light-Medium


12w VT-8054

SKU: 8233 - 3000K Warm White
SKU: 8234 - 4000K Day White
SKU: 8235 - 6400K White

3800157625739
3800157625746
3800157625753

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	600lm
IP Rating:	IP65
CRI:	>80

PF:	>0.9
Beam Angle:	110°
Body Type:	PC
Dimension:	265x120x81mm
Box Qty:	20 Pcs





Landscape-Soft Light-Large


20w VT-8055

SKU: 8236 - 3000K Warm White
SKU: 8237 - 4000K Day White
SKU: 8238 - 6400K White


3800157625760
3800157625777
3800157625784

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **1000lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.9**
Beam Angle: **110°**
Body Type: **PC**
Dimension: **319x170x114mm**
Box Qty: **20 Pcs**



Indoor Wall Lights



Wall Lights


5w VT-705

SKU: 8208 - 3000K Warm White
SKU: 8232 - 4000K Day White

3800157623254
3800157624756

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **550lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **150°**
Body Type: **Aluminium**
Dimension: **175x80x96mm**
Box Qty: **20 Pcs**



Rotatable-360-White


5w VT-757

SKU: 7086 - 3000K Warm White
SKU: 7093 - 4000K Day White

3800157616454
3800157616935

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:110-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.45**
Beam Angle: **10-360°**
Body Type: **Aluminium**
Dimension: **140x105x140mm**
Box Qty: **20 Pcs**




White

SKU: 8344 - 3000K Warm White 3800157633000
 SKU: 8345 - 4000K Day White 3800157633017

Black

SKU: 8346 - 3000K Warm White 3800157633024
 SKU: 8347 - 4000K Day White 3800157633031



Square-Bridgelux
3w VT-803

Sensor Compatible:	Yes
Voltage/Frequency:	AC:110-240V,50/60Hz
Luminous Flux:	300lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Iron
Dimension:	220x80x200mm
Box Qty:	20 Pcs




White

SKU: 8225 - 3000K Warm White 3800157623421
 SKU: 8226 - 4000K Day White 3800157623438

Black

SKU: 8227 - 3000K Warm White 3800157623445
 SKU: 8228 - 4000K Day White 3800157623452



Modern Wall Lights
9w VT-710

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	990lm
IP Rating:	IP20
CRI:	>80



PF:	>0.5
Beam Angle:	360°
Body Type:	Aluminium+Acrylic
Dimension:	210x80mm
Box Qty:	20 Pcs

White

SKU: 8221 - 3000K Warm White 3800157623384
SKU: 8222 - 4000K Day White 3800157623391

Black

SKU: 8223 - 3000K Warm White 3800157623407
SKU: 8224 - 4000K Day White 3800157623414



Modern Wall Lights

9w VT-709

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **990lm**
IP Rating: **IP20**
CRI: **>80**


PF: **>0.5**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **440x335x75mm**
Box Qty: **10 Pcs**

White

SKU: 8307 - 3000K Warm White 3800157630016
SKU: 8308 - 4000K Day White 3800157630023

Black Grey

SKU: 8309 - 3000K Warm White 3800157630030
SKU: 8310 - 4000K Day White 3800157630047




Modern Wall Lights

10w VT-811

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:110-240V,50/60Hz**
Luminous Flux: **1100lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.45**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **300x215x60mm**
Box Qty: **20 Pcs**



White


SKU: 8202 - 3000K Warm White 3800157623193
 SKU: 8203 - 4000K Day White 3800157623209

Black

SKU: 8204 - 3000K Warm White 3800157623216
 SKU: 8205 - 4000K Day White 3800157623223

Grey


SKU: 8206 - 3000K Warm White 3800157623230
 SKU: 8207 - 4000K Day White 3800157623247



Modern Wall Lights
12w VT-712

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1100lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	360°
Body Type:	Aluminium+Acrylic
Dimension:	260x125x55mm
Box Qty:	20 Pcs




Adjustable Modern Wall Lights
18w VT-819-W

SKU: 8533 - 3000K Warm White 3800157638678
 SKU: 8534 - 4000K Day White 3800157638685

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1800lm
IP Rating:	IP44
CRI:	>80

PF:	>0.5
Beam Angle:	Adjustable 5°-90°
Body Type:	Aluminium
Dimension:	600x100x42mm
Box Qty:	10 Pcs



Modern Wall Lights
20w VT-821-W

SKU: 8535 - 3000K Warm White 3800157638692
 SKU: 8536 - 4000K Day White 3800157638708

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2000
IP Rating:	IP44
CRI:	>80

PF:	>0.5
Beam Angle:	150°
Body Type:	Aluminium
Dimension:	610x90x35mm
Box Qty:	20 Pcs


White VT-805-N-W

SKU: 8675 - 3000K Warm White 3800157653961
SKU: 8677 - 4000K Day White 3800157653985

Black VT-805-N-B


SKU: 8676 - 3000K Warm White 3800157653978
SKU: 8678 - 4000K Day White 3800157653992

Single Head
4.5W



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **360lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **100x94x45mm**
Box Qty: **24 Pcs**


White VT-805-W

SKU: 8262 - 3000K Warm White 3800157627122
SKU: 8264 - 4000K Day White 3800157627146



Black VT-805-B

SKU: 8263 - 3000K Warm White
SKU: 8265 - 4000K Day White

Single Head
4.5W

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **360lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **100x94x45mm**
Box Qty: **12 Pcs**




Double Head
9W **VT-810-W**

SKU: 8266 - 3000K Warm White 3800157627160
SKU: 8268 - 4000K Day White 3800157627184

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **720lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **400x100x94mm**
Box Qty: **12 Pcs**




Double Head
9W **VT-810-B**

SKU: 8267 - 3000K Warm White 3800157627177
SKU: 8269 - 4000K Day White 3800157627191

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **720lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **400x100x94mm**
Box Qty: **12 Pcs**



Tripple Head


13.5W VT-813-W

SKU: 8270 - 3000K Warm White
SKU: 8272 - 4000K Day White

3800157627207
3800157627221

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1080lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	600x100x94mm
Box Qty:	12 Pcs



Tripple Head


13.5W VT-813-B

SKU: 8271 - 3000K Warm White
SKU: 8273 - 4000K Day White

3800157627214
3800157627238

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1080lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	600x100x94mm
Box Qty:	12 Pcs



Single Head


6W VT-806-W

SKU: 8250 - 3000K Warm White
SKU: 8252 - 4000K Day White

3800157627009
3800157627023

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	480lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	100x93mm
Box Qty:	24 Pcs



Single Head


6W VT-806-B

SKU: 8251 - 3000K Warm White
SKU: 8253 - 4000K Day White

3800157627016
3800157627030

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	480lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	100x93mm
Box Qty:	24 Pcs



Double Head


12w VT-812-W

SKU: 8254 - 3000K Warm White
SKU: 8256 - 4000K Day White

3800157627047
3800157627061

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **960lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **405x100x93mm**
Box Qty: **12 Pcs**



Double Head


12w VT-812-B

SKU: 8255 - 3000K Warm White
SKU: 8257 - 4000K Day White

3800157627054
3800157627078

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **960lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **405x100x93mm**
Box Qty: **12 Pcs**



Tripple Head


18w VT-818-W

SKU: 8258 - 3000K Warm White
SKU: 8260 - 4000K Day White

3800157627085
3800157627108

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1440lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **605x100x93mm**
Box Qty: **12 Pcs**



Tripple Head

18w VT-818-B

SKU: 8259 - 3000K Warm White
SKU: 8261 - 4000K Day White

3800157627092
3800157627115

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1440lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **605x100x93mm**
Box Qty: **12 Pcs**



LED Outdoor Lights

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.

Product Features

- Perfect replacement for traditional fittings as they are more flexible & efficient
- Work perfectly in extreme temperatures from -20° to +45° without any adverse effects
- Specifically designed for Outdoor use
- IP65 Protection Rating to ensure safety
- Low Maintenance
- Outstanding Colour options and settings

Applications

Used for gardens, outdoor residential areas, walkways & passages, driveways, fountains, lawns, entrance, patio or terrace and similar environments



Wall Fitting-IP44-GU10-PIR

VT-7621PIR

SKU: 7502 3800157617611



Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x67x163mm
Box Qty:	24 Pcs



Wall Fitting-Up-Down-GU10-PIR

VT-7622PIR

SKU: 7503 3800157617628



Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x67x220mm
Box Qty:	12 Pcs



Wall Fitting-Up-Down-GU10-IP44

VT-7622

SKU: 7500 3800157617598



Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	93x85x163mm
Box Qty:	16 Pcs



Wall Fitting-IP44-GU10

VT-7621

SKU: 7501 3800157617604

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	93x85x118mm
Box Qty:	24 Pcs



Wall Fitting-Up-Down-GU10-IP44

VT-7632

SKU: 7504 3800157617635



Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x60x178mm
Box Qty:	12 Pcs



Wall Fitting-IP44-GU10

VT-7631

SKU: 7505 3800157617642

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x60x125mm
Box Qty:	24 Pcs



Wall Light-IP44-GU10

VT-7641

SKU: 7506 3800157617659

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	105x76x118mm
Box Qty:	24 Pcs



Wall Fitting-Up-Down-GU10

VT-7642

SKU: 7507 3800157617666



Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	105x76x207mm
Box Qty:	16 Pcs

Wall Fitting-Round-IP44-GU10
VT-7651RD
SKU: 7508 3800157617673



Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	24 Pcs

Wall Fitting-Up-Down-GU10-IP44
VT-7652RD
SKU: 7509 3800157617680



UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	92x68x150mm
Box Qty:	16 Pcs

Wall Fitting-Square-IP44-GU10
VT-7651SQ
SKU: 7510 3800157617697



Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	24 Pcs

Wall Fitting-Up-Down-GU10-IP44
VT-7652SQ
SKU: 7511 3800157617703



UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	92x68x150mm
Box Qty:	16 Pcs

Wall Fitting-Up-Down-GU10-IP44
VT-7662
SKU: 7512 3800157617710



UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	85x87x250mm
Box Qty:	12 Pcs

Wall Fitting-Up-Down-GU10
VT-7662-W
SKU: 7543 3800157630740



UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	White
IP Rating:	IP44
Dimension:	85x87x250mm
Box Qty:	12 Pcs

Wall Fitting-Square-IP44-GU10
VT-7651SQ-W
SKU: 7539 3800157630702



Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	24 Pcs

Wall Fitting-Round-IP44-GU10
VT-7651RD-W
SKU: 7540 3800157630719



Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	24 Pcs

Wall Fitting-Square-IP44-GU10

VT-7652SQ-W

SKU: 7541 3800157630726



Type:	Wall Fixtures
Holder:	2XGU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x150mm
Box Qty:	16 Pcs



Wall Fitting-Up-Down-GU10-IP44

VT-7652RD-W

SKU: 7542 3800157630733



Type:	Wall Fixtures
Holder:	2xGU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	16 Pcs



Wall Fitting-Up-Down-GU10

VT-7622-W

SKU: 7570 3800157640442



Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Matt White
IP Rating:	IP44
Dimension:	93x85x163mm
Box Qty:	16 Pcs



Wall Fitting-Up-Down-GU10

VT-7622-B

SKU: 7569 3800157640435



Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Matt Black
IP Rating:	IP44
Dimension:	93x85x163mm
Box Qty:	16 Pcs



Wall Fitting-IP44-GU10

VT-7611

SKU: 7553 3800157633574

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	100x66x92mm
Box Qty:	24 Pcs



Wall Fitting-IP44-GU10

VT-7612

SKU: 7554 3800157633581

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	1170x50mm
Box Qty:	6 Pcs



Underground Fittings-MR16

VT-7678-1

SKU: 8567 3800157644518



Type:	Underground Fittings
Holder:	MR16
Material:	Stainless Steel
Color of Fixture:	Black+Silver
IP Rating:	IP67
Dimension:	D:87x128mm
Box Qty:	12 Pcs



Underground Fittings-MR16

VT-7678-2

SKU: 8568 3800157644525



Type:	Underground Fittings
Holder:	MR16
Material:	Stainless Steel
Color of Fixture:	Black+Silver
IP Rating:	IP67
Dimension:	D:87x128mm
Box Qty:	12 Pcs





Wall Fitting-IP44-GU10
VT-841
 SKU: 8626 3800157652483


Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium+Glass
Color of Fixture:	Dark Grey
IP Rating:	IP44
Dimension:	63x99x120mm
Box Qty:	24 Pcs



Wall Fitting-Up-Down-GU10
VT-842
 SKU: 8627 3800157652490

UP & DOWN LIGHTS


Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium+Glass
Color of Fixture:	Dark Grey
IP Rating:	IP44
Dimension:	63x99x170mm
Box Qty:	24 Pcs



Underground Fittings-MR16
VT-7678-3
 SKU:8566 3800157644532

IP67 RATING

Type:	Underground Fittings
Holder:	MR16
Material:	Stainless Steel
Color of Fixture:	Black+Silver
IP Rating:	IP67
Dimension:	D:87x128mm
Box Qty:	12 Pcs



Underground Fitting-Round-GU10
VT-7677RD
 SKU: 7515 3800157617741

IP65 RATING

Type:	Underground Fittings
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Black
IP Rating:	IP65
Dimension:	110x110x120mm
Box Qty:	24 Pcs



Underground Fitting-Square-GU10
VT-7677SQ
 SKU: 7516 3800157617758

IP65 RATING

Type:	Underground Fittings
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Black
IP Rating:	IP65
Dimension:	110x110x120mm
Box Qty:	24 Pcs



Garden Spike-Single Head-E27
VT-728
 SKU: 7044 3800157606332

Type:	Garden Lamps
Holder:	E27
Material:	ABS
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	450x27mm
Box Qty:	12 Pcs



Garden Spike-Double Head-E27
VT-729
 SKU: 7045 3800157606349

Type:	Garden Lamps
Holder:	E27
Material:	ABS
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	450x205mm
Box Qty:	12 Pcs



Garden Spike-Black-IP44
VT-769
 SKU: 7517 3800157617765

Type:	Garden Lamps
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	95x95x335mm
Box Qty:	12 Pcs



Garden Spike-White-IP44
VT-770
 SKU: 7518 3800157617772

Type:	Garden Lamps
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Silver
IP Rating:	IP44
Dimension:	60x60x420mm
Box Qty:	8 Pcs



Garden Lamp
12w VT-857-B

SKU: 7544 - 3000K Warm White 3800157633444
 SKU: 7545 - 4000K Day White 3800157633451
 SKU: 7546 - Green 3800157633468

Commercial Type:	Garden Spike Light
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	720lm
Beam Angle:	30°
PF	>0.6



CRI:	>80
IP Rating:	IP65
Body Type:	Aluminium
Dimension:	73x255mm
Box Qty:	50 Pcs



Garden Lamp
12w VT-857-W

SKU: 7547 - 3000K Warm White 3800157633475
 SKU: 7548 - 4000K Day White 3800157633482
 SKU: 7549 - Green 3800157633499

Commercial Type:	Garden Spike Light
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	720lm
Beam Angle:	30°
PF	>0.6



CRI:	>80
IP Rating:	IP65
Body Type:	Aluminium
Dimension:	73x255mm
Box Qty:	50 Pcs



Garden Lamp
12w VT-857-G

SKU: 7550 - 3000K Warm White 3800157633505
 SKU: 7551 - 4000K Day White 3800157633512
 SKU: 7552 - Green 3800157633529

Commercial Type:	Garden Spike Light
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	720lm
Beam Angle:	30°
PF	>0.6



CRI:	>80
IP Rating:	IP65
Body Type:	Aluminium
Dimension:	73x255mm
Box Qty:	50 Pcs



Underground Light- Oblique Angle

8W VT-7679

SKU: 8621 - 4000K Day White 3800157652407



Commercial Type:	Underground Light
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Beam Angle:	20°
PF	>0.5

CRI:	>80
IP Rating:	IP67
Body Type:	Stainless Steel+Aluminium+Glass Cover
Dimension:	Ø150X153mm
Box Qty:	12 Pcs



Underground Light

12W VT-7681

SKU: 8622 - 4000K Day White 3800157652414



Commercial Type:	Underground Light
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	750lm
Beam Angle:	40°
PF	>0.7

CRI:	>80
IP Rating:	IP67
Body Type:	Stainless Steel+Aluminium+Glass Cover
Dimension:	Ø150X153mm
Box Qty:	12 Pcs



Underground Light
0.5W VT-1141



SKU: 1463 - 3000K Warm White 3800157643610



Commercial Type:	Underground Light
Voltage/Frequency:	DC:12V
Luminous Flux:	5lm
Beam Angle:	90°
PF	>0.4

CRI:	>80
IP Rating:	IP67
Body Type:	PC
Dimension:	Ø26X82mm
Box Qty:	50 Pcs



Underground Light
1W VT-1151



SKU: 1464 - 6500K White 3800157643627



Commercial Type:	Underground Light
Voltage/Frequency:	DC:12V
Luminous Flux:	50lm
Beam Angle:	90°
PF	>0.4

CRI:	>80
IP Rating:	IP67
Body Type:	PC
Dimension:	Ø48X82mm
Box Qty:	50 Pcs



Underground Light

1W VT-1161-W

12V

SKU: 1465 - 3000K Warm White
SKU: 1467 - 6500K White3800157643658
3800157643634

Commercial Type:	Underground Light
Voltage/Frequency:	DC:12V
Luminous Flux:	10lm
Beam Angle:	90°
PF	>0.4

CRI:	>80
IP Rating:	IP67
Body Type:	PC+AL
Dimension:	Ø60X93mm
Box Qty:	50 Pcs



Underground Light

1W VT-1161-B

12V

SKU: 1466 - 3000K Warm White
SKU: 1468 - 6500K White3800157643665
3800157643641

Commercial Type:	Underground Light
Voltage/Frequency:	DC:12V
Luminous Flux:	10lm
Beam Angle:	90°
PF	>0.4

CRI:	>80
IP Rating:	IP67
Body Type:	PC+AL
Dimension:	Ø60X93mm
Box Qty:	50 Pcs



Underground Light

1W VT-1171-W

12V

SKU: 1469 - 3000K Warm White
SKU: 1471 - 6500K White3800157643696
3800157643672

Commercial Type:	Underground Light
Voltage/Frequency:	DC:12V
Luminous Flux:	10lm
Beam Angle:	90°
PF	>0.4

CRI:	>80
IP Rating:	IP67
Body Type:	PC+AL
Dimension:	Ø60X93mm
Box Qty:	50 Pcs



Underground Light

1W VT-1171-B

12V

SKU: 1470 - 3000K Warm White
SKU: 1472 - 6500K White3800157643702
3800157643689


Commercial Type:	Underground Light
Voltage/Frequency:	DC:12V
Luminous Flux:	10lm
Beam Angle:	90°
PF	>0.4

CRI:	>80
IP Rating:	IP67
Body Type:	PC+AL
Dimension:	Ø60X93mm
Box Qty:	50 Pcs



Pool Lights-PAR56
8W VT-1258

SKU: 7556 - 3000K Warm White 3800157633789
SKU: 7555 - 6400K White 3800157633772
SKU: 7557 - Blue 3800157633796




Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	800lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	NA
Box Qty:	12 Pcs



Pool Lights-PAR56-RGB
8W VT-1268

SKU: 7558 - RGB 3800157633802




Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	800lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	NA
Box Qty:	12 Pcs



Pool Lights-PAR56
12W VT-1262

SKU: 7560 - 3000K Warm White 3800157633826
SKU: 7559 - 6500K White 3800157633819
SKU: 7561 - Blue 3800157633833




Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	1200lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	NA
Box Qty:	12 Pcs



Pool Lights-PAR56-RGB
12W VT-1263

SKU: 7562 - RGB 3800157633840



Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	1200lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	NA
Box Qty:	12 Pcs



Garden Lamps

V-TAC presents an elegant series of garden lighting- allowing your garden to glow in style when the sun goes down. Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors and ceilings with our modern designs.

Product Features

- Traditional Garden Lamps designed to fit the Modern day requirements
- Available in different designs, shapes and sizes
- Easy installation
- Applicable with GU10 -E27 base lights
- Suitable for Walls, Floor, Pathways and Ceiling Lights

Applications


Suitable for Outdoor Lighting



Wall Fittings-E27
VT-832

SKU: 8623 3800157652421

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	White+Stainless Steel
Body Type:	Stainless Steel+PC
Size:	76x375mm
Box Qty:	12 Pcs



Wall Fittings-E27
VT-833

SKU: 8624 3800157652438

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	White+Stainless Steel
Body Type:	Stainless Steel+PC
Size:	76x140x335mm
Box Qty:	12 Pcs



Bollard Lamp
VT-838


SKU: 8625 3800157652445

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	White+Stainless Steel
Body Type:	Stainless Steel+PC
Size:	Ø110X800mm
Box Qty:	6 Pcs



Wall Lamp
VT-837-B

SKU: 8517 3800157637435




Voltage:	AC:220-240V, 50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Clear Glass
Size:	113x236x113mm
Box Qty:	10 Pcs




Wall Lamp
VT-837

SKU: 8518 3800157637442



Voltage:	AC:220-240V, 50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Clear Glass
Size:	113x236x113mm
Box Qty:	10 Pcs




Wall Fittings GU10

VT-7613

SKU: 7563 3800157636360



Voltage:	AC:220-240V/50-60HZ
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+clear PC diffuser
Size:	121x80x220mm
Box Qty:	6 Pcs




Bollard Lamps GU10

VT-7614

SKU: 7564 3800157636377



Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+clear PC diffuser
Size:	80x80x500mm
Box Qty:	4 Pcs




Bollard Lamps GU10

VT-7615

SKU: 7565 3800157636384



Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+clear PC diffuser
Size:	80x80x800mm
Box Qty:	4 Pcs




Wall Fittings GU10

VT-7616

SKU: 7566 3800157636391



Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+opal PC diffuser
Size:	121x80x220mm
Box Qty:	6 Pcs



Bollard Lamps GU10

VT-7617

SKU: 7567 3800157636407



Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+opal PC diffuser
Size:	80x500mm
Box Qty:	4 Pcs




Bollard Lamps GU10

VT-7618

SKU: 7568 3800157636414



Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+opal PC diffuser
Size:	80x800mm
Box Qty:	4 Pcs




Wall Lamp

VT-7670

SKU: 7513 3800157617727



Voltage:	AC:220-240V,50Hz
Max.Watts:	14W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Stainless Steel
Body Type:	Stainless Steel+PC
Size:	250x90x100mm
Box Qty:	12 Pcs




Wall Lamp

VT-7680

SKU: 7514 3800157617734



Voltage:	AC:220-240V
Max.Watts:	14W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Stainless Steel
Body Type:	Stainless Steel+PC
Size:	250x90x100mm
Box Qty:	12 Pcs




Wall Lamp

VT-745-B

SKU: 7064 3800157614399



Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP54
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium
Size:	145X265mm
Box Qty:	12 Pcs




Wall Lamp

VT-745-DG

SKU: 7065 3800157614405



Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP54
Holder:	E27
Color of Fixture:	Dark Grey
Body Type:	Aluminium
Size:	145X265mm
Box Qty:	12 Pcs



Wall Lamp

VT-754-MB

SKU: 7076

3800157616294

Voltage: AC:220-240V,50Hz

Max.Watts: 40W

IP Rating: IP44


Holder: E27

Color of Fixture: Matt Black

Body Type: Aluminium+Glass

Size: 245x180x93mm

Box Qty: 10 Pcs



Wall Lamp

VT-754-MW

SKU: 7077

3800157616300

Voltage: AC:220-240V,50Hz

Max.Watts: 40W

IP Rating: IP44


Holder: E27

Color of Fixture: Matt White

Body Type: Aluminium+Glass

Size: 245x180x93mm

Box Qty: 10 Pcs



Wall Lamp

VT-760-B

SKU: 7519

3800157617789

Voltage: AC:220-240V

Max.Watts: 60W

IP Rating: IP44


Holder: E27

Color of Fixture: Matt Black

Body Type: Aluminium+Glass

Size: 225x400x148mm

Box Qty: 12 Pcs



Wall Lamp

VT-760-W

SKU: 7520

3800157617796

Voltage: AC:220-240V

Max.Watts: 60W

IP Rating: IP44


Holder: E27

Color of Fixture: Matt White

Body Type: Aluminium+Glass

Size: 225x400x148mm

Box Qty: 12 Pcs



Wall Lamp

VT-761-B

SKU: 7521

3800157617802

Voltage: AC:220-240V

Max.Watts: 60W

IP Rating: IP44


Holder: E27

Color of Fixture: Matt Black

Body Type: Aluminium+Glass

Size: 245x445x185mm


Box Qty: 8 Pcs



Wall Lamp
VT-761-W

SKU: 7522 3800157617819


Voltage:	AC:220-240V
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	245x445x185mm
Box Qty:	8 Pcs



Wall Lamp
VT-730

SKU: 7046 3800157610391


Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	200x238mm
Box Qty:	6 Pcs



Wall Lamp
VT-731

SKU: 7047 3800157610407


Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Plastic
Size:	200x238mm
Box Qty:	6 Pcs



Wall Lamp
VT-852

SKU: 7531 3800157630078


Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium, Glass
Size:	290x250x525mm
Box Qty:	6 Pcs



Wall Lamp
VT-853

SKU: 7532 3800157630085

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium, Glass
Size:	290x250x525mm
Box Qty:	6 Pcs




Wall Lamp
VT-751-B

SKU: 7070

3800157616232



Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	215x375x170mm
Box Qty:	10 Pcs




Wall Lamp
VT-751-W

SKU: 7071

3800157616249



Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	215x375x170mm
Box Qty:	10 Pcs




Wall Lamp
VT-749-B

SKU: 7066

3800157616195

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs




Wall Lamp
VT-749-W

SKU: 7067

3800157616201

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs




Wall Lamp
VT-750-B

SKU: 7068

3800157616218

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs



Wall Lamp
VT-835

SKU: 8628 3800157652506

Voltage:	AC:220-240V,50Hz
Max.Watts:	40w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Dark Grey
Body Type:	Stainless Steel+PC
Size:	148x165x245mm
Box Qty:	6 Pcs




NEW

Wall Lamp
VT-843

SKU: 8686 3800157654913


Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	235x225mm
Box Qty:	10 Pcs



Wall Lamp
VT-750-W

SKU: 7069 3800157616225


Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs



Ceiling Lamp
VT-752-B

SKU: 7072 3800157616256


Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	170x840mm
Box Qty:	10 Pcs



Ceiling Lamp
VT-752-W

SKU: 7073 3800157616263

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	White
Body Type:	Aluminium+Glass
Size:	170x840mm
Box Qty:	10 Pcs



Ceiling Lamp

VT-735

SKU: 7058

3800157612616

Voltage: AC:220-240V,50Hz

Max.Watts: 60W

IP Rating: IP44


Holder: E27

Color of Fixture: Black

Body Type: Aluminium+Plastic

Size: 170x720mm

Box Qty: 10 Pcs



Pole Lamp

VT-839

SKU: 8629

3800157652513

Voltage: AC:220-240V,50Hz

Max.Watts: 40w

IP Rating: IP44


Holder: E27

Color of Fixture: Dark Grey

Body Type: Stainless Steel+PC

Size: Ø148X800mm

Box Qty: 6 Pcs



Stand Lamp

VT-736

SKU: 7059

3800157612623

Voltage: AC:220-240V,50Hz

Max.Watts: 60W

IP Rating: IP44

Holder: E27

Color of Fixture: Black

Body Type: Aluminium+Glass

Size: 170x600mm

Box Qty: 10 Pcs




Pole Lamp

VT-845

SKU: 8687

3800157654920

Voltage: AC:220-240V,50Hz

Max.Watts: 60W

IP Rating: IP44


Holder: E27

Color of Fixture: Black

Body Type: Aluminium+Glass

Size: 175x950mm

Box Qty: 10 Pcs



Ceiling Lamp

VT-850

SKU: 7529

3800157630054

Voltage: AC:200-240V,50Hz

Max.Watts: 60W

IP Rating: IP44

Holder: E27

Color of Fixture: Matt Black

Body Type: Aluminium+PC

Size: 250x890mm


Box Qty: 8 Pcs



Pole Lamp
VT-851

SKU: 7530 3800157630061

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+PC
Size:	250x1110mm
Box Qty:	1 Pcs




Stand Lamp
VT-734

SKU: 7057 3800157612609




Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP65
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	170x290
Box Qty:	10 Pcs



Stand Lamp
VT-753-B

SKU: 7074 3800157616270

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	170x403mm
Box Qty:	10 Pcs



Stand Lamp
VT-753-W

SKU: 7075 3800157616287

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	170x403mm
Box Qty:	10 Pcs




Pole Lamp
VT-847

SKU: 8688 3800157654937



Voltage:	AC:220-240V,50Hz
Max.Watts:	60Wx2
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	522x2320mm
Box Qty:	1 Pcs



Stand Lamp

VT-737

SKU: 7060

3800157612630

Voltage: AC:220-240V,50Hz

Max.Watts: 60W

IP Rating: IP44


Holder: E27

Color of Fixture: Black

Body Type: Aluminium+Glass

Size: 345x1365mm

Box Qty: 1 Pcs



Stand Lamp

VT-738

SKU: 7061

3800157612647

Voltage: AC:220-240V,50Hz

Max.Watts: 60Wx2

IP Rating: IP44


Holder: E27

Color of Fixture: Black

Body Type: Aluminium+Glass

Size: 480x1410mm

Box Qty: 1 Pcs



Stand Lamp

VT-739

SKU: 7062

3800157612654

Voltage: AC:220-240V,50Hz

Max.Watts: 60Wx2

IP Rating: IP44


Holder: E27

Color of Fixture: Black

Body Type: Aluminium+Glass

Size: 500x1990mm

Box Qty: 1 Pcs



Stand Lamp

VT-740

SKU: 7063

3800157612661

Voltage: AC:220-240V,50Hz

Max.Watts: 60Wx3

IP Rating: IP44

Holder: E27


Color of Fixture: Black

Body Type: Aluminium+Glass

Size: 500x1990mm

Box Qty: 1 Pcs





LED Display Screen

VTAC LED's Display screen series perfectly designed for the best video output and display of images and information. Offering Display color of 281 trillions(synchronized). The perfect product for advertising and marketing.

Product Features

- Powerful LED display screen available in Indoor and Outdoor series
- Displays digital content such as Video, Images & Information
- Good Brand Value addition for Advertising
- Easy Installation

Applications

Suitable for Outdoor and Indoor Advertising, Hotel conference room, Restaurants, Showrooms, Casinos, Government facilities, Theaters, Retail outlets, Traffic control room, Security monitoring room, Stage background, HD cinema, Shopping malls, Railway stations, Airports.



Indoor Display Screen

P3 Indoor LED Display Screen

SKU: 11109 3800157644686

 Box Qty.
6 Pcs


Pixel pitch	3mm	Brightness	≥1100 CD/M2
Panel size	L192xH192xT13mm	Working environment temperature	-10 to +40°C
Physical density	111111/M2	Working environment humidity	10%~70% RH
Pixel configuration	1,1,1(R,G,B)	Display working voltage	AC46~4HZ,220V±15%/110V±15%
Driving method	1/16 Constant current	Color temperature	8500K-11500K
LED Chip Type	SMD2121	Gray scale/color	≥16.7M color
Display resolution	4096(64x64)dots	Input signal	RF\ S-Video\ RGB etc
Module weight	0.35Kg	Control system	PCTV nonlinearity card, DVI Display card, Linsn control system
Module port	HUB75-B	Mean free error time	>5000 Hours
Module working voltage	5VDC	Life Hours	100000 Hours
Power	30W	Steel box weight	40 Kg/M2
Viewing angle	120 Degrees	Steel box size	L576Xh768x80mm
Option distance	3-45M		
Driving device	5020		
Every square metre module	27.13 PCS		
Maximum power	1000 W/M2		
Frame Frequency	60Hz		
Refresh frequency	400-800 Hz/S		



Indoor Display Screen

P4 Indoor LED Display Screen

SKU: 11079 3800157619493

Box Qty.
6 Pcs



- Plug & Play
- Ideal For Renting Purpose
- Portable Moving For Events

Screen Parameter

Pixel Density	62500dots/sqm
Brightness	1100nits
Optimum View Distance	more than 5m
Gray Scale	16bits
Display Color	281 trillions(synchronized)
Operation Power	AC 220V-240V/ 50/60Hz
Power Consumption	300W/cabinet
Control Mode	Synchronized
Refresh Frequency	400-700HZ
Support Signal Input	S-Video,RGBHV,YUV etc.
Control Distance	UTP140M,SINGLE MODE FIBER 15KM
Life Span(50% Brightness)	100000hrs
IP(Front)	IP40
Control System	PCTV nonlinearity card, DVI display card Linsn control system

LED Cabinet Parameter

Cabinet Size(L*h*d)	512*512*85mm
Cabinet Resolution	128*128
Module Quantity Each Cabinet	2*4=8
Power Consumption	300w/cabinet
Cabinet Material	Iron
Cabinet Weight	8kg/cabine

LED Module Parameter

Pixel Pitch	4mm
Led Specification	SMD2121
Led Configuration	SMD 3 in 1
Module Size	256*128mm
Module Resolution	64*32=2048dot
Drive Method	1/16 scan constant current
Drive IC	SM16106
Power Consumption	25-30W



Indoor Display Screen

P5 Indoor LED Finished Cabinet
 Box Qty.
6 Pcs

SKU: 11077 3800157617468

Screen Parameter

Pixel Density:	40000dots/sqm
Brightness:	1800nits
Optimum View Distance:	more than 5m
Gray Scale:	16bits
Display Color:	281 trillions(synchronized)
Operation Power:	220V-240V
Max Power Consumption:	750W/sqm
Control Mode:	Synchronized
Refresh Frequency:	400-700HZ
Fram Frequency:	60HZ
Surport Signal Input:	S-Video,RGBHV,YUV etc.
Control Distance:	UTP140M,SINGLE MODE FIBER 15KM
Life Span(50% Brightness):	100000hrs
IP(Front/rear):	IP20

LED Cabinet Parameter

Cabinet Size(L*h*d):	640*640mm
Cabinet Resolution:	128*128
Module Quantity Each Cabinet:	2*4=8
Average Power Consumption:	300w/cabinet
Cabinet Material:	Iron
Cabinet Size:	8kg/cabinet

LED Module Parameter

Pixel Pitch:	5mm
Led Specification:	SMD3528
Led Configuration:	SMD 3 in 1
Module Size:	320*160mm
Module Resolution:	64*32=2048dot
Drive Method:	1/16 scan constant current
Drive IC:	SM16106

 Windows 10
**COM700-MEDIA PLAYER**

SKU: 11088 3800157622820

LED Display Player with Industrial PC

One TS802 sending card inside
Dual Display - Supports Max 1280*800
Supports SD Memory Card/USB/HDMI Out/Internet
USB and SD Card Memory Playing
Compact and Easy to Install
7" Touch Screen with windows 10 Inside
Size - 320*180*50mm
Input - AC:120-260V
1 x Audio In
1 x Audio Out
1 x DVI In
1 x HDMI Out
4 USB Interface

Sending Box  Box Qty.
20 Pcs

SKU: 500082


Sending Card  Box Qty.
20 Pcs

SKU: 500081






Outdoor Display Screen

P6 Outdoor LED Finished Cabinet  Box Qty. **6 Pcs**

SKU: 11078 3800157617475



Screen Parameter

Pixel Density	27777dots/sqm
Brightness	6500nits
Optimum View Distance	more than 6m
Gray Scale	16bits
Display Color	281 Trillions(synchronized)
Operation Power	220V-240V
Max Power Consumption	1350W/sqm
Control Mode	Synchronized
Refresh Frequency	400-800HZ
Fram Frequency	60HZ
Support Signal Input	S-Video,RGBHV,YUV etc.
Control Distance	Utp140m, Single Mode Fiber 15km
Operating Humidity	10%-90%
Life Span(50% Brightness)	100000hrs
IP(Front/rear)	IP65/IP45

LED Cabinet Parameter

Cabinet Size(L*h*d)	768*768mm
Cabinet Resolution	128*128
Module Quantity Each Cabinet	4*4=16
Average Power Consumption	800w/cabinet
Cabinet Material	Iron
Cabinet Size	25kg/cabinet

LED Module Parameter

Pixel Pitch	6mm
Led Specification	SMD3535
Led Configuration	SMD 3 in 1
Module Size	192*192mm
Module Resolution	32*32=1024dot
Drive Method	1/8 scan constant current
Drive IC	SM16106



Stylish Pendants


Includes all mounting hardware for quick and easy installation and filament vintage style bulb recommended (sold separately).

Product Features


- Stylish pendant lamps available in various shapes, material, and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting.




NEW



Rattan Floor Lamp

Model:	VT-4150
SKU:	40561
EAN:	3800157655170
Size:	Ø450xH1500mm
Box Qty:	1Pcs
Material:	Rattan Finish


NEW



Rattan Floor Lamp

Model:	VT-3100
SKU:	40571
EAN:	3800157655187
Size:	Ø300xH940mm
Box Qty:	1Pcs
Material:	Rattan Finish


NEW



Wooden Pendant

Model:	VT-3450
SKU:	40501
EAN:	3800157655118
Size:	Ø350xH450mm
Box Qty:	1Pcs
Material:	Wooden


NEW



Wooden Pendant

Model:	VT-4453
SKU:	40551
EAN:	3800157655163
Size:	Ø450xH450mm
Box Qty:	1Pcs
Material:	Wooden


NEW



Wooden Pendant

Model: VT-3350
 SKU: 40511
 EAN: 3800157655125
 Size: Ø350xH310mm
 Box Qty: 4Pcs
 Material: Wooden


NEW



Wooden Pendant

Model: VT-2450
 SKU: 40521
 EAN: 3800157655132
 Size: Ø250xH450mm
 Box Qty: 4Pcs
 Material: Wooden


NEW



Wooden Pendant


Model: VT-3200
 SKU: 40531
 EAN: 3800157655149
 Size: Ø330xH220mm
 Box Qty: 8Pcs
 Material: Wooden

NEW




Wooden Pendant

Model: VT-4280
 SKU: 40541
 EAN: 3800157655156
 Size: Ø440xH280mm
 Box Qty: 1Pcs
 Material: Wooden




Diamond Cut Glass-Transparent

Model:	VT-7350-HT
SKU:	3879
EAN:	3800157620970
Size:	Ø330x260x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal




Diamond Cut Glass-Black

Model:	VT-7350-HB
SKU:	3880
EAN:	3800157620987
Size:	330x260x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Designer Glass-Transparent

Model:	VT-7254
SKU:	3882
EAN:	3800157621007
Size:	Ø250x230x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal




Designer Glass-Transparent

Model:	VT-7306
SKU:	3883
EAN:	3800157621014
Size:	Ø300x265x1000mm
Box Qty:	8Pcs
Material:	Glass




Designer Glass-Transparent

Model:	VT-7305
SKU:	3881
EAN:	3800157620994
Size:	Ø270x1280mm
Box Qty:	4Pcs
Material:	Glass




Designer Glass-Gun Grey

Model:	VT-7292
SKU:	3887
EAN:	3800157621052
Size:	Ø300x265x1000mm
Box Qty:	8Pcs
Material:	Glass




Designer Glass-Gun Grey


Model:	VT-7380
SKU:	3888
EAN:	3800157621069
Size:	Ø380x330x1000mm
Box Qty:	4Pcs
Material:	Glass



Amber Glass-Metal Series


Model:	VT-7303
SKU:	3866
EAN:	3800157620765
Size:	300x280x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal






Transparent Glass-Metal Series

Model:	VT-7302
SKU:	3865
EAN:	3800157620758
Size:	300x280x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal




Transparent Glass-Metal Series

Model:	VT-7229
SKU:	3867
EAN:	3800157620772
Size:	265x190x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Double Glass-Amber-White

Model:	VT-7304-AW
SKU:	3875
EAN:	3800157620932
Size:	Ø250x420x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal




Double Glass-Amber-White

Model:	VT-7181-AW
SKU:	3878
EAN:	3800157620963
Size:	180x350x1000mm
Box Qty:	9Pcs
Material:	Glass+Metal




Double Glass-Gungrey-White

Model:	VT-7304-GW
SKU:	3876
EAN:	3800157620949
Size:	250x420x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal




Double Glass-Gungrey-White

Model:	VT-7181-GW
SKU:	3877
EAN:	3800157620956
Size:	180x350x1000mm
Box Qty:	9Pcs
Material:	Glass+Metal




Modern-White Glass Pendant

Model:	VT-7281-WG
SKU:	3884
EAN:	3800157621021
Size:	Ø285x440x1000mm
Box Qty:	4Pcs
Material:	Glass+Metal



Modern-Black Glass Pendant


Model:	VT-7281-BG
SKU:	3885
EAN:	3800157621038
Size:	285x440x1000mm
Box Qty:	4Pcs
Material:	Glass+Metal






Modern-Amber Glass Pendant

Model:	VT-7281-AG
SKU:	3886
EAN:	3800157621045
Size:	285x440x1000mm
Box Qty:	4Pcs
Material:	Glass+Metal




Glass-Metal Series

Model:	VT-7210
SKU:	3730
EAN:	3800157611039
Size:	245x230x1100mm
Box Qty:	8Pcs
Material:	Glass+Metal




Amber Glass-Metal Series

Model:	VT-7140-A
SKU:	3736
EAN:	3800157611091
Size:	140x240x1130mm
Box Qty:	12Pcs
Material:	Glass+Metal



Transparent Glass-Metal Series


Model:	VT-7140-T
SKU:	3735
EAN:	3800157611084
Size:	140x240x1130mm
Box Qty:	8Pcs
Material:	Glass+Metal






Transparent Glass-Metal Series

Model:	VT-7185
SKU:	3738
EAN:	3800157611114
Size:	180x230x1110mm
Box Qty:	12Pcs
Material:	Glass+Metal




Transparent Glass-Metal Series

Model:	VT-7250
SKU:	3739
EAN:	3800157611121
Size:	250x330x1220mm
Box Qty:	8Pcs
Material:	Glass+Metal




Amber Glass-Metal Series


Model:	VT-7290
SKU:	3741
EAN:	3800157611145
Size:	260x260x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-Metal Series


Model:	VT-7300
SKU:	3737
EAN:	3800157611107
Size:	300x250x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal






Amber Glass-Metal Series

Model:	VT-7320
SKU:	3740
EAN:	3800157611138
Size:	250x280x1180mm
Box Qty:	8Pcs
Material:	Glass+Metal




Amber Glass-Metal Series

Model:	VT-7150-AG
SKU:	3732
EAN:	3800157611053
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal



Green Glass-Metal Series

Model:	VT-7150-GG
SKU:	3734
EAN:	3800157611077
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal




Red Glass-Metal Series

Model:	VT-7150-RG
SKU:	3731
EAN:	3800157611046
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal




Glass-Metal Series

Model:	VT-7150-CG
SKU:	3733
EAN:	3800157611060
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal




Amber Glass Pendant

Model:	VT-7220-A
SKU:	3726
EAN:	3800157610995
Size:	220x280x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal




Transparent Glass Pendant

Model:	VT-7220-T
SKU:	3727
EAN:	3800157611008
Size:	220x280x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-Wood Pendant


Model:	VT-7130
SKU:	3818
EAN:	3800157615433
Size:	135x240x1150mm
Box Qty:	8Pcs
Material:	Glass+Wood






Transparent Glass-Wood Pendant

Model:	VT-7170
SKU:	3819
EAN:	3800157615440
Size:	165x220x1100mm
Box Qty:	8Pcs
Material:	Glass+Wood




Trio Glass Pendant-Lampholder

Model:	VT-7307
SKU:	3926
EAN:	3800157626217
Size:	300x1300mm
Box Qty:	4Pcs
Material:	Glass+Wood



Transparent Glass-Wood Pendant


Model:	VT-7240
SKU:	3820
EAN:	3800157615457
Size:	235x140x1050mm
Box Qty:	8Pcs
Material:	Glass+Wood






3D Glass-Black Canopy

Model:	VT-7015
SKU:	3830
EAN:	3800157616652
Size:	150x140x1200mm
Box Qty:	10Pcs
Material:	Glass




3D Glass-Black Canopy

Model:	VT-7152
SKU:	40111
EAN:	3800157640619
Size:	ø150x100x1020mm
Box Qty:	8Pcs
Material:	Glass




3D Glass-Black Canopy

Model:	VT-7206
SKU:	40121
EAN:	3800157640626
Size:	ø200x100x1070mm
Box Qty:	8Pcs
Material:	Glass



3D Glass-Black Canopy


Model:	VT-7256
SKU:	40131
EAN:	3800157640633
Size:	ø250x100x1110mm
Box Qty:	8Pcs
Material:	Glass






Transparent Glass-V Shape

Model:	VT-7180
SKU:	3863
EAN:	3800157620734
Size:	Ø250x90mm
Box Qty:	8Pcs
Material:	Glass+Metal




Transparent Glass-Globe

Model:	VT-7226
SKU:	3864
EAN:	3800157620741
Size:	Ø250x230mm
Box Qty:	8Pcs
Material:	Glass+Metal




Transparent Glass-Cone Shape

Model:	VT-7142
SKU:	3861
EAN:	3800157620710
Size:	140x160mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-V Shape


Model:	VT-7143
SKU:	3862
EAN:	3800157620727
Size:	185x140 mm
Box Qty:	8Pcs
Material:	Glass+Metal






6 Bulb Chandelier-Movable

Model:	VT-7400
SKU:	3889
EAN:	3800157621076
Size:	791x900mm
Box Qty:	4Pcs
Material:	Metal




Aluminium Shade-Black


Model:	VT-7422-B
SKU:	3728
EAN:	3800157611015
Size:	230x310x1150mm
Box Qty:	8Pcs
Material:	Aluminium



Aluminium Shade-White


Model:	VT-7422-WH
SKU:	3729
EAN:	3800157611022
Size:	230x310x1150mm
Box Qty:	8Pcs
Material:	Aluminium






Mesh Metal-Grey

Model:	VT-7200-MG
SKU:	3822
EAN:	3800157616577
Size:	200x270x1300mm
Box Qty:	8Pcs
Material:	Metal




Mesh Metal-Gold

Model:	VT-7200-CG
SKU:	3821
EAN:	3800157616560
Size:	200x270x1300mm
Box Qty:	8Pcs
Material:	Metal



Mesh Metal-White

Model:	VT-7200-MW
SKU:	3823
EAN:	3800157616584
Size:	200x270x1300mm
Box Qty:	8Pcs
Material:	Metal




Can Shape-Gold Pendant

Model:	VT-7131-CG
SKU:	3824
EAN:	3800157616591
Size:	130x250x1300mm
Box Qty:	10Pcs
Material:	Metal




Can Shape-Black Pendant

Model:	VT-7131-MB
SKU:	3825
EAN:	3800157616607
Size:	130x250x1300mm
Box Qty:	10Pcs
Material:	Metal




Can Shape-WhitePendant

Model:	VT-7131-MW
SKU:	3826
EAN:	3800157616614
Size:	130x250x1300mm
Box Qty:	10Pcs
Material:	Metal




Can Shape-Gold Pendant

Model:	VT-7132-CG
SKU:	3827
EAN:	3800157616621
Size:	130x220x1300mm
Box Qty:	10Pcs
Material:	Metal



Can Shape-Black Pendant


Model:	VT-7132-MB
SKU:	3828
EAN:	3800157616638
Size:	130x220x1300mm
Box Qty:	10Pcs
Material:	Metal






Can Shape-WhitePendant

Model:	VT-7132-MW
SKU:	3829
EAN:	3800157616645
Size:	130x220x1300mm
Box Qty:	10Pcs
Material:	Metal




Mesh Metal-Globe

Model:	VT-7332
SKU:	3859
EAN:	3800157620697
Size:	Ø290x1000x1340mm
Box Qty:	8Pcs
Material:	Metal



Mesh Metal-GV Shape

Model:	VT-7252
SKU:	3860
EAN:	3800157620703
Size:	285x170x1000mm
Box Qty:	12Pcs
Material:	Metal



Copper Series-Rose Gold

Model:	VT-8150-CO
SKU:	3713
EAN:	3800157610865
Size:	Ø150
Box Qty:	10Pcs
Material:	Metal





Copper Series-Rose Gold

Model: VT-8300
 SKU: 3710
 EAN: 3800157610834
 Size: Ø300
 Box Qty: 4Pcs
 Material: Iron with electric copper paint



Copper Series-Rose Gold

Model: VT-8220
 SKU: 3711
 EAN: 3800157610841
 Size: Ø220
 Box Qty: 4Pcs
 Material: Iron with electric copper paint



Copper Series-Rose Gold

Model: VT-8255
 SKU: 3709
 EAN: 3800157610827
 Size: Ø250mm
 Box Qty: 4Pcs
 Material: Iron with electric copper paint



Copper Series-Rose Gold

Model: VT-8150-CH
 SKU: 3712
 EAN: 3800157610858
 Size: Ø150mm
 Box Qty: 10Pcs
 Material: Iron with electric copper paint





Copper Series-Chrome

Model: **VT-8180-CH**
 SKU: **3707**
 EAN: **3800157610803**
 Size: **Ø180mm**
 Box Qty: **4Pcs**
 Material: **Iron with electric copper paint**



Copper Series-Rose Gold

Model: **VT-8180-CO**
 SKU: **3708**
 EAN: **3800157610810**
 Size: **Ø180mm**
 Box Qty: **8Pcs**
 Material: **Iron with electric copper paint**



Copper Series-Rose Gold

Model: **VT-8170**
 SKU: **3714**
 EAN: **3800157610872**
 Size: **Ø170mm**
 Box Qty: **8Pcs**
 Material: **Iron with electric copper paint**



Copper Series-Rose Gold

Model: **VT-8230**
 SKU: **3715**
 EAN: **3800157610889**
 Size: **Ø230mm**
 Box Qty: **4Pcs**
 Material: **Iron with electric copper paint**





Copper Series-Chrome

Model: VT-8175-CH
 SKU: 3705
 EAN: 3800157610780
 Size: Ø170
 Box Qty: 4Pcs
 Material: Iron with electric copper paint



Copper Series-Rose Gold

Model: VT-8175-CO
 SKU: 3706
 EAN: 3800157610797
 Size: Ø170mm
 Box Qty: 8Pcs
 Material: Iron with electric copper paint



Copper Series-Rose Gold

Model: VT-8200
 SKU: 3716
 EAN: 3800157610896
 Size: Ø200mm
 Box Qty: 4Pcs
 Material: Iron with electric copper paint



Copper Series-Rose Gold


Model: VT-8250
 SKU: 3717
 EAN: 3800157610902
 Size: Ø250mm
 Box Qty: 4Pcs
 Material: Iron with electric copper paint






White Glass-Wood Pendant

Model:	VT-7205
SKU:	3759
EAN:	3800157611329
Size:	190x320x1120mm
Box Qty:	8Pcs
Material:	Glass+Wood




White Glass-Wood Pendant

Model:	VT-7175
SKU:	3758
EAN:	3800157611312
Size:	170x320x1120mm
Box Qty:	8Pcs
Material:	Glass+Wood




White Glass-Wood Pendant

Model:	VT-7177
SKU:	3760
EAN:	3800157611336
Size:	170x320x1120mm
Box Qty:	8Pcs
Material:	Glass+Wood



Aluminum Pendant-White


Model:	VT-7162-WH
SKU:	3868
EAN:	3800157620789
Size:	Ø160x350x600mm
Box Qty:	20Pcs
Material:	Aluminium






Aluminum Pendant-Black

Model:	VT-7162-B
SKU:	3869
EAN:	3800157620796
Size:	Ø160x350x600mm
Box Qty:	20Pcs
Material:	Aluminium




Concrete-Mesh

Model:	VT-7330
SKU:	3849
EAN:	3800157618984
Size:	400x250x1100mm
Box Qty:	4Pcs
Material:	Concrete+Iron




Concrete-Mesh


Model:	VT-7121
SKU:	3847
EAN:	3800157618960
Size:	120x380x1300mm
Box Qty:	6Pcs
Material:	Concrete+Iron



Concrete-Mesh


Model:	VT-7253
SKU:	3848
EAN:	3800157618977
Size:	250x310x1200mm
Box Qty:	4Pcs
Material:	Concrete+Iron






Concrete-Lampshade

Model:	VT-7155
SKU:	3850
EAN:	3800157618991
Size:	160x290x1250mm
Box Qty:	6Pcs
Material:	Concrete




Concrete-Lampshade

Model:	VT-7202
SKU:	3853
EAN:	3800157619028
Size:	180x160x1100mm
Box Qty:	4Pcs
Material:	Concrete



Concrete-Acrylic

Model:	VT-7291
SKU:	3854
EAN:	3800157619035
Size:	265x260x1050mm
Box Qty:	4Pcs
Material:	Concrete+Wood





Concrete-Wooden

Model:	VT-7301
SKU:	3858
EAN:	3800157619073
Size:	290x250x1150mm
Box Qty:	4Pcs
Material:	Concrete+Wood




Concrete-Wooden

Model:	VT-7125-GY
SKU:	3855
EAN:	3800157619042
Size:	120x210x1080mm
Box Qty:	8Pcs
Material:	Concrete+Wood




Concrete-Wooden

Model:	VT-7125-GN
SKU:	3856
EAN:	3800157619059
Size:	120x210x1080mm
Box Qty:	8Pcs
Material:	Concrete+Wood




Concrete-Wooden

Model:	VT-7125-R
SKU:	3857
EAN:	3800157619066
Size:	120x210x1080mm
Box Qty:	8Pcs
Material:	Concrete+Wood



Concrete-Table Lamp


Model:	VT-7160
SKU:	3851
EAN:	3800157619004
Size:	160x150x2000mm
Box Qty:	4Pcs
Material:	Concrete






Concrete-Table Lamp

Model:	VT-7171
SKU:	3852
EAN:	3800157619011
Size:	180x130x2000mm
Box Qty:	8Pcs
Material:	Concrete




Geometric Series-Gold Canopy

Model:	VT-7141-CG
SKU:	3831
EAN:	3800157616669
Size:	250x190x1250mm
Box Qty:	8Pcs
Material:	Metal




Geometric Series-Black Canopy

Model:	VT-7141-MB
SKU:	3832
EAN:	3800157616676
Size:	250x190x1250mm
Box Qty:	8Pcs
Material:	Metal



Geometric Series-Gold Canopy


Model:	VT-7161-CG
SKU:	3833
EAN:	3800157616683
Size:	225x225x1250mm
Box Qty:	10Pcs
Material:	Metal







Geometric Series-Black Canopy

Model:	VT-7161-MB
SKU:	3834
EAN:	3800157616690
Size:	225x225x1250mm
Box Qty:	8Pcs
Material:	Metal




Geometric Series-Black Canopy

Model:	VT-7144
SKU:	3927
EAN:	3800157626224
Size:	300x1300mm
Box Qty:	4Pcs
Material:	Metal Finish




Geometric Series-Gold Canopy

Model:	VT-7322-CG
SKU:	3835
EAN:	3800157616706
Size:	320x320x1350mm
Box Qty:	10Pcs
Material:	Metal



Geometric Series-Black Canopy


Model:	VT-7322-MB
SKU:	3836
EAN:	3800157616713
Size:	320x320x1350mm
Box Qty:	10Pcs
Material:	Metal






Geometric Series-Gold Canopy

Model:	VT-7321-CG
SKU:	3837
EAN:	3800157616720
Size:	320x320x1350mm
Box Qty:	10Pcs
Material:	Metal




Geometric Series-Black Canopy

Model:	VT-7321-MB
SKU:	3838
EAN:	3800157616737
Size:	320x320x1350mm
Box Qty:	10Pcs
Material:	Metal




Danish Wood-Bronze Canopy

Model:	VT-7225
SKU:	3816
EAN:	3800157612760
Size:	260x330x1111mm
Box Qty:	8Pcs
Material:	Aluminium+Sand Finish



Danish Wood-Bronze Canopy


Model:	VT-7340
SKU:	3817
EAN:	3800157612777
Size:	360x420x1200mm
Box Qty:	4Pcs
Material:	Aluminium+Sand Finish






Aluminum-Sand finish-Black

Model:	VT-7520-B
SKU:	3700
EAN:	3800157610735
Size:	220x310x1375mm
Box Qty:	4Pcs
Material:	Aluminium+ Sand Finish




Aluminum-Sand finish-Grey


Model:	VT-7520-G
SKU:	3701
EAN:	3800157610742
Size:	220x310x1375mm
Box Qty:	4Pcs
Material:	Aluminium+Sand Finish



Aluminum-Sand finish-White


Model:	VT-7520-WH
SKU:	3702
EAN:	3800157610759
Size:	220x310x1375mm
Box Qty:	4Pcs
Material:	Aluminium+ Sand Finish






Modern Wooden Top-White

Model:	VT-7425-WH
SKU:	3756
EAN:	3800157611299
Size:	250x200x1100mm
Box Qty:	8Pcs
Material:	Aluminium+Wooden Top




Modern Wooden Top-Black

Model:	VT-7425-B
SKU:	3757
EAN:	3800157611305
Size:	250x200x1100mm
Box Qty:	8Pcs
Material:	Aluminium+Wooden Top



Wooden Top Iron-White

Model:	VT-7525-WH
SKU:	3761
EAN:	3800157611343
Size:	250x400x1200mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top




Wooden Top Iron-Black

Model:	VT-7525-B
SKU:	3762
EAN:	3800157611350
Size:	250x400x1200mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top




Wooden Top Iron-White

Model: VT-7535-W
 SKU: 3763
 EAN: 3800157611367
 Size: 350x300x1100mm
 Box Qty: 8Pcs
 Material: Iron+Wooden Top




Wooden Top Iron-Black

Model: VT-7535-B
 SKU: 3764
 EAN: 3800157611374
 Size: 350x300x1100mm
 Box Qty: 8Pcs
 Material: Iron+Wooden Top




Wooden Top Iron-White

Model: VT-7545-WH
 SKU: 3765
 EAN: 3800157611381
 Size: 350x300x1100mm
 Box Qty: 8Pcs
 Material: Iron+Wooden Top




Wooden Top Iron-Black

Model: VT-7545-B
 SKU: 3766
 EAN: 3800157611398
 Size: 350x300x1100mm
 Box Qty: 8Pcs
 Material: Iron+Wooden Top




E14 HOLDER



Pendant-Aluminium Shade-White

Model:	VT-7100-WH
SKU:	3920
EAN:	3800157626156
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium


E14 HOLDER



Pendant-Aluminium Shade-Black

Model:	VT-7100-B
SKU:	3921
EAN:	3800157626163
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium



E14 HOLDER



Pendant-Aluminium Shade-Grey

Model:	VT-7100-G
SKU:	3922
EAN:	3800157626170
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium

E14 HOLDER




Pendant-Aluminium Shade-Pink

Model:	VT-7100-P
SKU:	3923
EAN:	3800157626187
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium

E14 HOLDER



MOVABLE COVER




Pendant-Aluminium Shade-Red

Model:	VT-7100-R
SKU:	3924
EAN:	3800157626194
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium

E14 HOLDER



MOVABLE COVER





Pendant-Aluminium Shade-Blue

Model:	VT-7100-BL
SKU:	3925
EAN:	3800157626200
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium




Metal Plate-Rose Gold


Model:	VT-7777-RG
SKU:	3751
EAN:	3800157611244
Size:	300x90x1000mm
Box Qty:	20Pcs
Material:	Metal



Metal Plate-Matt Gold

Model:	VT-7777-MG
SKU:	3752
EAN:	3800157611251
Size:	300x90x1000mm
Box Qty:	20Pcs
Material:	Metal






Net Prism-White Pendant

Model:	VT-7401-W
SKU:	3943
EAN:	3800157630115
Size:	400x540mm
Box Qty:	2Pcs
Material:	Metal



Net Prism-Black Pendant

Model:	VT-7401-B
SKU:	3944
EAN:	3800157630122
Size:	400x540mm
Box Qty:	2Pcs
Material:	Metal



Net Prism-Black Pendant

Model:	VT-7401-BG
SKU:	3945
EAN:	3800157630139
Size:	400x540mm
Box Qty:	2Pcs
Material:	Metal



Prism-Blue Pendant

Model:	VT-7310-B
SKU:	3946
EAN:	3800157630146
Size:	310x190mm
Box Qty:	4Pcs
Material:	Metal




Prism-Yellow Pendant

Model:	VT-7310-Y
SKU:	3947
EAN:	3800157630153
Size:	310x190mm
Box Qty:	4Pcs
Material:	Metal



Prism-White Pendant

Model:	VT-7310-W
SKU:	3948
EAN:	3800157630160
Size:	310x190mm
Box Qty:	4Pcs
Material:	Metal



Prism-Wooden-White

Model:	VT-7323-W
SKU:	3949
EAN:	3800157630177
Size:	320x270mm
Box Qty:	4Pcs
Material:	Metal



Prism-Wooden-Yellow

Model:	VT-7323-Y
SKU:	3950
EAN:	3800157630184
Size:	320x270mm
Box Qty:	4Pcs
Material:	Metal





Prism-Wooden-Pink

Model:	VT-7323-P
SKU:	3951
EAN:	3800157630191
Size:	320x270mm
Box Qty:	4Pcs
Material:	Metal



Cone Prism-White

Model:	VT-7255-W
SKU:	3952
EAN:	3800157630207
Size:	250x255mm
Box Qty:	4Pcs
Material:	Metal



Cone Prism-Blue

Model:	VT-7255-B
SKU:	3953
EAN:	3800157630214
Size:	250x255mm
Box Qty:	
Material:	Metal




Cone Prism-Yellow

Model:	VT-7255-Y
SKU:	3954
EAN:	3800157630221
Size:	250x255mm
Box Qty:	
Material:	Metal



Metal W/Crystal

Model:	VT-7334-T
SKU:	3955
EAN:	3800157630238
Size:	300x360mm
Box Qty:	4Pcs
Material:	Metal




Metal W/Crystal

Model:	VT-7334-M
SKU:	3956
EAN:	3800157630245
Size:	330x300mm
Box Qty:	4Pcs
Material:	Metal



Metal W/Crystal


Model:	VT-7334-B
SKU:	3957
EAN:	3800157630252
Size:	300x360mm
Box Qty:	4Pcs
Material:	Metal






Vintage Metal

Model:	VT-7424
SKU:	3753
EAN:	3800157611268
Size:	260x170x1080mm
Box Qty:	12Pcs
Material:	Metal




Vintage Metal-Pulley

Model:	VT-7201
SKU:	3845
EAN:	3800157617192
Size:	220x140x600-1600mm
Box Qty:	8Pcs
Material:	Metal




Pendant-Hemp Rope

Model:	VT-7118
SKU:	3754
EAN:	3800157611275
Size:	45x57x1500mm
Box Qty:	12Pcs
Material:	Rope



Globe-Chrome Canopy


Model:	VT-7251
SKU:	3839
EAN:	3800157616744
Size:	250x250x1300mm
Box Qty:	4Pcs
Material:	Acrylic Glass





Pendant Holder-Bottle-E14

Model:	VT-7558-GN
Color:	Green
SKU:	3767
EAN:	3800157611404
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs




Pendant Holder-Bottle-E14

Model:	VT-7558-BL
Color:	Blue
SKU:	3768
EAN:	3800157611411
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-R
Color:	Red
SKU:	3769
EAN:	3800157611428
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs




Pendant Holder-Bottle-E14

Model:	VT-7558-A
Color:	Amber
SKU:	3770
EAN:	3800157611435
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs




Pendant Holder-Bottle-E14

Model:	VT-7558-T
Color:	Transparent
SKU:	3771
EAN:	3800157611442
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs




Pendant Holder-Bottle-E14

Model:	VT-7558-P
Color:	Pink
SKU:	3772
EAN:	3800157611459
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs




Pendant Holder-Bottle-E14

Model:	VT-7558-Y
Color:	Yellow
SKU:	3773
EAN:	3800157611466
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-RO
Color:	Rose
SKU:	3774
EAN:	3800157611473
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-GY
Color:	Grey
SKU:	3775
EAN:	3800157611480
Material:	Glass
Size:	78x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-BR
Color:	Brown
SKU:	3776
EAN:	3800157611497
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs





Metal Holder-Canopy

Model:	VT-7555-RB
Color:	Red Bronze
SKU:	3840
EAN:	3800157617147
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs



Metal Holder-Canopy

Model:	VT-7555-BBR
Color:	Brown Bronze
SKU:	3841
EAN:	3800157617154
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs



Metal Holder-Canopy

Model:	VT-7555-BB
Color:	Brass Bronze
SKU:	3842
EAN:	3800157617161
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs



Metal Holder-Canopy

Model:	VT-7555-BR
Color:	Bronze
SKU:	3843
EAN:	3800157617178
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs



Metal Holder-Canopy

Model:	VT-7555-MG
Color:	Gold
SKU:	3844
EAN:	3800157617185
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs



Wooden Holder-White Wire

Model:	VT-7778-W
Color:	White Wire
SKU:	3720
EAN:	3800157610933
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



Wooden Holder-Black Wire

Model:	VT-7778-BK
Color:	Black Wire
SKU:	3721
EAN:	3800157610940
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



Wooden Holder-Blue Wire

Model:	VT-7778-BL
Color:	Blue Wire
SKU:	3722
EAN:	3800157610957
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



Wooden Holder-Red Wire

Model:	VT-7778-R
Color:	Red Wire
SKU:	3723
EAN:	3800157610964
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



Wooden Holder-Purple Wire

Model:	VT-7778-PR
Color:	Purple Wire
SKU:	3724
EAN:	3800157610971
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



Wooden Holder-Green Wire

Model:	VT-7778-GN
Color:	Green Wire
SKU:	3725
EAN:	3800157610988
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



Pendant-Porcelain Set

Model:	VT-7998-W
Color:	White
SKU:	3803
EAN:	3800157612340
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-BK
Color:	Black
SKU:	3804
EAN:	3800157612357
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-GN
Color:	Green
SKU:	3805
EAN:	3800157612364
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-BL
Color:	Blue
SKU:	3806
EAN:	3800157612371
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-R
Color:	Red
SKU:	3807
EAN:	3800157612388
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-GY
Color:	Grey
SKU:	3808
EAN:	3800157612395
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998Y
Color:	Yellow
SKU:	3809
EAN:	3800157612401
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-BR
Color:	Brown
SKU:	3810
EAN:	3800157612418
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Porcelain Holder

Model:	VT-799-W
Color:	White
SKU:	3795
EAN:	3800157612265
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-BK
Color:	Black
SKU:	3796
EAN:	3800157612272
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-GN
Color:	Green
SKU:	3797
EAN:	3800157612289
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-BL
Color:	Blue
SKU:	3798
EAN:	3800157612296
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-R
Color:	Red
SKU:	3799
EAN:	3800157612302
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-GY
Color:	Grey
SKU:	3800
EAN:	3800157612319
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-Y
Color:	Yellow
SKU:	3801
EAN:	3800157612326
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-BR
Color:	Brown
SKU:	3802
EAN:	3800157612333
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Concrete Holder-Canopy

Model:	VT-7668-GN
Color:	Green
SKU:	3742
EAN:	3800157611152
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-R
Color:	Red
SKU:	3743
EAN:	3800157611169
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-BL
Color:	Blue
SKU:	3744
EAN:	3800157611176
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-Y
Color:	Yellow
SKU:	3745
EAN:	3800157611183
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-W
Color:	White
SKU:	3746
EAN:	3800157611190
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-BK
Color:	Black
SKU:	3747
EAN:	3800157611206
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-GY
Color:	Grey
SKU:	3748
EAN:	3800157611213
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-BR
Color:	Brown
SKU:	3749
EAN:	3800157611220
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-BE
Color:	Beige
SKU:	3750
EAN:	3800157611237
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Gold Holder-Gold Canopy

Model:	VT-7448
Color:	Rose Gold Set
SKU:	3777
EAN:	3800157611503
Material:	
Size:	Ø39x1000mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-W
Color:	White
SKU:	3755
EAN:	3800157611282
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-BK
Color:	Black
SKU:	3782
EAN:	3800157611558
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-BL
Color:	Blue
SKU:	3783
EAN:	3800157611565
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-BN
Color:	Brown
SKU:	3784
EAN:	3800157611572
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-GN
Color:	Green
SKU:	3785
EAN:	3800157611589
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-GY
Color:	Grey
SKU:	3786
EAN:	3800157611596
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	1Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-LB
Color:	Light Blue
SKU:	3787
EAN:	3800157611602
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-O
Color:	Orange
SKU:	3788
EAN:	3800157611619
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-PK
Color:	Pink
SKU:	3789
EAN:	3800157611626
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	1Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-PE
Color:	Purple
SKU:	3790
EAN:	3800157611633
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-R
Color:	Red
SKU:	3791
EAN:	3800157611640
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-RR
Color:	Rose Red
SKU:	3792
EAN:	3800157611657
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-Y
Color:	Yellow
SKU:	3793
EAN:	3800157611664
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-BE
Color:	Beige
SKU:	3794
EAN:	3800157611671
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs



Pendant-Silicone

Model:	VT-7228-BN
Color:	Brown
SKU:	3475
EAN:	3800157607919
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-BE
Color:	Blue
SKU:	3476
EAN:	3800157607926
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-W
Color:	White
SKU:	3477
EAN:	3800157607933
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-BK
Color:	Black
SKU:	3478
EAN:	3800157607940
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-PN
Color:	Pink
SKU:	3479
EAN:	3800157607957
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-R
Color:	Red
SKU:	3480
EAN:	3800157607964
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-GY
Color:	Grey
SKU:	3481
EAN:	3800157607971
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-LB
Color:	Light Blue
SKU:	3482
EAN:	3800157609463
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-PE
Color:	Purple
SKU:	3483
EAN:	3800157609470
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-O
Color:	Orange
SKU:	3484
EAN:	3800157609487
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-Y
Color:	Yellow
SKU:	3485
EAN:	3800157609494
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-GN
Color:	Green
SKU:	3486
EAN:	3800157609500
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs




Sleek Designer

LED Pendants

Offering cutting edge designs as per your mood. From warm to bright task lighting, our pendants come in a wide variety of styles, colors and materials

NEW



Mirror Lights


17W **VT-8505**

SKU: 40441 - 6400K White 3800157654982

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	600lm
CRI:	>80
Beam Angle:	120°
Material :	Iron
Unit GW :	6 Kg
IP Rating:	IP44
Size :	500x390x35mm
Box Qty:	1Pcs



NEW



Mirror Lights



30W **VT-8700**

SKU: 40451 - 6400K White 3800157654999

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	750lm
CRI:	>80
Beam Angle:	120°
Material :	Iron
Unit GW :	9.2 Kg
IP Rating:	IP44
Size :	700x500x35mm
Box Qty:	1Pcs



NEW



Mirror Lights



37W **VT-8701**

SKU: 40461 - 3IN1 3800157655002

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	800lm
CRI:	>80
Beam Angle:	120°
Material :	Iron
Unit GW :	9.3 Kg
IP Rating:	IP44
Size :	700x500x35mm
Box Qty:	1Pcs



NEW



Mirror Lights


38W **VT-8800**

SKU: 40471 - 6400K White 3800157655019

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	700lm
CRI:	>80
Beam Angle:	120°
Material :	Iron
Unit GW :	12 Kg
IP Rating:	IP44
Size :	800x600x35mm
Box Qty:	1Pcs



NEW



Mirror Lights


25W **VT-8601**

SKU: 40481 - 6400K White 3800157655026

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	750lm
CRI:	>80
Beam Angle:	120°
Material :	Iron
Unit GW :	8 Kg
IP Rating:	IP44
Size :	D:600x35mm
Box Qty:	1Pcs



NEW




Mirror Lights

25W **VT-8602**

SKU: 40491 - 3IN1 3800157655033

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	750lm
CRI:	>80
Beam Angle:	120°
Material :	Iron
Unit GW :	8.1 Kg
IP Rating:	IP44
Size :	D:600x35mm
Box Qty:	1Pcs






Mirror Light-Picture Chrome Wall Lamp

8w VT-7008 **Built In LED**

SKU: 3985 - 3000K Warm White 3800157637978
SKU: 3894 - 4000K Day White 3800157621120

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Metal+PMMA
Unit GW :	0.72 Kg
Life Span:	20,000 Hours
Size :	500x55x185mm
Box Qty:	12Pcs





Mirror Light-Picture Chrome Wall Lamp

12w VT-7012 **Built In LED**

SKU: 3982 - 3000K Warm White 3800157637947
SKU: 3895 - 4000K Day White 3800157621137

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°

No. of LED:	60 pcs
Material :	Metal+PMMA
Unit GW :	0.82 Kg
Life Span:	20,000 Hours
Size :	640x55x185mm
Box Qty:	12Pcs





Mirror Movable Wall Lamp

8w VT-7009CH **Built In LED**

SKU: 3984 - 3000K Warm White 3800157637961
SKU: 3900 - 4000K Day white 3800157621854

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Stainless Steel+Aluminium+PMMA
Unit GW :	0.8 Kg
Life Span:	20,000 Hours
Size :	455x45x190mm
Box Qty:	11Pcs





Mirror Movable Wall Lamp Golden

8w VT-7009 Built In LED

SKU: 3983 - 3000K Warm White 3800157637954
SKU: 3901 - 4000K Day white 3800157621861

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Stainless Steel+Aluminium+PMMA
Unit GW :	0.8 Kg
Life Span:	20,000 Hours
Size :	455x45x190mm
Box Qty:	11Pcs





Mirror Surface Light - Chrome Cap

10w VT-7010-CH Built In LED

SKU: 3916 - 4000K Day White 3800157626118
SKU: 3917 - 6400K White 3800157626125

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	950lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	150°

No. of LED:	N/A
Material :	Aluminium+PC
Unit GW :	0.63 Kg
Life Span:	30,000 Hours
Size :	605x53.6x64.6mm
Box Qty:	10Pcs




Mirror Surface Light - White Cap

10w VT-7010-WH Built In LED

SKU: 3918 - 4000K Day White 3800157626132
SKU: 3919 - 6400K White 3800157626149

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	950lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	150°

No. of LED:	N/A
Material :	Aluminium+PC
Unit GW :	0.63 Kg
Life Span:	30,000 Hours
Size :	605x53.6x64.6mm
Box Qty:	10Pcs




Mirror Surface Light-Chrome

12w VT-7014 **Built In LED**

SKU: 3902 - 4000K Day white 3800157621878

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	60 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.08 Kg
Life Span:	20,000 Hours
Size :	640x65x65mm
Box Qty:	12Pcs





Mirror Surface Light-Chrome

18w VT-7021 **Built In LED**

SKU: 3903 - 4000K Day white 3800157621885

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.28 Kg
Life Span:	20,000 Hours
Size :	940x65x65mm
Box Qty:	12Pcs





Designer Bend Glass-Surface Lamp

12w VT-7013 **Built In LED**

SKU: 3896 - 4000K Day White 3800157621144

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	60 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	1.01 Kg
Life Span:	20,000 Hours
Size :	685x55x65mm
Box Qty:	6Pcs





Designer Bend Glass-Surface Lamp

18w VT-7019 Built In LED

SKU: 3897 - 4000K Day white 3800157621151

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	1.50 Kg
Life Span:	20,000 Hours
Size :	985x55x65mm
Box Qty:	6Pcs





Designer Bend Glass-Hanging Pendant

18w VT-7020 Built In LED

SKU: 3898 - 4000K Day white 3800157621168

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	1.98 Kg
Life Span:	20,000 Hours
Size :	985x55x800mm
Box Qty:	6Pcs




Designer Bend Series - Surface Chrome

36w VT-7038 Built In LED

SKU: 3899 - 4000K Day white 3800157621175

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2700lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	180 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	3.53 Kg
Life Span:	20,000 Hours
Size :	985x120x75mm
Box Qty:	6Pcs



Designer Sleek Pendant-Chrome

18w VT-7018



Built In LED

SKU: 3890 - 4000K Day White

3800157621083

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.38 Kg
Life Span:	20,000 Hours
Size :	940x55x800mm
Box Qty:	12Pcs



Designer Sleek Pendant-Chrome

24w VT-7024



Built In LED

SKU: 3891 - 4000K Day White

3800157621090

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1800lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	120 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.59 Kg
Life Span:	20,000 Hours
Size :	1220x55x800mm
Box Qty:	12Pcs



Designer Sleek Pendant-Chrome

36w VT-7036



Built In LED

SKU: 3892 - 4000K Day White

3800157621106

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2700lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	180 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.82 Kg
Life Span:	20,000 Hours
Size :	1820x55x800mm
Box Qty:	12Pcs



Designer Sleek Chrome Surface Lamp

36w VT-7037


Built In LED

SKU: 3893 - 4000K Day White

3800157621113

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2700lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	180 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	2.24 Kg
Life Span:	20,000 Hours
Size :	940x120x60mm
Box Qty:	6Pcs




Pendant Light-Gold Lamp Shade

7W VT-7333-G Built In LED

SKU: 3934 - 3000K Warm White 3800157628952
SKU: 3928 - 4000K Day White 3800157626569

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.4 Kg
Life Span:	30,000 Hours
Size :	Ø120xH190mm
Box Qty:	12Pcs




Pendant Light-White Lamp Shade

7W VT-7333-WH Built In LED

SKU: 3935 - 3000K Warm White 3800157628969
SKU: 3929 - 4000K Day White 3800157626576

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.4 Kg
Life Span:	30,000 Hours
Size :	Ø120xH190mm
Box Qty:	12Pcs




Pendant Light-Gold Lamp Shade

7W VT-7444-G Built In LED

SKU: 3936 - 3000K Warm White 3800157628976
SKU: 3930 - 4000K Day White 3800157626583

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.9 Kg
Life Span:	30,000 Hours
Size :	Ø250xH190mm
Box Qty:	8Pcs



Pendant Light-White Lamp Shade

7W **VT-7444-WH** **Built In LED**

 SKU: 3937 - 3000K Warm White 3800157628983
 SKU: 3931 - 4000K Day White 3800157626590

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 400lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 120°

No. of LED: 14 pcs



Material : Metal Finish

Unit GW : 1.9 Kg

Life Span: 30,000 Hours

Size : Ø250xH190mm

Box Qty: 8Pcs



Pendant Light-Gold Lamp Shade

7W **VT-7666-G** **Built In LED**

 SKU: 3938 - 3000K Warm White 3800157628990
 SKU: 3932 - 4000K Day White 3800157626606

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 400lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 120°

No. of LED: 14 pcs


Material : Metal Finish

Unit GW : 2.4 Kg

Life Span: 30,000 Hours

Size : Ø340xH190mm

Box Qty: 4Pcs



Pendant Light-White Lamp Shade

7W **VT-7666-WH** **Built In LED**

 SKU: 3939 - 3000K Warm White 3800157629003
 SKU: 3933 - 4000K Day White 3800157626613

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 400lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 120°

No. of LED: 14 pcs


Material : Metal Finish

Unit GW : 2.4 Kg

Life Span: 30,000 Hours

Size : Ø340xH190mm

Box Qty: 4Pcs




Pendant Light-White

20w VT-25-1-W Built In LED

SKU: 3992 -3000K Warm White 3800157638777

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs




Pendant Light-Black

20w VT-25-1-B Built In LED

SKU: 3993 -3000K Warm White 3800157638784

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs




Pendant Light-Coffee

20w VT-25-1-C Built In LED

SKU: 3994 -3000K Warm White 3800157638791

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs




Pendant Light-White

30w VT-32-1-W **Built In LED**

SKU: 3995 -3000K Warm White 3800157638807

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2250lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	180 pcs
Material :	Iron+Acrylic
Unit GW :	4.3 Kg
Life Span:	30,000 Hours
Size :	600mm
Box Qty:	1Pcs




Pendant Light-Black

30w VT-32-1-B **Built In LED**

SKU: 3996 -3000K Warm White 3800157638814

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2250lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	180 pcs
Material :	Iron+Acrylic
Unit GW :	4.3 Kg
Life Span:	30,000 Hours
Size :	600mm
Box Qty:	1Pcs




Pendant Light-Coffee

30w VT-32-1-C **Built In LED**

SKU: 3997 -3000K Warm White 3800157638821

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2250lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	180 pcs
Material :	Iron+Acrylic
Unit GW :	4.3 Kg
Life Span:	30,000 Hours
Size :	600mm
Box Qty:	1Pcs




Designer Series-TRIAC Dimmable

25w VT-7351

SKU: 40021 - 3000K Warm White 3800157640503

Voltage/Frequency:	AC:220-240V
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	132 pcs
Material :	PC + Iron
Unit GW :	2.2 kgs
Life Span:	30,000 Hours
Size :	ø350x2000mm
Box Qty:	1Pcs





Designer Series-TRIAC Dimmable

40w VT-7502

SKU: 40031 - 3000K Warm White 3800157640510

Voltage/Frequency:	AC:220-240V
Luminous Flux:	3200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	216 pcs
Material :	PC + Iron
Unit GW :	3.8 kgs
Life Span:	30,000 Hours
Size :	ø500x2000mm
Box Qty:	1Pcs



Designer Series-TRIAC Dimmable

72w VT-7390

SKU: 40011 - 3000K Warm White 3800157640497

Voltage/Frequency:	AC:220-240V
Luminous Flux:	6500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	432 pcs
Material :	PC + Iron
Unit GW :	6.2 kgs
Life Span:	30,000 Hours
Size :	ø390x2000mm
Box Qty:	1Pcs

Ceiling Lamp-TRIAC Dimmable

12W VT-7203

SKU: 40041 - 3000K Warm White 3800157640527

Voltage/Frequency: AC:220-240V

Luminous Flux: 1000lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 72 pcs



Material: PC + Iron

Unit GW: 1.2 kgs

Life Span: 30,000 Hours

Size: ø200x125mm

Box Qty: 1Pcs



Ceiling Lamp-TRIAC Dimmable

25W VT-7352

SKU: 40051 - 3000K Warm White 3800157640534

Voltage/Frequency: AC:220-240V

Luminous Flux: 2100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 132 pcs



Material: PC + Iron

Unit GW: 2.1 kgs

Life Span: 30,000 Hours

Size: ø350x168mm

Box Qty: 1Pcs



Ceiling Lamp-TRIAC Dimmable

40W VT-7503

SKU: 40061 - 3000K Warm White 3800157640541

Voltage/Frequency: AC:220-240V

Luminous Flux: 3100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 216 pcs


Material: PC + Iron


Unit GW: 3.8 kgs

Life Span: 30,000 Hours

Size: ø500x215mm

Box Qty: 1Pcs






Wall Lamp-TRIAC Dimmable

20w VT-7331

SKU: 40091 - 3000K Warm White 3800157640572

Voltage/Frequency:	AC:220-240V
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC + Iron
Unit GW :	0.187 kgs
Life Span:	30,000 Hours
Size :	330x380x230mm
Box Qty:	6Pcs



Designer Series-TRIAC Dimmable

105w VT-7910

SKU: 40101 - 3000K Warm White 3800157640589

Voltage/Frequency:	AC:220-240V
Luminous Flux:	6300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	576 pcs
Material :	PC + Iron
Unit GW :	11.05 kgs
Life Span:	30,000 Hours
Size :	910x2000mm
Box Qty:	1Pcs




Table Lamps

12w VT-7204

SKU: 40071 - 3000K Warm White 3800157640558

Voltage/Frequency:	AC:220-240V
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	72 pcs
Material :	PC + Iron
Unit GW :	0.483 kgs
Life Span:	30,000 Hours
Size :	ø200x335mm
Box Qty:	6Pcs

Table Lamps

25W VT-7353

SKU: 40081 - 3000K Warm White 3800157640565

Voltage/Frequency: AC:220-240V

Luminous Flux: 2550lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 132 pcs


Material: PC + Iron

Unit GW: 5.5 kgs

Life Span: 30,000 Hours

Size: ø350x365mm

Box Qty: 1Pcs

TOUCH
DIMMING

Designer Series Pendant-Color Changing

32W VT-7460

SKU: 3958 -3IN1

3800157636520

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 320 pcs


Material: PC

Unit GW: 2.20 kgs

Life Span: 30,000 Hours

Size: 460x2000mm

Box Qty: 1Pcs

COLOR
CHANGING
WITH REMOTE

Designer Series Pendant-Color Changing

38W VT-7605

SKU: 3959 -3IN1

3800157636537

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3300lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs


Material: PC


Unit GW: 3.90 kgs

Life Span: 30,000 Hours

Size: 600x2000mm

Box Qty: 1Pcs

COLOR
CHANGING
WITH REMOTE




Designer Series Pendant-Color Changing

82W VT-7750

SKU: 3960 -3IN1

3800157636544

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	7300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	768 pcs
Material :	PC
Unit GW :	6.85 kgs
Life Span:	30,000 Hours
Size :	795x2000mm
Box Qty:	1Pcs





Designer Series Pendant-Color Changing

40w VT-7461

SKU: 3962 -3IN1

3800157636568

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3600lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	3.00 kgs
Life Span:	30,000 Hours
Size :	460x460x2000mm
Box Qty:	1Pcs



Designer Series Pendant-Color Changing

42w VT-7607

SKU: 3963 -3IN1

3800157636575

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3400lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	4.80 kgs
Life Span:	30,000 Hours
Size :	600x600x2000mm
Box Qty:	1Pcs

Designer Series Pendant-Color Changing

80W VT-7751

SKU: 3964 -3IN1

3800157636582

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 6600lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 768 pcs



Material : PC

Unit GW : 7.00 kgs

Life Span: 30,000 Hours

Size : 750x750x2000mm

Box Qty: 1Pcs



**COLOR
CHANGING
WITH REMOTE**

Designer Series Pendant-Color Changing

60W VT-7606

SKU: 3961 -3IN1

3800157636551

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 5400lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 604 pcs


Material : PC

Unit GW : 7.5 kgs

Life Span: 30,000 Hours

Size : 600x300x2000mm

Box Qty: 1Pcs



**COLOR
CHANGING
WITH REMOTE**

Designer Series Pendant-Color Changing

68W VT-7608

SKU: 3965 -3IN1

3800157636599

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 6000lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 624 pcs



Material : PC

Unit GW : 6.50 kgs

Life Span: 30,000 Hours

Size : 600x300x2000mm

Box Qty: 1Pcs



**COLOR
CHANGING
WITH REMOTE**

Designer Series Surface-Color Changing

22W VT-7308

SKU: 3966 -3IN1

3800157636605

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 240 pcs


Material : PC

Unit GW : 16.50 kgs

Life Span: 30,000 Hours

Size : 300x85mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

32W VT-7462

SKU: 3967 -3IN1

3800157636612

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs


Material : PC

Unit GW : 2.90 kgs

Life Span: 30,000 Hours

Size : 460x100mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

38W VT-7609

SKU: 3968 -3IN1

3800157636629

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3300lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs


Material : PC

Unit GW : 4.90 kgs

Life Span: 30,000 Hours

Size : 600x120mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

82W VT-7752

SKU: 3969 -3IN1

3800157636636

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 7300lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 768 pcs


Material : PC

Unit GW : 9.65 kgs

Life Span: 30,000 Hours

Size : 750x130mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

26w VT-7309

SKU: 3970 -3IN1

3800157636643

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2600lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 240 pcs



Material : PC

Unit GW : 18.50 kgs

Life Span: 30,000 Hours

Size : 300x300x80mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

40w VT-7463

SKU: 3971 -3IN1

3800157636650

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3600lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs



Material : PC

Unit GW : 3.95 kgs

Life Span: 30,000 Hours

Size : 460x460x95mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

42W VT-7610

SKU: 3972 -3IN1

3800157636667

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3400lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs



Material : PC

Unit GW : 6.55 kgs

Life Span: 30,000 Hours

Size : 600x600x115mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

80W VT-7753

SKU: 3973 -3IN1

3800157636674

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 6600lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 768 pcs




Material : PC

Unit GW : 10.50 kgs

Life Span: 30,000 Hours

Size : 750x750x125mm

Box Qty: 1Pcs



Designer Series Pendant-TRIAC Dimmable

32W VT-7049

SKU: 3978 -3000K Warm White

3800157636728

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 200 pcs

Material : PC


Unit GW : 2.6 kgs

Life Span: 30,000 Hours

Size : 890x125x2000mm

Box Qty: 1Pcs






Designer Series Pendant-TRIAC Dimmable

52w VT-7072

SKU: 3979 -3000K Warm White 3800157636735

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3400lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	300 pcs
Material :	PC
Unit GW :	3.5 kgs
Life Span:	30,000 Hours
Size :	1310x125x2000mm
Box Qty:	1Pcs




Designer Series Pendant-TRIAC Dimmable

18w VT-7027

SKU: 3980 -3000K Warm White 3800157636742

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC
Unit GW :	2.05 kgs
Life Span:	30,000 Hours
Size :	ø125x2500mm
Box Qty:	1Pcs



Designer Series Pendant-TRIAC Dimmable

32w VT-7050

SKU: 3981 -3000K Warm White 3800157636759

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	200 pcs
Material :	PC
Unit GW :	2.60 kgs
Life Span:	30,000 Hours
Size :	ø125x2900mm
Box Qty:	1Pcs

Wall Lamp-TRIAC Dimmable

18W VT-7025

SKU: 3974 - 3000K Warm White 3800157636681

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC+Iron
Unit GW :	2.05 kgs
Life Span:	30,000 Hours
Size :	ø125x530mm
Box Qty:	1Pcs




Table Lamps

18W VT-7026

SKU: 3975 3000K Warm White 3800157636698

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC
Unit GW :	2.80 kgs
Life Span:	30,000 Hours
Size :	130x480mm
Box Qty:	1Pcs




Floor Lamps

32W VT-7048

SKU: 3976 3000K Warm White 3800157636704

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	200 pcs
Material :	PC
Unit GW :	5.60 kgs
Life Span:	30,000 Hours
Size :	200x900mm
Box Qty:	1Pcs



Floor Lamps

65W VT-7096

SKU: 3977 3000K Warm White 3800157636711

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 4300lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 864 pcs

Material: PC

Unit GW: 6.50 Kgs

Life Span: 30,000 Hours

Size: 120x1790mm

Box Qty: 1Pcs



Wall Lamps

VT-7402

SKU: 40431

Watts: Max 60W

Material: Metal

Base: E27

Color: Chrome

Input Power: AC:220-240V,50Hz

EAN: 3800157648578

Size: 610x220x330mm

Box Qty: 6Pcs




Table Lamps

VT-7513-W

SKU: 40371

Watts: Max 60W

Material: Metal

Base: E27

Color: White

Input Power: AC:220-240V,50Hz

EAN: 3800157648516

Size: 360x155x730mm

Box Qty: 6Pcs




Table Lamps

VT-7513-B

SKU:	40361
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648509
Size:	360x155x730mm
Box Qty:	6Pcs




Table Lamps

VT-7512-W

SKU:	40351
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	White
Input Power:	AC:220-240V,50Hz
EAN:	3800157648493
Size:	380x155x440mm
Box Qty:	6Pcs




Table Lamps

VT-7512-B

SKU:	40341
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648486
Size:	380x155x440mm
Box Qty:	6Pcs




Table Lamps

VT-7412

SKU:	40331
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	Red+Bronze
Input Power:	AC:220-240V,50Hz
EAN:	3800157648479
Size:	150x420mm
Box Qty:	4Pcs




Table Lamps

VT-7712

SKU:	40381
Watts:	Max 60W
Material:	Fabric+Metal
Base:	E27
Color:	Ivory+Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648523
Size:	320x200x570mm
Box Qty:	1Pcs





Table Lamps

VT-7713


SKU:	40391
Watts:	Max 60W
Material:	Fabric+Metal
Base:	E27
Color:	Ivory+Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648530
Size:	300x180x550mm
Box Qty:	1Pcs



Floor Lamps

VT-7912


SKU:	40401
Watts:	Max 60W
Material:	Fabric+Metal
Base:	E27
Color:	Ivory+Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648547
Size:	450x300x1630mm
Box Qty:	1Pcs



Floor Lamps

VT-7913


SKU:	40411
Watts:	Max 60W
Material:	Fabric+Metal
Base:	E27
Color:	Ivory+Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648554
Size:	450x285x1620mm
Box Qty:	1Pcs



Floor Lamps

VT-7702

SKU:	40421
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	Black+Chrome
Input Power:	AC:220-240V,50Hz
EAN:	3800157648561
Size:	140x200x1540mm
Box Qty:	4Pcs






Ball Light
VT-7801
 SKU: 40141 - RGB 3800157641029

Watts:	1w
Luminous Flux:	18lm
Size :	200x200x140mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP67
Box Qty:	8Pcs

RGB **RECHARGEABLE**



Stone Light
VT-7802
 SKU: 40151 - RGB 3800157641036

Watts:	1w
Luminous Flux:	18lm
Size :	280x210x170mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP67
Box Qty:	8Pcs

RGB **RECHARGEABLE**




Ball Light
VT-7803
SKU: 40161 - RGB 3800157641043

Watts:	1w
Luminous Flux:	18lm
Size :	300x300x290mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP67
Box Qty:	1Pcs

RGB **RECHARGEABLE**




Stone Light
VT-7804
SKU: 40171 - RGB 3800157641050

Watts:	1w
Luminous Flux:	18lm
Size :	320x250x170mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP67
Box Qty:	1Pcs

RGB **RECHARGEABLE**




Pot Light
VT-7805
SKU: 40181 - RGB 3800157641067

Watts:	1w
Luminous Flux:	18lm
Size :	280x280x290mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP54
Box Qty:	1Pcs

RGB **RECHARGEABLE**





Pot Light
VT-7808
SKU: 40211 - RGB 3800157641098

Watts:	1.5w
Luminous Flux:	54lm
Size :	355x355x325mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 2000mAh
IP Rating:	IP54
Box Qty:	1Pcs


RGB **RECHARGEABLE**



Ice Bucket Light
VT-7806

SKU: 40191 - RGB 3800157641074

Watts: 1.5w
Luminous Flux: 54lm
Size : 290x330x350mm
Material : LLDPE
Life Span: 50,000 Hours
Battery: Lithium Battery 2000mAh
IP Rating: IP54
Box Qty: 1Pcs



Ball Light
VT-7807

SKU: 40201 - RGB 3800157641081

Watts: 3w
Luminous Flux: 54lm
Size : 400x400x390mm
Material : LLDPE
Life Span: 50,000 Hours
Battery: Lithium Battery 2000mAh
IP Rating: IP54
Box Qty: 1Pcs



Ball Light
VT-7809

SKU: 40221 - RGB 3800157641104

Watts: 6w
Luminous Flux: 108lm
Size : 500x500x260mm
Material : LLDPE
Life Span: 50,000 Hours
Battery: Lithium Battery 3600mAh
IP Rating: IP54
Box Qty: 1Pcs




Stool Light
VT-7810

SKU: 40231 - RGB 3800157641111

Watts: 3w
Luminous Flux: 54lm
Size : 400x400x360mm
Material : LLDPE
Life Span: 50,000 Hours
Battery: Lithium Battery 2000mAh
IP Rating: IP54
Box Qty: 1Pcs





Cube Light

VT-7811

SKU: 40241 - RGB 3800157641128



Watts: **3w**
 Luminous Flux: **108lm**
 Size : **400x400x400mm**
 Material : **LLDPE**
 Life Span: **50,000 Hours**
 Battery: **Lithium Battery 3600mAh**
 IP Rating: **IP54**
 Box Qty: **1Pcs**



Table Light

VT-7812

SKU: 40251 - RGB 3800157641135



Watts: **6w**
 Luminous Flux: **108lm**
 Size : **720x720x580mm**
 Material : **LLDPE**
 Life Span: **50,000 Hours**
 Battery: **Lithium Battery 3600mAh**
 IP Rating: **IP54**
 Box Qty: **1Pcs**




Table Light

VT-7813

SKU: 40261 - RGB 3800157641142



Watts: **5w**
 Luminous Flux: **100lm**
 Size : **600x600x1100mm**
 Material : **LLDPE**
 Life Span: **50,000 Hours**
 Battery: **Lithium Battery 5200mAh**
 IP Rating: **IP54**
 Box Qty: **1Pcs**





Stool Light

VT-7814

SKU: 40271 - RGB 3800157641159



Watts: **5w**
 Luminous Flux: **100lm**
 Size : **500x560x1100mm**
 Material : **LLDPE**
 Life Span: **50,000 Hours**
 Battery: **Lithium Battery 5200mAh**
 IP Rating: **IP54**
 Box Qty: **1Pcs**



Linkable Up to 60 Units



Starlight-Ceiling
VT-7128-W

SKU: 40281 - 2IN1 3800157641166

Watts:	8w
Luminous Flux:	900lm
Size :	300x300x40mm
Material :	ABS
Life Span:	20000 Hours
Battery:	Linkable Up to 60 Units
IP Rating:	IP20
Box Qty:	12Pcs



Starlight-Ceiling
VT-7128-B

SKU: 40291 - 2IN1 3800157641173

Watts:	8w
Luminous Flux:	900lm
Size :	300x300x40mm
Material :	ABS
Life Span:	20000 Hours
Battery:	Linkable Up to 60 Units
IP Rating:	IP20
Box Qty:	12Pcs



Starlight-Ceiling
VT-7128-G

SKU: 40301 - 2IN1 3800157641180

Watts:	8w
Luminous Flux:	900lm
Size :	300x300x40mm
Material :	ABS
Life Span:	20000 Hours
Battery:	Linkable Up to 60 Units
IP Rating:	IP20
Box Qty:	12Pcs

Solar Egg Light

VT-7815

SKU: 8557 - RGB+WW 3800157641418

Watts:	0.2W
Luminous Flux:	4lm
Size :	D:188x395mm
Material :	PC
Life Span:	20000 Hours
Battery:	1xAA BATTERY, 1.2V/500mAH NI-MH
IP Rating:	IP44
Box Qty:	4Pcs



 **Solar Lights** **21** COLOR CHANGING + WARM WHITE

Solar Light

VT-719

SKU: 8558 - 2200K 3800157641425
Warm White

Watts:	0.4W
Size :	100x100x650mm
Material :	PC
Life Span:	20000 Hours
Battery:	3.7V/500mAH Lithium Battery,
IP Rating:	IP44
Box Qty:	12Pcs



 **Solar Lights**

NEW

Solar Flame Light

VT-724

SKU: 8689 - 2200K 3800157654975
Warm White

Watts:	1w
Size :	75x75x500mm
Material :	PP
Battery:	1.2V 2/3AAA NI-MH
IP Rating:	IP44
Box Qty:	24Pcs




 **Solar Lights** **4** PCS PACK



Modern Circular

Chandeliers & Pendants

With Built in LED lights



White Chandelier-2 Step-Dimmable

115W VT-101-2-W


Built In LED

SKU: 3986 - 3000K Warm White

3800157638715

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	8050lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	600 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/400/200mm
Box Qty:	1Pcs



Black Chandelier-2 Step-Dimmable

115W VT-101-2-B


Built In LED

SKU: 3987 - 3000K Warm White

3800157638722

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	8050lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	600 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/400/200mm
Box Qty:	1Pcs



Coffee Chandelier-2 Step-Dimmable

115w VT-101-2-C

Built In LED

SKU: 3988 - 3000K Warm White

3800157638739

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	8050lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	600 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/400/200mm
Box Qty:	1Pcs



White Chandelier-3 Step-Dimmable

92w VT-82-3-W


Built In LED

SKU: 3989 - 3000K Warm White

3800157638746

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	6500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs




Black Chandelier-3 Step-Dimmable

92w VT-82-3-B **Built In LED**
 SKU: 3990 - 3000K Warm White 3800157638753

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	6500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs




Coffee Chandelier-3 Step-Dimmable

92w VT-82-3-C **Built In LED**
 SKU: 3991 - 3000K Warm White 3800157638760

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	6500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs



Chandelier Series

40w VT-40-1

Built In LED

SKU: 3874 - 3000K Warm White

3800157620888

Voltage/Frequency: AC:100-240V,50Hz

Luminous Flux: 2800lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 240 pcs


Material : Steel+PC

Unit GW : 3.90 Kg

Life Span: 20,000 Hours

Size : 400X210X1000mm

Box Qty: 1Pcs



Chandelier-3 Step

70w VT-70-3D

Built In LED

SKU: 3904 - 3000K Warm White
SKU: 3905 - 4000K Day White

3800157624633
3800157624640

Voltage/Frequency: AC:100-240V,50Hz

Luminous Flux: 4900lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 360 pcs


Material : Acrylic+Aluminium

Unit GW : 3.50 Kg

Life Span: 20,000 Hours

Size : 600x600x1200mm

Box Qty: 1Pcs



Chandelier-3 Step

80w VT-80-3D


Built In LED

SKU: 3906 - 3000K Warm White
SKU: 3907 - 4000K Day White

3800157624657
3800157624664

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	5600lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	510 pcs
Material :	Acrylic+Aluminium
Unit GW :	4.7 Kg
Life Span:	20,000 Hours
Size :	600x600x1200mm
Box Qty:	1Pcs



Ceiling Light

85w VT-85-3

Built In LED

SKU: 3910 - 3000K Warm White
SKU: 3911 - 4000K Day White

3800157624695
3800157624701

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	6400lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	510 pcs
Material :	Acrylic+Aluminium
Unit GW :	5.5 Kg
Life Span:	20,000 Hours
Size :	200x400x600mm
Box Qty:	1Pcs

TOWER FANS


WITH TEMPERATURE DISPLAY
AND REMOTE CONTROL

- 3 speeds with remote control
- 3 fan mode (Normal / Natural / Sleep)

REMOTE CONTROL





CONTROL PANEL



CONTROL PANEL





Tower Fan

VT-4538

SKU: 7926 EAN: 3800157654517




Oscillation
Low | Medium | High



3 Fan Speed
Low | Medium | High

- Power(Watts): 45
- Voltage/Freq: AC:220-240V,50/60Hz
- Size(inches): 31
- Material: ABS
- Unit Color: White
- Speed: 3(Low-Med-High)
- Function: Oscillation Function
- Timer: 1hr(Max)
- Plug Type: EU
- IP Rating: IP20
- Box Qty: 1pc



Tower Fan

VT-5536

SKU: 7900 EAN: 3800157644709




3 Wind Mode
Normal | Natural | Sleep



3 Fan Speed
Low | Medium | High

- Power(Watts): 55
- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 36
- Material: ABS
- Unit Color: White
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.8m
- Plug Type: EU
- IP Rating: IP20
- Box Qty: 1pc



Tower Fan


VT-5546

SKU: 7901 EAN: 3800157644716

3 Wind Mode
Normal | Natural | Sleep

3 Fan Speed
Low | Medium | High

- Power(Watts): 55
- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 46
- Material: ABS
- Unit Color: Black Finish
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.75m
- Plug Type: EU
- IP Rating: IP20
- Box Qty: 1pc



Tower Fan

VT-5547

SKU: 7902 EAN: 3800157644723

3 Wind Mode
Normal | Natural | Sleep

3 Fan Speed
Low | Medium | High

- Power(Watts): 55
- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 46
- Material: ABS
- Unit Color: White & Black Finish
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.8m
- Plug Type: EU
- IP Rating: IP20
- Box Qty: 1pc



LED Ceiling Fan

Add a modern touch to your room with V-TAC's Ceiling Fans. Available with up to 3 speeds and in different sizes, these fans offer quiet, efficient, and wobble-free performance. Additionally, the fixtures feature integrated LEDs and come in several finishes to match any interior décor. Equipped with a pull chain and both forward and reverse function modes, V-TAC's ceiling fans are a modern twist on a classic design.

- Both AC and DC motor variations available
- Available in a range of sizes and finishes
- Remote Control and Pull chain for speed control and On/Off
- Forward and reverse function for cool or warm airflow



Ceiling Fan AC Motor

50W **VT-6042-4**

SKU: 7914 EAN: 3800157654036



4 MDF BLADES



3 SPEEDS AND
LIGHT PULL CHAIN



AC-POWER
MOTOR

- 42" (107CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades with cane and double color
- Powerful Motor:153 x 10mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 12°
- 3 speeds and light pull chain
- 1xE27 light kit (light source NOT included)
- Motor Power AC:220V,50Hz,50W (power of the motor)
- G.W.: 4.0KG / N.W.: 3.28KG
- Box Qty: 1pc



Ceiling Fan AC Motor

55W **VT-6056-4**

SKU: 7921 EAN: 3800157654104



4 GLASS
SHADES



3 SPEEDS AND
LIGHT PULL CHAIN



AC-POWER
MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades with cane and double color
- Powerful Motor:153 x 11mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 12°
- 3 speeds and light pull chain
- 4xE27 light kit (light source NOT included)
- 4 glass shade
- Motor Power AC:220V,50HZ,55W (power of the motor)
- G.W.:4.5KG / N.W.:3.8KG
- Box Qty: 1pc



Ceiling Fan AC Motor

60W **VT-6054-4**

SKU: 7917 EAN: 3800157654067



LIGHT KIT



4 MDF BLADES



AC-POWER
MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades
- Powerful Motor:153 x 15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Motor Power AC:220V,50HZ,60W (power of the motor)
- G.W.: 7.6KG / N.W.: 6.8KG
- Box Qty: 1pc



Ceiling Fan AC Motor

60W **VT-6043-4**

SKU: 7915 EAN: 3800157654043



LIGHT KIT



4 MDF BLADES



AC-POWER MOTOR

- 42" (107CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power AC:220V,50HZ,60W (power of the motor)
- G.W.: 6.8KG / N.W.: 6.1KG
- Box Qty: 1pc



Ceiling Fan AC Motor

60W **VT-6053-5**

SKU: 7916 EAN: 3800157654050



LIGHT KIT



5 MDF BLADES



AC-POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 5 MDF blades
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Power:AC:220V,50HZ,60W (power of the motor)
- G.W.: 7.3KG / N.W.:6.7KG
- Box Qty: 1pc



Ceiling Fan AC Motor

60W **VT-6052-5**

SKU: 7913 EAN: 3800157654029



LIGHT KIT



5 MDF BLADES
DOUBLE COLOR



AC-POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 5 MDF blades double color
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Power:AC:220V,50HZ,60W (power of the motor)
- G.W.: 7.3KGS / N.W.: 6.5KGS
- Box Qty: 1pc



Ceiling Fan DC Motor

35W VT-6054-4

SKU: 7918 EAN: 3800157654074



LIGHT KIT



4 MDF BLADES



DC-POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- Reversible Double Color Blades
- With forward and reverse function
- 4 MDF blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.: 7.3KG / N.W.: 6.5KG
- Box Qty: 1pc



Ceiling Fan DC Motor

35W VT-6055-3

SKU: 7919 EAN: 3800157654081



LIGHT KIT



3 ABS PLASTIC BLADES



DC-POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.:7.2KG / N.W.:6.5KG
- Box Qty: 1pc



Ceiling Fan DC Motor

35W VT-6055-3

SKU: 7920 EAN: 3800157654098



LIGHT KIT



3 ABS PLASTIC BLADES



DC-POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.:7.2KG / N.W.:6.5KG
- Box Qty: 1pc



Ceiling Fan DC Motor

35W VT-3042-3

SKU: 7929 EAN: 3800157656009

- 42" (107CM) Decorative ceiling fan
- With forward and reverse function
- 3 PC Plastic blades
- DC powerful motor:153 × 15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- LED 30W 3IN1 CCT - 3000 Lumens
- Motor Power DC:220V,50HZ,35W (motor)
- G.W.: 9.8KG / N.W.: 9.1KG
- Box Qty: 1pc




LIGHT KIT



3 PC PLASTIC
BLADES



DC -POWER
MOTOR




On



Off

Hidden bladeless LED light ceiling fan





Stand Fan Cross Base

40W **VT-4016-3**

SKU: 7922 EAN: 3800157654470

- 16" STAND FAN
- AC: 220-240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- 1.2m height
- 600mm Cross Base
- GW:2.6KGS
- Size:600 × 600 × 1200mm
- Box Qty: 1pc



Oscillation
Low | Medium | High



3 Fan Speed
Low | Medium | High



Stand Fan Round Base

55W **VT-5016-5**

SKU: 7923 EAN: 3800157654487

- 16" STAND FAN
- AC: 220-240V~50/60Hz 55W
- 3 speed control
- Oscillation function
- 1.25m height
- 410mm Round Base
- GW:4.3KGS
- Size:430 × 410 × 1200mm
- Box Qty: 1pc



Oscillation
Low | Medium | High



3 Fan Speed
Low | Medium | High



Desk Fan 12 inch

40W VT-4012-3

SKU: 7924 EAN: 3800157654494

- 12"DESK FAN
- AC: 220-240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- GW:2.0KGS
- Size: 340 × 260 × 480mm
- Box Qty: 1pc



Oscillation
Low | Medium | High



3 Fan Speed
Low | Medium | High



Desk Fan 16 inch

40W VT-4017-3

SKU: 7925 EAN: 3800157654500

- 16"DESK FAN
- AC: 220-240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- GW:2.15KGS
- Size: 410 × 260 × 510mm
- Box Qty: 1pc



Oscillation
Low | Medium | High



3 Fan Speed
Low | Medium | High



Nylon Cable Tie

Keep installations clean with V-TAC's tough cable ties. Made of nylon, the cable ties feature high tensile strength and are an essential item for any toolbox.

- High quality
- Suitable for a multitude of uses
- Easy to thread

Nylon Cable Tie Black

- High quality
- Suitable for a multitude of uses
- Easy to thread
- UV protection



SKU	EAN	Maximum Hold	Dimension	Unit Color	Box Qty
SKU: 11160	3800157654159	8 Kgs	2.5x100mm	Black	500
SKU: 11162	3800157654173	8 Kgs	2.5x150mm	Black	400
SKU: 11164	3800157654197	8 Kgs	2.5x200mm	Black	300
SKU: 11166	3800157654210	18 Kgs	3.5x150mm	Black	250
SKU: 11168	3800157654234	18 Kgs	3.5x200mm	Black	200
SKU: 11169	3800157654241	18 Kgs	3.5x250mm	Black	150
SKU: 11170	3800157654258	18 Kgs	3.5x300mm	Black	150
SKU: 11172	3800157654272	22 Kgs	4.5x150mm	Black	200
SKU: 11174	3800157654296	22 Kgs	4.5x300mm	Black	100
SKU: 11176	3800157654319	22 Kgs	4.5x350mm	Black	100
SKU: 11177	3800157654326	22 Kgs	4.8x200mm	Black	150
SKU: 11178	3800157654333	23 Kgs	7.6x300mm	Black	60

Nylon Cable Tie White

- High quality
- Suitable for a multitude of uses
- Easy to thread



SKU	EAN	Maximum Hold	Dimension	Unit Color	Box Qty
SKU: 11159	3800157654142	8 Kgs	2.5x100mm	White	500
SKU: 11161	3800157654166	8 Kgs	2.5x150mm	White	400
SKU: 11163	3800157654180	8 Kgs	2.5x200mm	White	300
SKU: 11165	3800157654203	18 Kgs	3.5x150mm	White	250
SKU: 11167	3800157654227	18 Kgs	3.5x200mm	White	200
SKU: 11171	3800157654265	22 Kgs	4.5x150mm	White	200
SKU: 11175	3800157654302	22 Kgs	4.5x350mm	White	100
SKU: 11173	3800157654289	22 Kgs	4.5x300mm	White	100



Electronic Insect Killer

Enjoy an insect-free experience with V-TAC Electronic Insect Killer. An environment friendly option to eliminate insects, this insect killer lures insects to a killing grid, creating a comfortable and safe zone around it. Suitable for patios, houses, kitchens and commercial applications.

- Insect control without pesticides and harmful chemicals
- Durable corrosion-free aluminum body
- Easy to clean and efficient killing grid

Electronic Insect Killer

Perfect for home, Office, Garage, kitchens, Schools, Hospitals, Courtyard and Commercial Areas



Wire chain for hanging or set it on a flat surface.



CHEMICAL FREE
Eco friendly



- Lamp life time up to 8000 hours
- Slim design - ON/OFF switch
- Removable tray
- For Indoor Use Only
- Housing made of special treated, aluminum, scratch-proof, corrosion-proof and easy to clean
- Power supply: AC:220-240V 50/60Hz





50m²
Coverage Area

Electronic Insect Killer

16W VT-3216

SKU: 11179 EAN: 3800157654340

Box Qty : 6






80m²
Coverage Area

Electronic Insect Killer

20W VT-3220

SKU: 11180 EAN: 3800157654357

Box Qty : 6





100m²
Coverage Area

Electronic Insect Killer

30W VT-3230

SKU: 11181 EAN: 3800157654364

Box Qty : 6





150m²
Coverage Area

Electronic Insect Killer

40W VT-3240

SKU: 11182 EAN: 3800157654371

Box Qty : 4



SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
101	201	186	207	253	193	373	145	440	26	509	66	616	84	712	80
102	202	187	207	254	193	374	118	441	26	511	179	617	86	713	80
103	200	188	207	255	193	375	118	442	21	512	179	618	86	714	80
104	200	189	181	256	193	376	118	443	21	517	105	619	86	715	82
105	189	190	181	257	193	377	120	444	21	518	105	621	84	716	82
106	188	191	181	258	192	378	120	445	29	519	105	622	84	717	82
107	186	192	180	259	192	379	120	446	29	520	207	623	86	718	80
108	179	193	180	260	192	380	124	447	29	521	207	624	86	719	80
109	179	194	180	261	192	381	124	448	33	525	55	625	86	720	80
110	202	195	181	262	192	382	126	449	33	526	55	626	84	721	82
111	196	196	181	263	192	383	122	450	33	527	55	628	84	722	82
112	196	197	181	264	192	384	122	451	35	528	55	632	74	723	82
113	196	198	181	265	192	385	125	452	35	529	55	633	74	724	80
114	198	199	181	266	192	386	125	453	35	530	55	634	74	725	80
115	198	200	181	267	195	387	125	454	29	531	55	650	93	726	80
116	198	201	179	268	195	388	125	455	29	532	55	651	93	727	76
117	196	202	179	269	195	389	125	456	29	533	57	652	93	728	76
118	196	203	179	270	201	390	125	457	33	534	57	653	93	729	76
119	196	204	180	271	202	391	125	458	33	535	57	654	93	730	78
123	206	205	180	272	189	392	125	459	33	536	57	655	93	731	78
124	206	206	180	275	189	393	125	460	35	537	57	656	93	732	78
125	206	207	180	278	189	394	125	461	35	538	57	657	93	733	76
126	199	208	180	279	189	395	127	462	35	539	57	658	93	734	76
127	199	209	180	280	190	396	127	463	29	540	57	659	98	735	76
128	199	210	203	283	207	397	127	464	29	541	45	660	98	736	78
131	178	211	203	284	207	398	127	465	29	542	45	661	98	737	78
132	178	212	203	285	207	399	127	466	33	543	45	662	99	738	78
133	178	213	205	287	188	400	26	467	33	544	45	663	99	739	76
135	203	214	205	290	187	401	26	468	33	545	47	664	99	740	76
136	203	215	205	291	187	402	26	469	35	558	66	665	99	741	76
137	203	216	205	292	190	403	21	470	35	559	66	666	99	742	78
138	203	217	205	294	190	404	21	471	35	560	65	667	99	743	78
139	203	218	205	320	175	405	21	472	30	561	65	668	99	744	78
140	203	219	205	321	175	406	26	473	30	562	65	669	99	748	75
141	203	220	205	322	175	407	26	474	30	563	65	670	99	749	75
142	203	221	205	323	175	408	26	475	27	564	65	671	99	750	74
143	203	222	206	324	175	409	22	476	27	565	65	672	92	751	74
144	195	223	206	325	175	410	22	477	27	566	63	673	92	753	106
145	195	224	206	326	175	411	22	478	22	567	63	674	92	754	107
146	195	225	206	327	175	412	27	479	22	568	63	675	92	755	100
147	204	226	206	328	175	413	27	480	22	569	63	676	109	756	101
148	204	227	206	331	174	414	27	481	30	572	71	677	109	757	101
149	204	228	198	332	174	415	22	482	30	573	71	678	109	758	101
150	204	229	198	333	174	416	22	483	30	575	61	679	109	759	101
151	204	230	198	350	143	417	22	484	30	576	61	680	109	759	107
152	204	231	198	351	143	418	27	485	30	577	61	681	109	760	15
153	204	232	198	352	143	419	27	486	23	578	61	686	92	761	15
154	204	233	198	353	142	420	23	487	23	580	66	687	92	762	13
155	204	234	195	354	142	421	23	488	30	581	66	688	92	763	13
159	199	235	195	355	142	422	27	489	30	583	61	689	103	764	19
160	199	236	195	356	143	423	27	490	39	584	61	690	103	765	19
161	199	237	199	357	143	424	26	493	39	585	65	691	103	766	15
162	199	238	199	358	143	425	26	494	41	590	333	692	103	767	15
163	199	239	199	359	142	426	26	495	41	600	118	693	103	768	13
164	199	240	178	360	142	427	21	496	41	601	118	694	103	769	13
165	181	241	178	361	142	428	21	497	41	602	118	695	103	770	19
166	181	242	178	362	143	429	21	498	41	603	124	696	103	771	19
167	181	243	178	363	143	430	29	499	41	604	124	697	103	772	15
168	197	244	178	364	143	431	29	500	41	606	114	703	82	773	15
169	197	245	178	365	142	432	29	501	41	607	114	704	82	774	13
170	197	246	178	366	142	433	33	502	36	608	116	705	82	775	13
171	196	247	178	367	142	434	33	503	36	609	116	706	80	776	19
172	196	248	178	368	145	435	33	504	36	611	86	707	80	777	19
173	196	249	193	369	145	436	35	505	166	612	86	708	80	778	15
174	197	250	193	370	145	437	35	506	166	613	86	709	82	779	15
175	197	251	193	371	145	438	35	507	166	614	84	710	82	780	167
176	197	252	193	372	145	439	26	508	166	615	84	711	82	781	167

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
782	47	858	196	963	53	1267	392	1363	130	1479	371	2166	338	2571	346
783	47	859	196	964	16	1268	392	1364	130	1480	371	2350	347	2573	335
784	167	860	200	965	16	1269	394	1365	130	1481	371	2351	347	2574	335
787	13	861	200	966	16	1270	373	1366	131	1482	371	2352	347	2575	432
788	13	862	190	967	16	1271	373	1367	131	1483	371	2353	347	2576	432
789	19	863	197	968	16	1272	373	1368	131	1484	371	2354	347	2580	339
790	19	864	197	969	16	1273	373	1369	403	1485	372	2355	347	2581	339
791	16	865	197	970	156	1274	373	1375	392	1486	372	2356	347	2582	339
792	16	866	197	971	156	1275	373	1382	131	1487	372	2371	209	2583	432
793	13	867	197	972	156	1276	373	1383	131	1488	372	2372	209	2584	432
794	13	868	197	973	156	1277	373	1384	131	1489	372	2373	209	2585	432
795	19	869	179	974	156	1278	373	1385	131	1490	386	2403	339	2586	432
796	19	870	179	975	156	1279	373	1388	390	1491	384	2404	339	2587	347
797	179	871	179	976	157	1280	373	1389	390	1492	383	2405	339	2588	347
798	92	872	181	977	157	1284	374	1390	390	1493	383	2430	342	2589	347
799	92	873	181	978	157	1285	368	1391	390	1494	384	2431	342	2590	354
801	149	874	181	979	157	1286	368	1392	391	1495	382	2459	342	2591	342
802	149	875	181	980	157	1294	366	1393	391	1496	382	2460	340	2592	342
803	150	876	181	981	157	1297	366	1394	391	1497	433	2461	338	2593	337
804	150	877	181	982	157	1300	365	1395	391	1498	433	2462	338	2594	337
805	150	878	181	983	157	1303	366	1396	391	1500	404	2463	338	2595	337
806	149	879	181	984	157	1304	374	1397	391	1685	257	2512	344	2596	337
807	155	880	181	985	156	1305	374	1398	377	1686	257	2513	344	2597	337
808	155	881	164	986	156	1308	391	1399	377	1687	257	2514	344	2598	337
809	155	882	118	987	156	1309	391	1400	377	2002	340	2515	344	2599	337
812	151	883	51	988	156	1310	391	1401	377	2005	339	2516	344	2600	337
813	165	884	51	989	156	1311	391	1402	377	2009	339	2517	345	2601	337
814	165	885	51	990	156	1312	391	1403	377	2011	339	2518	345	2602	338
815	149	886	51	991	157	1313	391	1404	378	2013	339	2527	346	2603	338
816	149	887	51	992	157	1314	376	1405	378	2015	339	2529	345	2604	338
817	151	888	51	993	157	1315	376	1406	378	2016	339	2531	345	2605	335
818	150	889	51	994	157	1316	376	1407	378	2025	340	2535	347	2606	335
819	150	890	51	995	157	1317	376	1408	378	2031	339	2536	347	2607	335
820	152	891	69	996	157	1318	376	1409	378	2032	339	2537	347	2608	341
821	153	892	69	997	157	1319	376	1410	364	2034	339	2538	347	2609	341
822	153	893	69	998	157	1320	376	1411	364	2035	339	2539	347	2610	343
823	153	894	69	999	157	1321	376	1412	364	2036	339	2540	347	2611	343
824	166	895	69	1100	373	1322	377	1413	364	2037	340	2541	347	2612	343
825	166	896	69	1192	367	1323	377	1424	395	2038	340	2542	347	2613	343
826	166	897	179	1207	374	1324	377	1446	406	2041	339	2543	347	2614	343
827	166	899	171	1208	374	1325	377	1451	131	2042	340	2544	336	2615	343
828	166	935	152	1209	374	1326	375	1452	131	2043	339	2545	336	2616	343
829	166	937	153	1210	374	1327	375	1453	373	2044	340	2546	336	2617	343
830	166	939	144	1232	367	1328	375	1455	386	2118	340	2547	341	2618	343
831	166	940	144	1233	366	1329	375	1456	363	2120	341	2548	335	2619	343
832	160	941	144	1234	366	1330	376	1457	363	2122	341	2549	335	2620	343
835	170	942	144	1235	366	1331	376	1458	363	2124	340	2550	335	2621	343
836	170	943	202	1236	367	1332	365	1459	363	2126	341	2551	335	2622	337
837	171	944	190	1237	367	1333	365	1460	389	2128	341	2552	341	2623	337
838	171	945	37	1238	367	1334	365	1461	389	2133	340	2553	341	2624	337
839	160	946	37	1243	280	1335	365	1462	390	2135	340	2554	353	2625	336
840	160	947	25	1244	280	1336	365	1463	501	2137	341	2555	354	2626	336
841	160	948	25	1245	280	1337	365	1464	501	2138	341	2556	353	2627	336
842	160	949	25	1246	280	1338	365	1465	502	2143	341	2557	354	2628	432
843	160	950	21	1247	280	1339	365	1466	502	2144	340	2558	336	2629	432
844	160	951	25	1248	280	1340	365	1467	502	2145	340	2559	336	2700	229
845	160	952	22	1255	367	1349	393	1468	502	2148	341	2560	336	2701	245
846	160	953	49	1256	367	1350	394	1469	502	2149	341	2561	336	2702	245
847	171	954	49	1257	367	1351	394	1470	502	2150	341	2562	342	2703	245
850	201	955	49	1259	393	1352	394	1471	502	2155	341	2563	342	2704	229
851	201	956	53	1260	393	1353	394	1472	502	2156	341	2564	342	2705	229
852	201	957	53	1261	393	1354	403	1473	387	2159	341	2565	346	2706	229
853	202	958	53	1262	393	1355	403	1474	387	2161	338	2566	346	2707	219
854	202	959	53	1263	392	1356	403	1475	388	2162	338	2567	346	2708	219
855	202	960	53	1264	392	1360	129	1476	388	2163	338	2568	345	2709	219
856	197	961	53	1265	392	1361	129	1477	371	2164	338	2569	345	2710	219
857	197	962	53	1266	392	1362	129	1478	371	2165	338	2570	345	2711	219

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
2712	219	2785	208	3143	273	3303	353	3507	347	3627	263	3713	537	3786	562
2713	223	2786	208	3144	276	3307	353	3508	347	3628	263	3714	539	3787	562
2714	223	2790	231	3145	276	3309	353	3509	347	3629	263	3715	539	3788	562
2715	223	2791	429	3146	276	3312	353	3510	347	3630	263	3716	540	3789	562
2716	223	2792	279	3147	276	3318	353	3511	347	3631	263	3717	540	3790	562
2717	223	2793	279	3148	277	3319	353	3512	347	3632	263	3720	559	3791	562
2718	223	2794	279	3149	277	3320	353	3522	369	3640	265	3721	559	3792	562
2719	256	2796	256	3150	277	3321	353	3523	369	3641	265	3722	559	3793	562
2720	256	2797	256	3151	277	3322	353	3524	369	3642	266	3723	559	3794	562
2721	256	2798	256	3152	277	3326	353	3525	369	3643	266	3724	559	3795	560
2722	256	2799	258	3153	260	3327	353	3526	369	3644	266	3725	559	3796	560
2723	256	2800	258	3154	261	3331	346	3527	369	3645	266	3726	530	3797	560
2724	256	2801	258	3155	261	3333	346	3528	369	3646	266	3727	530	3798	560
2728	252	2802	246	3156	261	3334	346	3529	369	3647	267	3728	534	3799	560
2730	220	2803	251	3157	261	3337	354	3559	369	3648	264	3729	534	3800	560
2731	220	2806	185	3158	261	3338	354	3560	369	3649	264	3730	527	3801	560
2732	220	2807	185	3159	261	3339	354	3565	369	3650	264	3731	529	3802	561
2733	223	2808	185	3160	261	3340	354	3566	369	3651	264	3732	529	3803	560
2734	223	2809	185	3161	262	3341	354	3575	281	3652	265	3733	530	3804	560
2735	223	2810	185	3162	262	3350	349	3576	281	3653	265	3734	529	3805	560
2736	221	2811	185	3163	262	3351	349	3577	281	3654	265	3735	527	3806	560
2737	221	2812	185	3164	262	3352	349	3578	294	3655	369	3736	527	3807	560
2738	221	2813	185	3165	262	3353	349	3581	281	3656	369	3737	528	3808	560
2739	258	2814	185	3166	262	3354	350	3582	281	3657	369	3738	528	3809	560
2740	258	2815	246	3167	262	3355	350	3583	281	3658	369	3739	528	3810	560
2741	258	2816	185	3168	262	3356	350	3584	265	3659	369	3740	529	3816	547
2742	255	2817	185	3169	262	3357	350	3585	266	3660	369	3741	528	3817	547
2743	255	2818	219	3170	263	3358	350	3586	266	3663	354	3742	561	3818	530
2744	255	2819	219	3228	358	3359	351	3587	270	3664	264	3743	561	3819	531
2745	255	2820	219	3231	358	3360	351	3588	270	3665	264	3744	561	3820	531
2746	255	3018	353	3232	359	3361	351	3589	271	3666	264	3745	561	3821	535
2747	255	3035	361	3233	359	3362	351	3590	271	3667	264	3746	561	3822	535
2748	231	3057	358	3234	359	3363	351	3591	271	3668	57	3747	561	3823	535
2749	231	3070	358	3235	359	3364	350	3592	271	3669	269	3748	561	3824	535
2750	431	3101	359	3236	359	3365	350	3593	266	3673	252	3749	561	3825	536
2751	430	3111	272	3237	360	3366	350	3594	266	3674	265	3750	561	3826	536
2752	430	3112	272	3238	360	3367	349	3595	270	3675	263	3751	552	3827	536
2753	430	3113	273	3239	360	3368	349	3596	270	3676	263	3752	552	3828	536
2754	429	3114	273	3240	361	3369	349	3597	270	3677	264	3753	557	3829	537
2755	429	3115	273	3243	357	3370	349	3598	270	3680	396	3754	557	3830	532
2756	429	3116	274	3244	357	3371	348	3599	267	3681	396	3755	561	3831	545
2757	431	3117	275	3246	356	3372	348	3600	267	3682	397	3756	549	3832	545
2760	214	3118	275	3247	356	3423	278	3601	267	3683	397	3757	549	3833	545
2761	214	3119	275	3248	360	3469	268	3602	267	3684	397	3758	541	3834	546
2762	214	3120	275	3249	360	3470	268	3603	267	3685	397	3759	541	3835	546
2763	214	3121	275	3250	360	3471	268	3604	267	3687	397	3760	541	3836	546
2764	214	3122	275	3251	360	3472	268	3605	267	3688	397	3761	549	3837	547
2765	214	3123	275	3252	360	3473	268	3606	267	3689	269	3762	549	3838	547
2766	214	3124	276	3253	358	3474	269	3607	268	3690	269	3763	550	3839	557
2767	214	3125	276	3255	356	3475	562	3608	268	3691	265	3764	550	3840	559
2768	214	3126	276	3256	358	3476	562	3609	268	3692	265	3765	550	3841	559
2769	214	3127	276	3257	358	3477	562	3610	268	3694	271	3766	550	3842	559
2770	214	3128	276	3258	358	3478	562	3611	269	3695	271	3767	558	3843	559
2771	214	3129	272	3259	357	3479	562	3612	269	3696	271	3768	558	3844	559
2772	215	3130	272	3261	356	3480	563	3613	269	3697	272	3769	558	3845	557
2773	215	3131	396	3262	357	3481	563	3614	269	3698	252	3770	558	3847	542
2774	215	3132	396	3263	357	3482	563	3615	269	3700	548	3771	558	3848	542
2775	215	3133	396	3264	361	3483	563	3616	270	3701	548	3772	558	3849	542
2776	215	3134	272	3265	359	3484	563	3617	277	3702	548	3773	558	3850	543
2777	215	3135	272	3269	361	3485	563	3618	277	3705	540	3774	558	3851	544
2778	257	3136	272	3270	361	3486	563	3619	277	3706	540	3775	558	3852	545
2779	257	3137	272	3271	359	3500	347	3620	278	3707	539	3776	558	3853	543
2780	257	3138	273	3272	361	3501	347	3621	294	3708	539	3777	561	3854	543
2781	208	3139	273	3273	357	3502	347	3622	295	3709	538	3782	561	3855	544
2782	208	3140	273	3274	357	3503	347	3623	295	3710	538	3783	561	3856	544
2783	208	3141	273	3275	357	3504	347	3624	57	3711	538	3784	561	3857	544
2784	208	3142	273	3300	353	3505	347	3625	353	3712	538	3785	562	3858	543

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
3859	537	3933	574	4124	222	4459	215	4862	307	4946	311	5570	374	5992	285
3860	537	3934	573	4156	221	4460	215	4863	308	4947	311	5571	405	5993	285
3861	533	3935	573	4160	220	4461	215	4864	308	4948	311	5572	405	5995	291
3862	533	3936	573	4162	220	4466	255	4865	308	4949	311	5588	332	5996	291
3863	533	3937	574	4164	221	4467	255	4866	308	4966	394	5607	332	6018	303
3864	533	3938	574	4166	221	4468	255	4867	308	4967	402	5608	332	6019	302
3865	525	3939	574	4174	222	4472	234	4868	308	4968	402	5609	332	6052	324
3866	524	3943	553	4207	220	4473	237	4869	308	4973	394	5610	332	6053	324
3867	525	3944	553	4216	221	4476	241	4870	308	4982	402	5611	332	6054	324
3868	541	3945	553	4223	280	4479	241	4871	308	4997	393	5745	292	6055	324
3869	542	3946	553	4224	280	4482	243	4872	307	4998	394	5755	291	6056	324
3874	602	3947	554	4225	280	4483	244	4873	307	4999	393	5895	291	6057	324
3875	525	3948	554	4254	224	4484	244	4874	307	5031	311	5896	294	6184	330
3876	526	3949	554	4255	280	4485	244	4887	308	5032	311	5897	294	6185	330
3877	526	3950	554	4256	280	4486	242	4888	308	5033	311	5917	292	6198	330
3878	525	3951	555	4257	280	4487	242	4889	308	5050	394	5918	11	6199	330
3879	523	3952	555	4259	245	4488	242	4890	317	5051	393	5919	11	6200	330
3880	523	3953	555	4276	224	4489	241	4891	317	5052	393	5920	11	6201	330
3881	524	3954	555	4277	224	4490	241	4892	317	5053	393	5921	11	6217	299
3882	523	3955	556	4278	224	4491	241	4893	317	5056	392	5922	11	6221	299
3883	523	3956	556	4300	250	4498	233	4894	317	5068	325	5923	11	6222	299
3884	526	3957	556	4301	247	4499	239	4895	317	5070	325	5940	285	6229	321
3885	526	3958	580	4302	248	4737	318	4896	317	5071	325	5941	285	6231	321
3886	527	3959	580	4307	247	4738	318	4897	317	5072	325	5942	285	6238	300
3887	524	3960	581	4308	248	4739	318	4898	317	5073	325	5943	283	6239	300
3888	524	3961	582	4362	235	4740	318	4904	312	5074	325	5944	283	6256	301
3889	534	3962	581	4364	245	4741	319	4905	312	5076	325	5945	283	6257	301
3890	571	3963	581	4365	247	4742	319	4906	312	5077	402	5946	286	6258	301
3891	571	3964	582	4366	248	4743	318	4907	312	5078	405	5947	286	6259	303
3892	572	3965	582	4367	247	4744	318	4908	312	5081	406	5948	286	6262	321
3893	572	3966	583	4369	223	4745	319	4909	312	5082	406	5949	283	6263	321
3894	567	3967	583	4388	248	4746	319	4910	312	5083	406	5950	283	6264	321
3895	567	3968	583	4390	223	4759	318	4911	312	5084	405	5951	283	6265	322
3896	569	3969	584	4394	250	4760	318	4912	312	5085	405	5952	286	6268	302
3897	570	3970	584	4399	250	4797	311	4913	313	5086	401	5953	286	6270	302
3898	570	3971	584	4407	246	4798	311	4914	313	5087	401	5954	286	6271	302
3899	570	3972	585	4408	246	4800	314	4915	313	5088	401	5955	283	6272	321
3900	567	3973	585	4409	246	4801	314	4916	312	5089	401	5956	283	6273	321
3901	568	3974	587	4410	246	4802	314	4917	312	5090	401	5957	283	6276	318
3902	569	3975	587	4411	246	4803	313	4918	312	5091	402	5958	286	6277	318
3903	569	3976	587	4412	246	4804	313	4919	313	5116	354	5959	286	6278	319
3904	602	3977	588	4413	247	4805	313	4920	313	5117	354	5960	286	6279	318
3905	602	3978	585	4414	247	4806	314	4921	313	5118	354	5961	284	6280	319
3906	603	3979	586	4418	224	4807	314	4922	316	5119	354	5962	284	6281	318
3907	603	3980	586	4419	224	4808	314	4923	316	5120	355	5963	284	6282	328
3910	603	3981	586	4420	224	4809	313	4924	316	5121	355	5964	287	6283	328
3911	603	3982	567	4421	236	4810	313	4925	317	5123	355	5965	287	6284	328
3912	419	3983	568	4425	250	4811	313	4926	317	5124	355	5966	287	6285	328
3913	419	3984	567	4426	250	4812	314	4927	317	5127	355	5967	284	6286	328
3914	419	3985	567	4427	249	4813	314	4928	317	5128	355	5968	284	6287	328
3916	568	3986	599	4428	249	4814	314	4929	317	5129	355	5969	284	6292	306
3917	568	3987	599	4429	248	4815	313	4930	317	5130	355	5972	284	6293	306
3918	568	3988	600	4431	248	4816	313	4931	310	5131	355	5977	293	6294	306
3919	568	3989	600	4432	248	4817	313	4932	310	5132	355	5978	293	6295	308
3920	551	3990	601	4440	222	4818	309	4933	310	5133	355	5979	293	6296	308
3921	551	3991	601	4444	247	4821	309	4934	310	5134	355	5980	294	6297	308
3922	551	3992	575	4445	247	4824	309	4935	310	5135	356	5981	294	6309	322
3923	551	3993	575	4446	247	4826	309	4936	310	5136	356	5982	294	6310	322
3924	552	3994	575	4447	216	4833	310	4937	310	5137	356	5983	294	6313	324
3925	552	3995	576	4448	216	4854	306	4938	310	5138	356	5984	292	6314	324
3926	531	3996	576	4449	216	4855	306	4939	310	5139	356	5985	292	6318	322
3927	546	3997	576	4453	219	4856	306	4940	311	5140	356	5986	293	6319	322
3928	573	4061	280	4454	219	4857	307	4941	311	5141	356	5987	293	6320	322
3929	573	4062	280	4455	219	4858	307	4942	311	5502	290	5988	285	6321	322
3930	573	4084	280	4456	219	4859	307	4943	311	5560	333	5989	285	6322	323
3931	574	4122	221	4457	219	4860	307	4944	311	5566	390	5990	285	6324	323
3932	574	4123	222	4458	219	4861	307	4945	311	5567	390	5991	285	6325	323

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
6328	302	6443	94	7047	509	7177	242	7335	233	7462	232	7532	509	7924	613
6329	301	6444	95	7055	421	7178	243	7336	233	7463	232	7533	295	7925	613
6332	301	6445	95	7057	513	7179	243	7341	216	7464	232	7534	295	7926	605
6333	301	6446	329	7058	512	7180	243	7342	216	7465	232	7535	295	7927	434
6340	314	6447	329	7059	512	7181	243	7343	217	7466	233	7536	295	7928	434
6346	315	6448	329	7060	514	7182	243	7344	217	7467	233	7537	295	7929	611
6347	315	6449	329	7061	514	7183	243	7346	222	7468	233	7538	295	7950	137
6348	315	6450	302	7062	514	7184	244	7349	218	7470	430	7539	497	7951	137
6352	315	6451	300	7063	514	7186	244	7350	218	7472	240	7540	497	7952	137
6353	315	6452	300	7064	507	7187	244	7351	218	7473	238	7541	498	7953	137
6354	315	6453	300	7065	507	7188	244	7352	218	7474	234	7542	498	7954	136
6355	315	6454	300	7066	510	7189	244	7353	218	7475	237	7543	497	7955	136
6356	315	6458	302	7067	510	7190	244	7354	218	7476	255	7544	500	7956	136
6357	315	6459	327	7068	510	7191	245	7355	226	7477	255	7545	500	7957	136
6358	315	6460	327	7069	511	7194	224	7356	226	7478	255	7546	500	7958	133
6361	316	6461	327	7070	510	7195	224	7357	223	7479	213	7547	500	7959	133
6364	315	6462	327	7071	510	7216	237	7358	223	7480	213	7548	500	7960	133
6365	315	6463	327	7072	511	7217	236	7359	223	7481	213	7549	500	7961	133
6366	315	6464	327	7073	511	7218	235	7360	226	7482	213	7550	500	7962	134
6367	316	6465	327	7074	513	7220	235	7361	226	7483	213	7551	500	7963	134
6369	316	6466	327	7075	513	7229	218	7362	220	7484	213	7552	500	7964	134
6370	316	6467	329	7076	508	7234	281	7363	220	7485	213	7553	498	7965	134
6372	316	6468	329	7077	508	7235	281	7364	220	7486	213	7554	498	7966	135
6376	300	6469	329	7078	484	7236	281	7365	225	7487	213	7555	503	7967	135
6384	301	6470	329	7079	484	7240	217	7366	225	7488	212	7556	503	7968	135
6385	301	6471	299	7080	484	7241	217	7368	225	7489	212	7557	503	7969	135
6386	302	6472	329	7081	485	7242	217	7402	218	7490	212	7558	503	7970	137
6387	328	6473	329	7082	485	7246	217	7403	218	7491	212	7559	503	7971	137
6388	328	6474	91	7083	485	7251	245	7407	220	7492	212	7560	503	7972	137
6392	321	6475	91	7086	488	7252	239	7408	220	7493	212	7561	503	7973	137
6393	321	6476	91	7087	484	7260	217	7409	220	7494	212	7562	503	7974	137
6394	321	6477	91	7088	484	7261	217	7410	249	7495	212	7563	506	7975	137
6399	328	6478	91	7089	484	7262	217	7411	249	7496	212	7564	506	7977	137
6400	328	6479	91	7090	485	7263	221	7412	249	7497	256	7565	506	7978	137
6401	305	6480	91	7091	485	7264	221	7413	250	7498	256	7566	506	7979	137
6402	305	6481	91	7092	485	7265	221	7415	238	7499	256	7567	506	7980	278
6403	305	6482	91	7093	488	7269	258	7416	235	7500	496	7568	507	7981	278
6404	305	6483	108	7098	418	7270	258	7418	222	7501	496	7569	498	7982	278
6405	305	6484	108	7099	418	7271	258	7419	220	7502	496	7570	498	8070	319
6406	305	6485	108	7109	241	7285	227	7420	235	7503	496	7600	385	8073	319
6407	305	6486	108	7110	242	7286	227	7421	234	7504	496	7601	385	8074	319
6408	305	6487	97	7112	242	7287	227	7422	218	7505	496	7602	380	8075	319
6409	305	6488	97	7113	240	7288	227	7423	249	7506	496	7603	381	8076	319
6410	305	6489	97	7114	240	7289	227	7424	249	7507	496	7604	380	8080	434
6411	305	6490	97	7115	240	7290	227	7425	249	7508	497	7605	381	8081	298
6412	305	6491	97	7116	240	7291	226	7427	250	7509	497	7606	380	8082	298
6413	306	6492	97	7119	245	7292	226	7429	255	7510	497	7607	381	8083	298
6414	306	6493	97	7120	245	7293	226	7430	255	7511	497	7608	380	8084	298
6415	306	6494	97	7121	215	7295	226	7431	255	7512	497	7609	381	8085	298
6416	306	6495	97	7142	239	7296	226	7432	256	7513	507	7900	605	8086	297
6417	306	6600	75	7143	239	7297	227	7433	256	7514	507	7901	606	8087	297
6418	306	6601	75	7144	239	7298	227	7434	256	7515	499	7902	606	8088	297
6422	307	6602	75	7145	237	7300	227	7435	252	7516	499	7903	436	8119	330
6423	307	6603	298	7146	236	7301	227	7436	252	7517	500	7908	438	8156	303
6424	307	6604	298	7147	237	7302	227	7437	252	7518	500	7911	437	8157	303
6427	302	6605	297	7148	236	7305	258	7438	252	7519	508	7912	437	8158	303
6428	307	6606	399	7150	215	7306	258	7439	252	7520	508	7913	609	8173	161
6429	307	6607	399	7151	215	7307	258	7440	252	7521	508	7914	608	8174	161
6430	309	6608	399	7154	244	7308	258	7453	251	7522	509	7915	609	8175	161
6431	309	6609	399	7155	238	7309	227	7454	251	7523	423	7916	609	8176	161
6436	302	6610	400	7156	236	7317	216	7455	251	7524	486	7917	608	8177	161
6437	302	6611	400	7157	234	7324	226	7456	238	7525	486	7918	610	8178	161
6438	94	6612	400	7161	225	7325	226	7457	234	7526	486	7919	610	8179	161
6439	94	6613	400	7163	225	7326	226	7458	246	7527	486	7920	610	8180	161
6440	95	7044	499	7164	225	7328	238	7459	246	7529	512	7921	608	8181	161
6441	95	7045	499	7166	225	7332	257	7460	246	7530	513	7922	612	8182	162
6442	94	7046	509	7173	224	7334	257	7461	231	7531	509	7923	612	8183	162

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
8184	162	8269	492	8336	480	8467	443	8576	289	8689	597	8756	455	8823	472
8197	162	8270	493	8337	480	8468	443	8577	289	8690	259	8757	455	8830	470
8198	162	8271	493	8338	480	8469	443	8578	290	8691	259	8758	455	8831	470
8199	162	8272	493	8339	480	8470	442	8579	270	8692	259	8759	455	8832	470
8202	491	8273	493	8340	480	8474	445	8580	270	8693	259	8760	455	8833	468
8203	491	8274	410	8341	480	8475	445	8581	271	8694	259	8761	455	8834	468
8204	491	8275	304	8342	480	8476	446	8582	271	8695	259	8762	456	8839	251
8205	491	8276	423	8344	489	8478	446	8583	274	8696	260	8763	456	8840	251
8206	491	8277	423	8345	489	8479	447	8584	274	8697	260	8764	456	8841	460
8207	491	8278	423	8346	489	8500	418	8585	274	8698	478	8765	456	8874	162
8208	488	8279	424	8347	489	8504	420	8586	274	8699	478	8766	456	8875	162
8209	480	8280	482	8348	375	8505	420	8587	274	8700	467	8767	456	8876	162
8210	480	8281	482	8349	375	8506	420	8588	275	8701	467	8768	457	8877	260
8211	480	8282	482	8350	375	8517	505	8589	274	8702	467	8769	457	8878	260
8212	480	8283	482	8351	375	8518	505	8590	274	8703	467	8770	453	8879	260
8213	481	8284	482	8352	375	8519	418	8591	274	8704	451	8771	453	8880	260
8214	481	8285	482	8353	375	8520	418	8592	275	8705	452	8772	453	8881	257
8215	481	8286	483	8354	426	8521	412	8595	261	8706	463	8773	453	8882	257
8216	481	8287	483	8355	449	8522	412	8596	261	8707	463	8774	454	8883	257
8217	486	8288	483	8357	426	8523	413	8600	416	8708	463	8775	454	8884	257
8218	486	8289	483	8359	449	8524	413	8601	416	8709	463	8776	454	8885	257
8219	486	8290	483	8360	426	8525	414	8602	415	8710	464	8777	454	8886	257
8220	486	8291	483	8369	427	8526	414	8603	415	8711	464	8778	452	8887	163
8221	490	8292	483	8372	427	8527	484	8604	415	8712	464	8779	452	8888	163
8222	490	8293	483	8379	427	8528	484	8605	415	8713	464	8780	452	8889	163
8223	490	8294	483	8382	410	8529	484	8608	260	8714	464	8781	452	8890	163
8224	490	8295	482	8385	426	8530	484	8609	476	8715	464	8782	452	8891	163
8225	489	8296	482	8387	426	8531	484	8610	476	8716	469	8783	458	8912	163
8226	489	8297	482	8389	426	8532	484	8611	477	8717	470	8784	458	8913	163
8227	489	8298	482	8395	427	8533	491	8612	477	8718	470	8785	458	8914	163
8228	489	8299	482	8397	427	8534	491	8613	474	8719	471	8786	458	8915	163
8232	488	8300	482	8399	427	8535	491	8614	474	8720	471	8787	458	8916	395
8233	487	8301	485	8400	447	8536	491	8615	474	8721	471	8788	458	8917	395
8234	487	8302	485	8401	427	8537	476	8616	474	8722	471	8789	459	8918	396
8235	487	8303	485	8402	427	8538	476	8617	475	8723	471	8790	459	8930	419
8236	488	8304	485	8414	441	8539	476	8618	475	8724	471	8791	451	9104	295
8237	488	8305	485	8415	441	8540	476	8619	475	8725	472	8792	451	9366	152
8238	488	8306	485	8416	442	8541	477	8620	475	8726	472	8793	451	9386	153
8239	487	8307	490	8417	439	8542	477	8621	501	8727	472	8794	451	9546	295
8240	487	8308	490	8418	439	8543	477	8622	501	8728	472	8795	460	9944	369
8241	487	8309	490	8419	439	8544	477	8623	505	8729	468	8796	460	9945	369
8242	487	8310	490	8421	442	8547	287	8624	505	8730	468	8797	440	9947	352
8243	487	8311	409	8422	441	8548	290	8625	505	8731	468	8798	440	9952	369
8244	487	8312	408	8423	439	8549	290	8626	499	8732	468	8799	453	9953	369
8245	487	8313	408	8424	440	8550	287	8627	499	8733	465	8800	453	9954	369
8246	487	8314	408	8425	440	8551	481	8628	511	8734	465	8801	459	9955	369
8247	487	8315	408	8427	441	8552	481	8629	512	8735	465	8802	459	9956	352
8249	409	8316	479	8428	442	8553	481	8649	437	8736	465	8803	460	9957	352
8250	493	8317	479	8432	440	8554	481	8650	437	8737	466	8804	459	9969	303
8251	493	8318	479	8433	440	8557	597	8651	435	8738	466	8805	459	9986	352
8252	493	8319	479	8436	431	8558	597	8670	417	8739	466	8806	460	9989	303
8253	493	8320	479	8437	409	8559	252	8671	417	8740	466	8807	457	9997	303
8254	494	8321	479	8438	448	8560	475	8672	417	8741	466	8808	457	9999	303
8255	494	8322	479	8439	448	8561	475	8673	417	8742	467	8809	460	11077	518
8256	494	8323	479	8440	448	8562	475	8674	288	8743	469	8810	461	11078	519
8257	494	8324	479	8441	448	8563	475	8675	492	8744	469	8811	461	11079	517
8258	494	8325	479	8445	449	8564	421	8676	492	8745	466	8812	461	11088	518
8259	494	8326	479	8446	441	8565	421	8677	492	8746	469	8813	462	11109	516
8260	494	8327	479	8447	442	8566	499	8678	492	8747	469	8814	461	11144	137
8261	494	8328	479	8458	425	8567	498	8679	47	8748	465	8815	462	11145	137
8262	492	8329	479	8459	425	8568	498	8681	478	8749	465	8816	462	11159	615
8263	492	8330	479	8460	425	8569	420	8682	478	8750	251	8817	457	11160	615
8264	492	8331	479	8461	425	8570	420	8683	474	8751	251	8818	457	11161	615
8265	492	8332	479	8462	425	8571	420	8684	474	8752	251	8819	461	11162	615
8266	492	8333	479	8463	425	8573	288	8686	511	8753	251	8820	462	11163	615
8267	492	8334	480	8465	447	8574	288	8687	512	8754	454	8821	462	11164	615
8268	492	8335	480	8466	443	8575	289	8688	513	8755	454	8822	462	11165	615

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
11166	615	40021	577	44941	242								
11167	615	40031	577	45641	230								
11168	615	40041	578	45651	230								
11169	615	40051	578	45661	230								
11170	615	40061	578	45671	230								
11171	615	40071	579	45691	224								
11172	615	40081	580	58011	66								
11173	615	40091	579	58111	66								
11174	615	40101	579	60246	298								
11175	615	40111	532	60256	298								
11176	615	40121	532	60266	301								
11177	615	40131	532	60276	301								
11178	615	40141	592	60286	298								
11179	617	40151	592	60303	304								
11180	617	40161	593	60696	301								
11181	617	40171	593	62186	299								
11182	617	40181	593	62196	299								
15011	404	40191	594	62206	299								
15021	404	40201	594	62366	299								
15031	404	40211	593	62376	299								
20000	140	40221	594	62406	299								
20001	140	40231	594	62416	299								
20003	141	40241	595	62426	299								
20004	141	40251	595	62436	300								
20006	140	40261	595	63776	299								
20007	140	40271	595	63796	300								
20009	141	40281	596	64511	300								
20010	141	40291	596	64521	300								
20012	25	40301	596	71031	241								
20013	25	40311	416	71091	242								
20014	25	40321	416	71811	243								
20016	154	40331	590	80981	410								
20017	166	40341	589	83111	409								
20018	166	40351	589	83611	170								
20019	166	40361	589	94006	288								
20020	166	40371	588	94008	288								
20021	193	40381	590	94010	289								
20022	193	40391	590	94012	289								
20023	193	40401	591	94026	289								
20024	61	40411	591	94027	290								
20025	61	40421	591	500081	518								
20026	180	40431	588	500082	518								
20027	180	40441	565										
20028	180	40451	565										
20037	36	40461	565										
20038	36	40471	566										
20039	36	40481	566										
20044	198	40491	566										
20045	196	40501	521										
20047	74	40511	522										
20048	74	40521	522										
20049	159	40531	522										
20050	159	40541	522										
20051	158	40551	521										
20052	158	40561	521										
20053	158	40571	521										
20054	158	42151	221										
20055	158	42411	221										
20056	158	42501	222										
20057	158	42511	222										
20058	158	42521	222										
20059	158	42581	221										
20060	112	43421	222										
34235	278	43431	222										
36205	278	43441	222										
36265	278	43881	248										
40011	577	44801	243										

INTRODUCING THE NEW SERIES

evolution

Our bestselling LED Lights — now upgraded with a superior efficiency of **160 lm/W** through the latest in LED technology.

SuperBRIGHT
160
LUMENS/W

5 YEAR
WARRANTY



Head Offices

Sofia | London

Europe Office
1, Iliansko Shaussee Blvd,
Sofia 1220, Bulgaria
www.v-tac.eu

UK Office
Springheath House,
Kelpatrick Road,
Slough, Berkshire,
SL1 6BW, UK.
www.v-tac.co.uk

Middle East Office
Unit# 407/8/9 Jumeirah
Bay Towers,
Plot# X3, JLT,
P.O. Box 45244, Dubai.
www.vtacexports.com

SMART SPEAKERS SMART TABLE LAMPS PENDANTS LED STRIP LIGHTS
TOWER FANS LED CEILING FAN POWER BANK LED SPOT LIGHTS CAMERAS
TABLE LIGHTS LED SOLAR LIGHTS FIRE RATED LIGHTS LED LINEAR LIGHTS